
FORMALDEHYDE SOLUTION,BUFFERED 10%

MSDS Number

BBDYH

National Stock Number

9930-00D001152

Product Name

FORMALDEHYDE SOLUTION,BUFFERED 10%

Manufacturer

MALLINCKRODT INC SCIENCE PRODUCTS DIV

Product Identification

Product ID:FORMALDEHYDE SOLUTION,BUFFERED 10%

MSDS Date:01/01/1987

FSC:9930

NIIN:00D001152

MSDS Number: BBDYH

Responsible Party

MALLINCKRODT INC.,SCIENCE PRODUCTS DIV.

PARIS BYPASS

PARIS , KY 40361

US

Emergency Phone: 314-982-5000

Info Phone: 314-982-5000

Cage: 62910

Contractor

MALLINCKRODT SPECIALTY CHEMICALS CO

PHILLIPSBURG, NJ 08865

US

908-859-2151

Cage: 62910

Ingredients

FORMALDEHYDE (SARA III)

CAS: 50-00-0

RTECS: LP8925000

Fraction By Weight: 4%

OSHA PELSEE 1910.1048

ACGIH TLV: C 0.3 PPM; A2; 9293

EPA Report Quantity: 100 LBS

DOT Report Quantity: 100 LBS

METHYL ALCOHOL (METHANOL) (SARA III)

CAS: 67-56-1

RTECS: PC1400000

Fraction By Weight: 1.25%

OSHA PELS,200PPM/250STEL
ACGIH TLV: S,200PPM/250STEL; 93
EPA Report Quantity: 5000 LBS
DOT Report Quantity: 5000 LBS

WATER, CAS 7732-18-5
CAS: 7732-18-5
RTECS: ZC0110000

Fraction By Weight:

PHOSPHATES (TYPE NOT SPECIFIED) USED AS BUFFER

Hazards

Effects of Overexposure:IRRIT TO EYES,SKIN,RESP.TRACT.HARMFUL OR FATAL IF SWALLOWED OR INHALED OR ABSORBED THROUGH SKIN.

First Aid

First Aid:CALL PHYSICIAN IMMEDIATELY. INGEST: IMMEDIATELY GIVE 2 GLASSES WATER & INDUCE VOMITING. INHAL: REMOVE TO FRESH AIR, GIVE OXYGEN OR CPR IF NEEDED. FLUSH SKIN OR EYES W WATER. SEE SUPP DATA

Fire Fighting

Flash Point:185F/85C
Extinguishing Media:CO*2, FOAM, DRY CHEM & H*2O FOG.
Fire Fighting Procedures:USE H*20 TO COOL EXPD CONTRS. USE SCBA & FULL PROT.CLTHG.
Unusual Fire/Explosion Hazard:FLASHBACK ALONG VAPOR TRAIL MAY OCCUR; VAP MAY EXPL. IF IGNITED IN AN ENCLOSED AREA.

Accidental Release

Spill Release Procedures:REMOVE IGN SOURCES & VENT AREA. WEAR FULL PROTECTIVE CLOTHING & SCBA OR SUPPLIED AIR RESP. DIKE & RECOVER IN DRUMS OR ABSORB IN INERT MATERIAL. DO NOT FLUSH TO SEWER OR SURFACE WATERS.

Handling

Handling and Storage Precautions:KEEP CONTAINERS TIGHTLY CLOSED. OUTSIDE OR DETACHED STORAGE PREFERRED. STORE AS FLAMMABLE LIQUID AWAY FROM OXIDIZING AGENTS IF INDOORS.
Other Precautions:SHOWER,CHANGE TO CLEAN GARMENTS AFTER EXPOSURE. AVOID CROSS CONTAMINATION WITH STREET CLOTHING. DO NOT SMOKE,EAT OR DRINK IN WORKPLACE. WASH HANDS BEFORE EATING ETC.

Exposure Controls

Respiratory Protection:NIOSH/MESA APPR SCBA/AIR SUPP RESPIR.
Ventilation:LOCAL EXHAUST TO MAINTN BELOW TLV.
Protective Gloves:IMPERVIOUS
Eye Protection:GOGGLES/FACE SHIELD
Other Protective Equipment:FULL PROTECTIVE CLOTHING,SAFETY SHOWER,EYE WASH STATION
Supplemental Safety and Health
MSDS 14OCT86 NTP.LISTS FORMALDEHYDE AS A SUSPECTED CARCINOGEN.OVEREXPOSURE SYMPTOMS:ABDOMINAL PAIN,VOMITING,HEADACHE,DIARRHEA.CHRONIC EXPOSURE MAY CAUSE HYPERSENSIT.&/OR LIVER,KIDNEY DAMAGE.

Chemical Properties

HCC:V4
Boiling Pt:B.P. Text:212F/100C
Spec Gravity:1.0
Evaporation Rate & Reference:LIKE WATER

Solubility in Water: SOLUBLE
Appearance and Odor: CLEAR COLORLESS SOLUTION,

Stability

Stability Indicator/Materials to Avoid: YES
OXIDIZING AGENTS, ALKALIS, MAY REACT EXPLOSIVELY
Stability Condition to Avoid: HEAT, IGNITION SOURCES
Hazardous Decomposition Products: FORMALDEHYDE GAS, CARBON MONOXIDE

Disposal

Waste Disposal Methods: DISPOSE OF AS HAZARDOUS WASTE IN RCRA FACILITY
OR DISOLVE IN COMBUSTIBLE SOLVENT FOR INCINERATION I/A/W
FEDERAL, STATE, LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.