

AQS-15 PRINT WHEEL CLEANER

MSDS Number

BBDZC

National Stock Number

6850-00D001178

Product Name

AQS-15 PRINT WHEEL CLEANER

Manufacturer

U S PACKAGING CORP

Product Identification

Product ID:AQS-15 PRINT WHEEL CLEANER

MSDS Date:11/19/1985

FSC:6850

NIIN:00D001178

MSDS Number: BBDZC

Responsible Party

U.S.PACKAGING CORP

440 DENNISTON CT.

WHEELING 60090

US

Emergency Phone: 312-459-5030

Info Phone: 312-459-5030

Cage: EO091

Contractor

U.S.PACKAGING CORP

WHEELING, IL 60090

US

312-459-5030

Cage: EO091

Ingredients

METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)

CAS: 71-55-6

RTECS: KJ2975000

Fraction By Weight: 67.5%

OSHA PEL350 PPM/450 STEL

ACGIH TLV: 350 PPM/450STEL;9192

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

POLYALKYLENE GLYCOL

Fraction By Weight: 7.5%

PROPANE-ISOBUTANE

Fraction By Weight: 25%

OSHA PEL1000 PPM (PROPANE)

ACGIH TLV: 1000 PPM (PROPANE)

Hazards

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ANESTHETIC EFFECT WHEN INHALED.

DIGESTIVE UPSET IF SWALLOWED.

Effects of Overexposure:EYES,SKIN: IRRITATION. INHAL:

DIZZINESS,ASPHXATION. INGEST: NAUSEA, VOMITING, DIARRHEA.

Medical Cond Aggravated by Exposure:NONE LISTED

First Aid

First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG
DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH
W/SOAP&WATER. RMV CONTAM CLTHG&SHOES. INGEST:INDUCE VOMIT. RPT
UNTIL VOMIT IS C LEAR. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.

Fire Fighting

Flash Point Method:COC

Flash Point:305/151C

Extinguishing Media:CO*2, FOAM, DRY CHEM & H*2O FOG.

Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H*2O SPRAY TO COOL
CONTR.

Unusual Fire/Explosion Hazard:CONTAINERS MAY RUPTURE IN HEAT OF
FIRE.TOXIC GAS MAY EXCAPE DURING FIRE.

Accidental Release

Spill Release Procedures:REMOVE IGNITION SOURCES. VENTILATE AREA.

ABSORB LIQUID IN VERMICULITE,ETC.

Neutralizing Agent:NONE

Handling

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED,LOW

FIRE RISK AREA. PROTECT FROM PHYSICAL DAMAGE.KEEP CONTAINERS

CLOSED. MAINTAIN STANDARD HYGIENE FOR CHEM HANDLING

Other Precautions:AEROSOL PRODUCT: STORE BELOW 120F. DO NOT PUNCTURE OR
INCINERATE.

Exposure Controls

Respiratory Protection:IF EXPOSD TLV,NIOSH/MESA APPR SELF-CNTND BRTHG

APP (POS PR MODE)

Ventilation:PROVIDE MECHAN(GEN/LOCAL EXHAUST)VENT TO MAINTN Protective Gloves:OPTIONAL

Eye Protection:SAFETY GLASSES

Other Protective Equipment:NONE

Supplemental Safety and Health

FLASH-PT IS FOR NON-PRESSURIZED SYSTEM(LIQUID ONLY)

Chemical Properties

HCC:V3

Spec Gravity:1.26

Solubility in Water:NEGLIGIBLE

Appearance and Odor:COLORLESS LIQUID

Percent Volatiles by Volume:87

Stability

Stability Indicator/Materials to Avoid:YES

WATER - HYDROLYSIS PRODUCES CORROSIVE ACID

Stability Condition to Avoid:TEMPERATURES OVER 120F

Hazardous Decomposition Products:PHOSGENE, HYDROCHLORIC ACID (HCL)

Disposal

Waste Disposal Methods:LANDFILL I/A/W FEDERAL, LOCAL, STATE

REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.