

# **HYDROCAL CG GYPSUM CEMENT**

#### **MSDS Number**

**BBFBH** 

#### **National Stock Number**

5610-00D001219

#### **Product Name**

HYDROCAL CG GYPSUM CEMENT

#### Manufacturer

U S GYPSUM COMPANY

## **Product Identification**

Product ID:HYDROCAL CG GYPSUM CEMENT MSDS Date:01/01/1987 FSC:5610 NIIN:00D001219 MSDS Number: BBFBH

# **Responsible Party**

U.S.GYPSUM COMPANY

Emergency Phone: 312-321-4382

Cage: EO096

## Contractor

U.S.GYPSUM COMPANY

PINCKNEYVILLE, IL 62274

618-357-5353

US

Cage: EO096

#### **Ingredients**

PRODUCT CONSISTS OF 99% GYPSUM & 1%

RTECS: 9999999ZZ

TS OF ABOVE 95% CALCIUM SULFATE & 5% OF SAND, CLAY & CACO\*3;

RTECS: 9999999ZZ

OF THESE "MULTIPURPOSE HYDROCAL PRODUCTS" IS THE SETTING &

RTECS: 9999999ZZ

#### **Hazards**

Effects of Overexposure: MAY DEVELOP SUFFICIENT HEAT TO CAUSE BURNS IF A LARGE MASS IS KEPT IN CONTACT WITH SKIN WHILE HARDEN

#### First Aid

First Aid:EYE & SKIN:FLUSH OR WASH WITH WATER;INH:REMOVE TO FRESH AIR;ING:PLASTER HARDENS WHEN WETTED,AND IF INGESTED MAY RESULT IN OBSTRUCTION.SEE USAGE & PRODUCT SPEC FOR HARDENING TIME.

## Fire Fighting

Extinguishing Media: NOT COMBUSTIBLE Fire Fighting Procedures: NONE



Unusual Fire/Explosion Hazard: NONE

#### **Accidental Release**

Spill Release Procedures: SWEEP UP. AVOID CREATING EXCESSIVE DUST. SLURRY MAY PLUG DRAINS.

#### Handling

Handling and Storage Precautions: DEW POINT CONDITIONS, OR OTHER CONDITIONS CAUSING PRESENCE OF LIQUID WATER WILL HARDEN PLASTER DURING STORAGE.

# **Exposure Controls**

Respiratory Protection: NIOSH-APPROVED RESPIRATOR FOR NUISANCE DUST.

Ventilation: LOCAL EXHAUST IF ABOVE TLV.

Protective Gloves: NONE

Eye Protection:SAFETY GLASSES Other Protective Equipment:NONE Supplemental Safety and Health MSDS DATED 5-15-86.

# **Chemical Properties**

HCC:N1

Boiling Pt:B.P. Text:DECOMPOSES Spec Gravity:2.7

Solubility in Water:0.2%

Appearance and Odor: WHITE POWDER, LOW ODOR.

## **Stability**

Stability Indicator/Materials to Avoid:YES Hazardous Decomposition Products:ABOVE 1450C: SO\*2 & CAO.

#### **Disposal**

Waste Disposal Methods: NORMAL DISPOSAL AS FOR ANY DRY INERT POWDER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.