

## BUFFER SOLUTIONS (PH 3.0,4.0,5.0)#SB98500

## **MSDS Number**

BBFCS

## **National Stock Number**

6850-00D001273

## **Product Name**

BUFFER SOLUTIONS (PH 3.0,4.0,5.0)#SB98500

## Manufacturer

FISHER SCIENTIFIC CHEMICAL DIV

## **Product Identification**

Product ID:BUFFER SOLUTIONS (PH 3.0,4.0,5.0)#SB98500 MSDS Date:01/01/1987 FSC:6850 NIIN:00D001273 MSDS Number: BBFCS

## **Responsible Party**

FISHER SCIENTIFIC, CHEMICAL DIVISION.

Emergency Phone: (201)796-7100

Cage: 1B464

## Contractor

FISHER SCIENTIFIC CO. CHEMICAL MFG DIV

FAIRLAWN, NJ 07410-2802

US

201-796-7100

Cage: 1B464

## Ingredients

HYDROGEN CHLORIDE (HYDROCHLORIC ACID) (SARA III) CAS: 7647-01-0 RTECS: MW4025000 Fraction By Weight: OSHA PELC 5 PPM ACGIH TLV: C 5 PPM; 9192 EPA Report Quantity: 5000 LBS DOT Report Quantity: 5000 LBS

POTASSIUM HYDROGEN PHTHALATE,CAS#877-24-7 Fraction By Weight: >1.0% ACGIH TLV: NOT SPECIFIED

FORMALDEHYDE (SARA III) CAS: 50-00-0 RTECS: LP8925000 Fraction By Weight: 0.04%

# msds report

#### https://msdsreport.com/msds/BBFCS

•

OSHA PELSEE 1910.1048 ACGIH TLV: C 0.3 PPM; A2; 9293 EPA Report Quantity: 100 LBS DOT Report Quantity: 100 LBS

SODIUM HYDROXIDE (SARA III) CAS: 1310-73-2 RTECS: WB4900000 Fraction By Weight: 0.05% OSHA PEL2 MG/M3 ACGIH TLV: C 2 MG/M3; 9293 EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

WATER,CAS#7732-18-5

CAS: 7732-18-5

RTECS: ZC0110000

Fraction By Weight: 99.0%

## Hazards

Effects of Overexposure:EYES:IRRITATION;SKIN:IRRITATION;INHAL;RESP. TRACT IRRITATION;INGEST:;NAUSEA,VOMITING AND DIARRHEA.

## **First Aid**

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O\*2 IF NEED;EYES/SKIN:FLUSH W LG AMTS H\*20 FOR 15 MIN;INGEST:RINSE MOUTH; GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER SYMPTOMS OF OVEREXPOSURE.

## **Fire Fighting**

Flash Point:NONE Extinguishing Media:DRY CHEMICAL,CARBON DIOXIDE,WATER Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED AREA IF NEEDED Unusual Fire/Explosion Hazard:NEGLIGIBLE

## **Accidental Release**

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;USE SUITABLE ABSORBENT MATERIAL AND RECOVER FOR LATER DISPOSAL;KEEP OUT OF SEWERS AND WATER SOURCES.

## Handling

Handling and Storage Precautions:STORE IN COOL DRY AND WELL VENTILATED AREA;KEEP CONTAINER CLOSED WHEN NOT IN USE. Other Precautions:AVOID CONTACT WITH SKIN AND EYES;DO NOT BREATHE VAPORS OR TAKE INTERNALLY.

## **Exposure Controls**

Respiratory Protection:NO SPECIAL REQMNTS UNDER ORDINARY CONDITIONS/ADEQUATE VENT. Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE VENTILATION Protective Gloves:IMPERVIOUS Eye Protection:SAFETY/CHEM GOGGLES Other Protective Equipment:FULL WORK CLOTHING TO PREVENT REPEATED OR PROLONGED CONTACT.



Supplemental Safety and Health MSDS DATED:09/24/85

## **Chemical Properties**

HCC:N1 Boiling Pt:B.P. Text:212F/100C Vapor Pres:14 Vapor Density:0.7 Spec Gravity:1.0 Evaporation Rate & Reference:>1.0 (ETHER=1) Solubility in Water:COMPLETE Appearance and Odor:CLEAR COLORLESS LIQUID(MAY COLOR CODED AS PER PH)

## Stability

Stability Indicator/Materials to Avoid:YES WATER-REACTIVE SUBSTANCES,LIKE OLEUM,SODIUM Stability Condition to Avoid:EXTREME HEAT Hazardous Decomposition Products:A SMALL AMOUNT OF HCL GAS AND A TRACE OF FORMALDEHYDE

## Disposal

Waste Disposal Methods: DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.