



BUFFER SOLUTIONS (PH 3.0,4.0,5.0)#SB98500

MSDS Number

BBFCS

National Stock Number

6850-00D001273

Product Name

BUFFER SOLUTIONS (PH 3.0,4.0,5.0)#SB98500

Manufacturer

FISHER SCIENTIFIC CHEMICAL DIV

Product Identification

Product ID:BUFFER SOLUTIONS (PH 3.0,4.0,5.0)#SB98500

MSDS Date:01/01/1987

FSC:6850

NIIN:00D001273

MSDS Number: BBFCS

Responsible Party

FISHER SCIENTIFIC,CHEMICAL DIVISION.

Emergency Phone: (201)796-7100

Cage: 1B464

Contractor

FISHER SCIENTIFIC CO. CHEMICAL MFG DIV

FAIRLAWN, NJ 07410-2802

US

201-796-7100

Cage: 1B464

Ingredients

HYDROGEN CHLORIDE (HYDROCHLORIC ACID) (SARA III)

CAS: 7647-01-0

RTECS: MW4025000

Fraction By Weight:

OSHA PELC 5 PPM

ACGIH TLV: C 5 PPM; 9192

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

POTASSIUM HYDROGEN PHTHALATE,CAS#877-24-7

Fraction By Weight: >1.0%

ACGIH TLV: NOT SPECIFIED

FORMALDEHYDE (SARA III)

CAS: 50-00-0

RTECS: LP8925000

Fraction By Weight: 0.04%



OSHA PELSEE 1910.1048
ACGIH TLV: C 0.3 PPM; A2; 9293
EPA Report Quantity: 100 LBS
DOT Report Quantity: 100 LBS

SODIUM HYDROXIDE (SARA III)
CAS: 1310-73-2
RTECS: WB4900000
Fraction By Weight: 0.05%
OSHA PEL2 MG/M3
ACGIH TLV: C 2 MG/M3; 9293
EPA Report Quantity: 1000 LBS
DOT Report Quantity: 1000 LBS

WATER,CAS#7732-18-5
CAS: 7732-18-5
RTECS: ZC0110000
Fraction By Weight: 99.0%

Hazards

Effects of Overexposure:EYES:IRRITATION;SKIN:IRRITATION;INHAL;RESP.
TRACT IRRITATION;INGEST:;NAUSEA,VOMITING AND DIARRHEA.

First Aid

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF
NEED;EYES/SKIN:FLUSH W LG AMTS H*2O FOR 15 MIN;INGEST:RINSE MOUTH;
GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER
SYMPTOMS OF OVEREXPOSURE.

Fire Fighting

Flash Point:NONE
Extinguishing Media:DRY CHEMICAL,CARBON DIOXIDE,WATER
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED
AREA IF NEEDED
Unusual Fire/Explosion Hazard:NEGLIGIBLE

Accidental Release

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;USE SUITABLE
ABSORBENT MATERIAL AND RECOVER FOR LATER DISPOSAL;KEEP OUT OF
SEWERS AND WATER SOURCES.

Handling

Handling and Storage Precautions:STORE IN COOL DRY AND WELL VENTILATED
AREA;KEEP CONTAINER CLOSED WHEN NOT IN USE.
Other Precautions:AVOID CONTACT WITH SKIN AND EYES;DO NOT BREATHE
VAPORS OR TAKE INTERNALLY.

Exposure Controls

Respiratory Protection:NO SPECIAL REQMENTS UNDER ORDINARY
CONDITIONS/ADEQUATE VENT.
Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE
VENTILATION
Protective Gloves:IMPERVIOUS
Eye Protection:SAFETY/CHEM GOGGLES
Other Protective Equipment:FULL WORK CLOTHING TO PREVENT REPEATED OR
PROLONGED CONTACT.



Supplemental Safety and Health
MSDS DATED:09/24/85

Chemical Properties

HCC:N1
Boiling Pt:B.P. Text:212F/100C
Vapor Pres:14
Vapor Density:0.7
Spec Gravity:1.0
Evaporation Rate & Reference:>1.0 (ETHER=1)
Solubility in Water:COMPLETE
Appearance and Odor:CLEAR COLORLESS LIQUID(MAY COLOR CODED AS PER PH)

Stability

Stability Indicator/Materials to Avoid:YES
WATER-REACTIVE SUBSTANCES,LIKE OLEUM,SODIUM
Stability Condition to Avoid:EXTREME HEAT
Hazardous Decomposition Products:A SMALL AMOUNT OF HCL GAS AND A TRACE
OF FORMALDEHYDE

Disposal

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH
LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.