

31-70013-202,POS COLOR DEVELOPER

MSDS Number

BBFDC

National Stock Number

6750-00D001340

Product Name

31-70013-202,POS COLOR DEVELOPER

Manufacturer

VISUAL GRAPHICS CORP

Product Identification

Product ID:31-70013-202,POS COLOR DEVELOPER

MSDS Date:09/01/1985

FSC:6750

NIIN:00D001340

MSDS Number: BBFDC

Responsible Party

VISUAL GRAPHICS CORP

5701 N.W. 94TH AVE.

TAMARAC , FL 33321

US

Emergency Phone: 305-722-3000

Cage: 26030

Contractor

VISUAL GRAPHICS CORP.

TAMARAC, FL 33321-4317

US

305-722-3000 EXT. 2299

Cage: 26030

Ingredients

POTASSIUM BROMIDE

CAS: 7758-02-3

RTECS: TS7650000

Fraction By Weight:

WATER

CAS: 7732-18-5

RTECS: ZC0110000

Fraction By Weight:

ETHOXYDIGLYCOL

CAS: 111-90-0

RTECS: KK8750000

Fraction By Weight:

HYDROQUINONE (SARA III)

CAS: 123-31-9

RTECS: MX3500000

Fraction By Weight:

OSHA PEL2 MG/M3

ACGIH TLV: 2 MG/M3; 9192

EPA Report Quantity: 1 LB

DOT Report Quantity: 1 LB

POTASSIUM SULFITE

CAS: 10117-38-1

RTECS: WT3530000

Fraction By Weight:

SODIUM SULFITE

CAS: 7757-83-7

RTECS: WE2150000

Fraction By Weight:

POTASSIUM METABORATE

CAS: 11113-50-1

Fraction By Weight:

4-METHYL-1-PHENYL-3-PYRAZOLIDINONE

CAS: 2654-57-1

Fraction By Weight:

NA4 EDTA

CAS: 64-02-8

RTECS: AH5075000

Fraction By Weight:

Hazards

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES
Effects of Overexposure:EYES:CAUSE BURNS OR IRRITATION;
SKIN:IRRITATION,ALLERGIC SKIN REACTION; ING:MAY CAUSE
TINNITUS,NAUSEA,DIZZINESS,SENSE OF SUFFOCATION;
CHRONIC:VOMITING,PALLOR,HEADACHE,CYANOSIS,DELIRIUM & COLLAPSE.

First Aid

First Aid:EYES:FLUSH W/PLENTY OF WATER FOR 15 MIN; SKIN:FLUSH W/PLENTY
OF WATER & GET MEDICAL ATTENTION IF SYMPTOMS ARE PRESENT AFTER
WASHING; ING:GIVE TWO GLASSES OF WATER,INDUCE VOMITING & CALL
PHYSICIAN. NEV ER GIVE ANYTHING BY MOUTH TO UNCONSCIOUS PERSON.

Fire Fighting

Extinguishing Media:USE MEDIA PROPER TO PRIMARY SOURCE OF FIRE.
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

Accidental Release

Spill Release Procedures:FLUSH MATERIAL TO SEWER W/LARGE AMOUNTS OF
WATER.DISCHARGE,TREATMENT OR DISPOSAL MAY BE SUBJECT TO
FEDERAL,STATE OR LOCAL LAWS.

Handling

Handling and Storage Precautions:NONE

Exposure Controls

Respiratory Protection:NONE
Ventilation:MECHANICAL
Protective Gloves:SAFETY GLOVES
Eye Protection:SAFETY GLASSES
Other Protective Equipment:NONE
Supplemental Safety and Health
CAT#31-70013-202 IS ONLY FOR DEVELOPER BY ITSELF.THIS MATL CAN ALSO BE
PURCHASED AS A PART OF 5-PART KIT,SEE NSN 6750-01-048-3022 (MFG'S
CAT#31-70000-202),PT-G.

Chemical Properties

HCC:N1
Boiling Pt:B.P. Text:212F/100C
Spec Gravity:Evaporation Rate & Reference:SLOW
Solubility in Water:COMPLETE
Appearance and Odor:YELLOW-SLIGHT ALCOHOL ODOR
Percent Volatiles by Volume:75

Stability

Stability Indicator/Materials to Avoid:YES
STRONG MINERAL ACIDS.
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:SULFUR DIOXIDE FUMES.

Disposal

Waste Disposal Methods:KEEP IN COVERED DRUMS,PENDING DISPOSAL. HANDLE &
DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE
INTERNATIONAL,FEDERAL,STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.