



31-70014-203,POS COLOR BLEACH

MSDS Number

BBFDG

National Stock Number

6750-00D001343

Product Name

31-70014-203,POS COLOR BLEACH

Manufacturer

VISUAL GRAPHICS CORP

Product Identification

Product ID:31-70014-203,POS COLOR BLEACH

MSDS Date:09/01/1985

FSC:6750

NIIN:00D001343

MSDS Number: BBFDG

Responsible Party

VISUAL GRAPHICS CORP.

5701 N.W. 94TH AVE.

TAMARAC , FL 33321

US

Emergency Phone: 305-722-3000

Cage: 26030

Contractor

VISUAL GRAPHICS CORP.

TAMARAC, FL 33321-4317

US

305-722-3000 EXT. 2299

Cage: 26030

Ingredients

WATER

CAS: 7732-18-5

RTECS: ZC0110000

Fraction By Weight:

SULFURIC ACID (SARA III)

CAS: 7664-93-9

RTECS: WS5600000

Fraction By Weight:

OSHA PEL1 MG/M3

ACGIH TLV: 1 MG/M3; 9192

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

ACETIC ACID (SARA III)



CAS: 64-19-7
RTECS: AF1225000
Fraction By Weight:
OSHA PEL10 PPM
ACGIH TLV: 10 PPM/15 STEL; 9192
EPA Report Quantity: 5000 LBS
DOT Report Quantity: 5000 LBS

POTASSIUM IODIDE

CAS: 7681-11-0
RTECS: TT2975000
Fraction By Weight:
NITRO BENZENE SULFONATE

CAS: 98-47-5
RTECS: DB7190000

Fraction By Weight:
BUTYRIC ACID (SARA III)

CAS: 107-92-6
RTECS: ES5425000
Fraction By Weight:
EPA Report Quantity: 5000 LBS
DOT Report Quantity: 5000 LBS

Hazards

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES
Effects of Overexposure:EYES:CAN CAUSE SEVERE EYE BURNS; SKIN:CAN CAUSE SEVERE SKIN BURNS; ING:MAY BE HARMFUL IS SWALLOWED.

First Aid

First Aid:EYES:FLUSH EYES WITH PLENTY WATER FOR AT LEAST 15MIN & GET MED ATTN; SKIN:WASH WITH SOAP & WATER,REMOVE CONTAMINATED CLOTHING & LAUNDER BEFORE REUSE; ING:GIVE TWO GLASSES OF WATER OR MILK TO DRINK,DO NOT INDUCE VOMITING.NEVER GIVE ANYTHINGBY MOUTH TO UNCONSCIOUS PERSON.

Fire Fighting

Extinguishing Media:NONE
Fire Fighting Procedures:USE MEDIA PROPER TO PRIMARY SOURCE OF FIRE.
Unusual Fire/Explosion Hazard:MAY PRODUCE TOXIC FUMES.

Accidental Release

Spill Release Procedures:FLUSH MATERIAL TO SEWER WITH LARGE AMOUNTS OF WATER.DISCHARGE,TREATMENT,OR DISPOSAL MAY BE SUBJECT TO FEDERAL,STATE OR LOCAL LAWS. DO NOT MIX BLEACH SOLUTION WITH DEVELOPER AND/OR FIXER NOR POUR BOTH INTO DRAIN AT THE SAME TIME.

Handling

Handling and Storage Precautions:AVOID REPEATED OR PROLONGED CONTACT WITH SKIN,EYES OR CLOTHING.USE WITH ADEQUATE VENTILATION.WASH THOROUGHLY AFTER HANDLING.
Other Precautions:DISCARD CONTAMINATED SHOES.

Exposure Controls

Respiratory Protection:NONE



Ventilation:MECHANICAL/LOCAL EXHAUST.
Protective Gloves:SAFETY GLOVES.
Eye Protection:SAFETY GLASSES
Other Protective Equipment:RUBBER APRON.
Supplemental Safety and Health
THIS NSN,(MFG'S CAT#31-70014-203) IS ONLY FOR BLEACH BY ITSELF. THIS
MATL CAN ALSO BE PURCHASED IN A FIVE-PART KIT,WITH MFG'S
CAT#31-70000-202, REFER TO NSN 6750-01-048-3022,PT-H.

Chemical Properties

HCC:C1
Boiling Pt:B.P. Text:212F/100C
Spec Gravity:>1
Evaporation Rate & Reference:SLOW
Solubility in Water:COMPLETE
Appearance and Odor:LIGHT YELLOW-SLIGHT SKUNK ODOR.
Percent Volatiles by Volume:>85

Stability

Stability Indicator/Materials to Avoid:YES
SULFITES.
Stability Condition to Avoid:HEAT.
Hazardous Decomposition Products:TOXIC FUMES FRM HEAT,WITH
SULFITES,SO*2 FUMES.

Disposal

Waste Disposal Methods:KEEP IN COVERED DRUMS,PENDING DISPOSAL. HANDLE &
DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE
INTERNATIONAL,FEDERAL,STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.