

## **31-70007-202 WETTING AGENT**

### **MSDS Number**

BBFDK

### **National Stock Number**

6750-00D001346

### **Product Name**

31-70007-202 WETTING AGENT

### **Manufacturer**

VISUAL GRAPHICS CORP

### **Product Identification**

Product ID:31-70007-202 WETTING AGENT

MSDS Date:09/01/1985

FSC:6750

NIIN:00D001346

MSDS Number: BBFDK

### **Responsible Party**

VISUAL GRAPHICS CORPORATION.

5701 N.W. AVENUE

TAMARAC , FL 33321

US

Emergency Phone: 305-722-3000 EX 2299

Info Phone: 305-722-3000

Cage: 26030

### **Contractor**

VISUAL GRAPHICS CORP.

TAMARAC, FL 33321-4317

US

305-722-3000 EXT. 2299

Cage: 26030

### **Ingredients**

WATER

CAS: 7732-18-5

RTECS: ZC0110000

Fraction By Weight:

P-TERTIARY-OCTYLPHENOXY POLYETHYL ALCOHOL

CAS: 9002-93-1

RTECS: MD0907700

Fraction By Weight:

ETHYLENE GLYCOL (SARA III)

CAS: 107-21-1

RTECS: KW2975000

Fraction By Weight:

OSHA PELC 50 PPM

ACGIH TLV: C 50 PPM,VAPOR; 9192

EPA Report Quantity: 1 LB

DOT Report Quantity: 1 LB

## Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:EYE:CAUSE IRRITATION; INH:PROLONGED EXPOSURE TO HIGH CONCENTRATION OF VAPOR FROM HEATED SOLUTION OR MIST CAN CAUSE NARCOSIS; ING:LARGE DOSE CAN PRODUCE CENTRAL NERVOUS SYSTEM DEPRESSION,KIDNEY & BRAIN INJURY,AND MAY CAUSE DEATH.  
Effects of Overexposure:SEE HEALTH HAZARD.

## First Aid

First Aid:EYE:FLUSH WITH PLENTY OF WATER FOR 15MIN & GET MEDICAL ATTENTION; INH:REMOVE FROM EXPOSURE,TREAT SYMPTOMATICALLY; ING:IF CONSCIOUS,INDUCE VOMITING BY GIVING 1 OR 2 GLASSES OF WATER AND TOUCHING BACK OF THROAT WITH FINGERS OR BLUNT OBJECT.NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.CALL PHYSICIAN AS SOON A POSSIBLE.

## Fire Fighting

Extinguishing Media:NONE  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:NONE

## Accidental Release

Spill Release Procedures:WASH AREA WITH SOAP & WATER.

## Handling

Handling and Storage Precautions:NONE

## Exposure Controls

Respiratory Protection:NONE  
Ventilation:MECHANICAL(GENERAL) RECOMMENDED,LOCAL EXHAUST IF NEEDED  
Eye Protection:SAFETY GLASSES  
Supplemental Safety and Health  
THIS CAT#31-70007-202 IS ONLY THE WETTING AGENT BY ITSELF. THIS MATL CAN BE USED IN COLOR OR BLACK/WHITE. IT CAN ALSO BE PURCHASED AS A PART OF 5-PART KIT,REFER TO NSN 6750-01-048-3022(MFG'S CAT#31-70000-202),PT-G.

## Chemical Properties

HCC:N1  
Boiling Pt:B.P. Text:212F/100C  
Vapor Pres:17  
Vapor Density:0.6  
Spec Gravity:1.07  
Solubility in Water:COMPLETE  
Appearance and Odor:COLORLESS,ODORLESS.  
Percent Volatiles by Volume:75

## Stability

Stability Indicator/Materials to Avoid:YES  
NONE  
Stability Condition to Avoid:NONE  
Hazardous Decomposition Products:NONE

## Disposal

Waste Disposal Methods:KEEP IN COVERED DRUMS,PENDING DISPOSAL. HANDLE & DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE INTERNATIONAL,FEDERAL,STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.