

CR8-16PM COPYMIX CONCENTRATE//CC-7,CR8-16//

MSDS Number

BBFFP

National Stock Number

6850-00D001404

Product Name

CR8-16PM COPYMIX CONCENTRATE//CC-7,CR8-16//

Manufacturer

HILORD CHEMICAL CORP

Product Identification

Product ID:CR8-16PM COPYMIX CONCENTRATE//CC-7,CR8-16//

MSDS Date:09/01/1987

FSC:6850

NIIN:00D001404

MSDS Number: BBFFP

Responsible Party

HILORD CHEMICAL CORP.

70 ENGINEERS ROAD

HAUPPAUGE 11788

US

Emergency Phone: 713-656-3424

Info Phone: 516-234-7373

Cage: 1EV20

Contractor

HILORD CHEMICAL CORP

HAUPPAUGE, NY 11788-4004

US

516-234-7373

Cage: 1EV20

Ingredients

PETROLEUM NAPHTHA (EXXON ISOPAR G)

CAS: 64742-48-9

Fraction By Weight: 92%

OSHA PEL500 PPM (PET NAP.)

PIGMENT (UNSPECIFIED)

Fraction By Weight:

BINDER (UNSPECIFIED)

Fraction By Weight:

Hazards

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MTL HAS LOW ORDER ACUTE TOXICITY.

MINUTE AMOUNTS ASPIRATED INTO LUNGS DURING INGESTION OR VOMITING

MAY CAUSE MILD TO SEVERE PULMONARY DAMAGE. STUDIES WITH PROLONGED AND/OR REPEATED INHALATION MAY CAUSE ADVERSE KIDNEY EFFECTS.
Effects of Overexposure:EYE:IRRITATION SKIN:PROLONGED/REPEATED IRRITATION,CRACKING DUE TO LOSS OF SKIN OILS INHAL: IRRITATION,HEADACHE,DIZZINESS,ANESTHESIA,OTHER CENTRAL NERVOUS SYSTEM EFFECTS INGEST: IRRITATION
Medical Cond Aggravated by Exposure:NONE LISTED

First Aid

First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH W/SOAP & WATER. RMV CONTAM CLTHG & SHOES. INGEST:DO NOT INDUCE VOMIT. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.

Fire Fighting

Flash Point Method:TCC
Flash Point:100F/38C
Lower Limits:7.0
Upper Limits:0.8
Extinguishing Media:CO*2, FOAM, DRY CHEM & H*2O FOG.WATER MAY BE INEFFECTIVE UNLESS USED BY PERSONNEL EXPERIENCED WITH FLAMM. LIQUID FIRES.
Fire Fighting Procedures:WEAR SCBA,COOL EXPD CONTRS W H*20. H*20 INEFF ON FIRE.
Unusual Fire/Explosion Hazard:FLAMM VAP MAY SPREAD AWAY FR SPILL. CONTRS MAY EXPLODE IN HT OF FIRE.EXPL VAP-AIR MIX MAY FORM

Accidental Release

Spill Release Procedures:ELIMINATE IGNITION SOURCES. REMOVE PERSONNEL W/O PROTECTION. DIKE OR IMPOUND FREE LIQUID AND RECOVER SAME. ABSORB REST ON SAND,EARTH,VERMICULITE. TRANSFER TO COVERED CONTAINERS.
Neutralizing Agent:NONE

Handling

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED AREA AWAY FROM IGNITION SOURCES. GROUND METAL CONTAINERS. USE NFPA PRACTICE FOR PETROLEUM PRODUCTS
Other Precautions:KEEP CONTAINERS CLOSED. EMPTY CONTAINERS RETAIN VAPORS. DO NOT CUT,WELD,ETC ON CONTAINERS. EXPLOSION HAZARD.

Exposure Controls

Respiratory Protection:IF EXCED TLV,NIOSH/MSHA APPR SELF-CNTND BRTHG APP (POS PR MODE)
Ventilation:PROVIDE MECHAN(GEN/LOCAL EXHAUST)VENT TO MAINTN Protective Gloves:RUBBER/PLASTIC
Eye Protection:SAFETY GLASSES
Other Protective Equipment:WEAR CHEM-RESISTANT APRON TO PREVENT CONTAMINATION (PROLONGING CONTACT)
Work Hygienic Practices:MINIMIZE BREATHING VAPOR. AVOID PROLONGED/REPEATED CONTACT WITH SKIN. WASH THOROUGHLY BEFORE EATING,DRINKING,OR SMOKING
Supplemental Safety and Health

Chemical Properties

HCC:F4
Boiling Pt:B.P. Text:311-348F
Vapor Pres:Vapor Density:5.0
Spec Gravity:.845
Evaporation Rate & Reference:0.3 BUAC
Solubility in Water:NEGLIGIBLE
Appearance and Odor:BLACK LIQUID, FAINT PETROLEUM HYDROCARBON ODOR
Percent Volatiles by Volume:92

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS.
Stability Condition to Avoid:HIGH TEMPERATURES AND IGNITION SOURCES

Hazardous Decomposition Products:MAY FORM TOXIC MATL. CO*2, CO, VARIOUS HYDROCARBONS,ETC.

Disposal

Waste Disposal Methods:INCINERATE LIQUID, LANDFILL ABSORBANT. CONFORM TO FEDERAL,STATE,LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.