
FUSER LUBRICANT:XEROX FL-45,FL-75

MSDS Number

BBFW

National Stock Number

6850-00D001551

Product Name

FUSER LUBRICANT:XEROX FL-45,FL-75

Manufacturer

NASHUA CORP

Product Identification

Product ID:FUSER LUBRICANT:XEROX FL-45,FL-75

MSDS Date:01/26/1987

FSC:6850

NIIN:00D001551

MSDS Number: BBFW

Responsible Party

NASHUA CORPORATION

44 FRANKLIN STREET

NASHUA , NH 03061

US

Emergency Phone: 603-880-5555

Info Phone: 800-258-1370

Preparer: R.L. SEVIGNY

Cage: 0EK44

Contractor

NASHUA CORPORATION

NASHUA, NH 03061

US

603-880-5555

Cage: 0EK44

Ingredients

POLYDIMETHYLSILOXANE

CAS: 63148-62-9

RTECS: JT6485000

Fraction By Weight: 100.0%

Hazards

Routes of Entry: Inhalation:UNKNOWN Skin:UNKNOWN Ingestion:YES

Health Hazards Acute and Chronic:ACUTE:MAY CAUSE TEMPORARY DISCOMFORT TO EYES. CHRONIC:NOT KNOWN.

Effects of Overexposure:MAY CAUSE TEMPORARY DISCOMFORT TO EYES;HAS A LAXATIVE EFFECT UPON INGESTION.

Medical Cond Aggravated by Exposure:NO DATA AVAILABLE.

First Aid

First Aid:SKIN:WASH WITH SOAP & WATER. EYES:FLUSH EYES WITH WATER FOR 15 MINUTES,CALL A PHYSICIAN.

Fire Fighting

Flash Point Method:OC
Flash Point:600F/316C
Extinguishing Media:WATERFOG,CO*2, DRY CHEMICAL,FOAM.
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED AREA.
Unusual Fire/Explosion Hazard:NONE KNOWN TO MFR.

Accidental Release

Spill Release Procedures:USE SUITABLE PROTECTIVE CLOTHING;APPLY ABSORBENT MATERIAL AND COLLECT FOR PROPER DISPOSAL.

Handling

Handling and Storage Precautions:AVOID RUBBING EYES WITH HANDS WHILE USING THIS MATERIAL.CLEAN UP SPILLS COMPLETELY AS RESIDUE IS SLIPPERY.

Exposure Controls

Respiratory Protection:NOT NEEDED IF THERE IS AN ADEQUATE VENTILATION.
Ventilation:GENERAL TO MAINTAIN ADEQUATE VENTILATION.
Protective Gloves:AS REQUIRED.
Eye Protection:SAFETY GLASSES.
Other Protective Equipment:APRON,EYE WASH.
Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN;WASH THOROUGHLY AFTER EACH USE.
Supplemental Safety and Health
MSDS RECEIVED BY DGSC-SLM:OCTOBER 23,1987.

Chemical Properties

HCC:N1
Boiling Pt:B.P. Text:>600F/316C
Vapor Pres:Spec Gravity:0.98
Evaporation Rate & Reference:Solubility in Water:NEGLIGIBLE (Appearance and Odor:CLEAR COLORLESS LIQUID VERY SLIGHT ODOR.

Stability

Stability Indicator/Materials to Avoid:YES
OXIDIZING MATERIAL.
Stability Condition to Avoid:EXTREME HEAT.
Hazardous Decomposition Products:SIO*2,CO*2,CO.

Disposal

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.