

BATCO X8401-2 GREASE

MSDS Number

BBFJK

National Stock Number

9150-00D001674

Product Name

BATCO X8401-2 GREASE

Manufacturer

BATTENFELD GREASE AND OIL CORP OF NEW YORK INC

Product Identification

Product ID:BATCO X8401-2 GREASE

MSDS Date:07/16/1987

FSC:9150

NIIN:00D001674

MSDS Number: BBFJK

Responsible Party

BATTENFELD GREASE AND OIL CORP OF NEW YORK INC

1174 ERIE AVE

NORTH TONAWANDA , NY 14120-3036

US

Emergency Phone: 716-695-2100

Info Phone: 716-695-2100

Preparer: THOMAS G. MUSILLI

Cage: EO110

Contractor

BATTENFELD GREASE AND OIL CORP OF NEW YORK INC

728

NORTH TONAWANDA, NY 14120-3036

US

716-695-2100

Cage: EO110

Ingredients

LITHIUM 12 HYDROXYSTEARATE

CAS: 7620-77-1

Fraction By Weight: 10.0%

POLYALKYLENE GLYCOL

CAS: 9003-13-8

RTECS: TR4680000

Fraction By Weight: 89.0%

TREMETHYLDIHYDROQUINOLINE

CAS: 26780-96-1

RTECS: TQ2625000

Fraction By Weight: 1.0%

Hazards

Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES
Health Hazards Acute and Chronic: ACUTE: MAY IRRITATE EYES AND SKIN.
CHRONIC: NO DATA AVAILABLE.
Effects of Overexposure: SEE HEALTH HAZARDS DATA.
Medical Cond Aggravated by Exposure: NO DATA AVAILABLE

First Aid

First Aid: INGESTION: INDUCE VOMITING, GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. EYES: FLUSH WITH PLENTY OF WATER, GET MEDICAL HELP.

Fire Fighting

Flash Point Method: OC
Flash Point: 380F/193C
Autoignition Temp: Autoignition Temp Text: 420F
Extinguishing Media: WATERFOG, CO*2, DRY CHEMICAL, FOAM, EARTH OR SAND.
Fire Fighting Procedures: WATER MAY CAUSE FROTHING.
Unusual Fire/Explosion Hazard: NONE NOTED.

Accidental Release

Spill Release Procedures: USE PROPER PERSONAL PROTECTION. ABSORB WITH SAND AND INERT MATERIAL. SWEEP OR SCOOP UP FOR PROPER DISPOSAL.

Handling

Handling and Storage Precautions: STORE IN COOL, DRY AREA. KEEP AWAY FROM HEAT AND OPEN FLAMES.

Exposure Controls

Respiratory Protection: NOT NEEDED IN CASE OF ADEQUATE VENTILATION.
Ventilation: GENERAL TO MAINTAIN ADEQUATE VENTILATION.
Protective Gloves: NEOPRENE
Eye Protection: FACESHIELD
Other Protective Equipment: FULL SKIN AND EYE PROTECTION
Work Hygienic Practices: AVOID CONTACT WITH SKIN AND EYES. DO NOT BREATHE VAPORS/MIST.
Supplemental Safety and Health

Chemical Properties

HCC: V6
Boiling Pt: B.P. Text: 700F/371C
Melt/Freeze Pt: M.P/F.P Text: 375F
Spec Gravity: 0.95
Solubility in Water: NEGLIGIBLE
Appearance and Odor: TAN SEMI-SOLID-BLAND

Stability

Stability Indicator/Materials to Avoid: YES
STRONG OXIDIZERS.
Stability Condition to Avoid: OPEN FLAMES, EXTREME HEAT.
Hazardous Decomposition Products: CO & CO*2 IF INCOMPLETE COMBUSTION.

Disposal

Waste Disposal Methods: DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.