

E-403 PART A

MSDS Number

BBFJP

National Stock Number

6850-00D001690

Product Name

E-403 PART A

Manufacturer

CASTALL INC

Product Identification

Product ID:E-403 PART A

MSDS Date:11/25/1985

FSC:6850

NIIN:00D001690

MSDS Number: BBFJP

Responsible Party

CASTALL INC.

WEYMOUTH INDUSTRIAL PARK

EAST WEYMOUTH , MA 02189

US

Emergency Phone: 617-337-6075

Info Phone: 617-337-6075

Cage: 29666

Contractor

EATON CORP PRESSURE SENSORS DIV

BETHEL, CT 06801-1901

US

203-796-6000

Cage: 02750

Ingredients

EPICHLOROHYDRIN (SARA III)

CAS: 106-89-8

RTECS: TX4900000

Fraction By Weight:

OSHA PELS, 5 PPM

ACGIH TLV: S, 2 PPM; 9293

EPA Report Quantity: 100 LBS

DOT Report Quantity: 100 LBS

OTHER COMPONENTS.(PER MSDS NON-HAZARDOUS)

Fraction By Weight: BALANCE

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:ACUTE:MAY IRRITATE EYES AND SKIN;NO DATA IS ON MSDS. CHRONIC:NO DATA AVAILABLE.
Effects of Overexposure:SEE HEALTH HAZARDS DATA.
Medical Cond Aggravated by Exposure:NO DATA AVAILABLE

First Aid

First Aid:EYES:FLUSH EYES WITH WATER FOR 15 MINUTES;CONSULT A PHYSICIAN. SKIN:WASH WITH SOAP AND WATER. INHALATION:REMOVE TO FRESH AIR,CALL A PHYSICIAN. INGESTION:GIVE MILK OR WATER;CALL A PHYSICIAN AT ONCE.

Fire Fighting

Flash Point Method:COC
Flash Point:>450F/230C
Extinguishing Media:SAND,FOAM,CO*2,DRY CHEMICALS
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED AREA.
Unusual Fire/Explosion Hazard:TOXIC GASES MAY BE PRESENT;USE REASONABLE CARE.

Accidental Release

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;COVER SPILLS WITH DRY ABSORBENT MATERIAL SUCH AS SAND OR SAWDUST;SCOOP UP AND PLACE IN AN APPROPRIATE CONTAINER.

Handling

Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED AREA.KEEP AWAY FROM HEAT AND MOISTURE.

Exposure Controls

Respiratory Protection:NONE REQUIRED IN CASE THERE IS ADEQUATE VENTILATION;USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPORS,IF ABOVE TLV/PEL.
Ventilation:LOCAL/OR DILUTE VENTILATION TO MAINTAIN TLV/PEL
Protective Gloves:RUBBER
Eye Protection:SAFETY GLASSES
Other Protective Equipment:FULL SKIN AND EYES PROTECTION(APRON AND EYE WASH)
Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN;DO NOT BREATHE VAPORS/MIST.
Supplemental Safety and Health

Chemical Properties

HCC:N1
Spec Gravity:1.55
Solubility in Water:NEGLIGIBLE
Appearance and Odor:VISCOUS LIQUID,BLACK,ESSENTIALLY ODORLESS
Percent Volatiles by Volume:0.2

Stability

Stability Indicator/Materials to Avoid:YES
ACIDIC/BASIC OXIDIZING AGENTS.
Stability Condition to Avoid:EXTREME HEAT,MOISTURE
Hazardous Decomposition Products:CO AND CO*2

Disposal

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.

