

2D2, AUTOCOM REVERSAL SECOND DEVELOPER

MSDS Number

BBFLF

National Stock Number

6750-00D001781

Product Name

2D2, AUTOCOM REVERSAL SECOND DEVELOPER

Manufacturer

ALTA CHEMICAL CORP

Product Identification

Product ID:2D2, AUTOCOM REVERSAL SECOND DEVELOPER

MSDS Date:06/03/1981

FSC:6750

NIIN:00D001781

MSDS Number: BBFLF

Responsible Party

ALTA CHEMICAL CORP.

11526 SORRENTO VALLEY ROAD, SUITE F

SAN DIEGO , CA 92121-1314

US

Emergency Phone: 619-453-5010

Cage: 8L886

Contractor

ANACOMP INC ANACOMP MULTIPRODUX DIV

82449

SAN DIEGO, CA 92138-9948

US

619-291-9960

Cage: 05037

Ingredients

SODIUM SULFITE(ALKALI METAL SULFITE); CAS #7757-83-7

CAS: 7757-83-7

RTECS: WE2150000

Fraction By Weight:

SODIUM HYDROXIDE (SARA III)

CAS: 1310-73-2

RTECS: WB4900000

Fraction By Weight:

OSHA PEL2 MG/M3

ACGIH TLV: C 2 MG/M3; 9293

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

HYDROQUINONE (SARA III)

CAS: 123-31-9

RTECS: MX3500000

Fraction By Weight:

OSHA PEL2 MG/M3

ACGIH TLV: 2 MG/M3; 9192

EPA Report Quantity: 1 LB

DOT Report Quantity: 1 LB

ETHYLENEDIAMINE-TETRAACETIC ACID (EDTA) (SARA III)

CAS: 60-00-4

RTECS: AH4025000

Fraction By Weight:

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

METOL; CAS #55-55-0

CAS: 55-55-1

RTECS: SL8650000

Fraction By Weight:

First Aid

First Aid:SKIN:WASH W.SOAP & H*2O EYES:FLUSH W. H*2O. INGESTED:GIVE 2 GLASSES H*2O; INDUCE VOMITING.CALL A PHYSICIAN. INHALE:REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF NEED. KEEP WARM & QUIET. REMOVE CONTAMINATED CLOTHING. IF UNCONS DO NOT TAKE ANYTHING BY MOUTH.

Fire Fighting

Flash Point:NONE

Extinguishing Media:EXTINGUISH WITH AGENT SUITABLE FOR SURROUNDING FIRE

Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H*20 SPRAY TO COOL CONTR.

Unusual Fire/Explosion Hazard:NONE NOTED BY MANUFACTURER.

Accidental Release

Spill Release Procedures:USE APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT.SMALL SPILL:DILUTE W/LG AMT OF WATER & FLUSH TO SEWAGE;LARGE SPILL:DIKE LIQUID W ABSORBENT.PUMP LIQUID TO COVERED CONTAINERS FOR DISPOSAL.

Handling

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP CONTAINERS TIGHTLY CLOSED

Other Precautions:AVOID CONTACT WITH SKIN & CLOTHING.WASH THOROUGHLY AFTER HANDLING.

Exposure Controls

Ventilation:NORMAL ROOM VENTILATION.

Protective Gloves:IMPERVIOUS

Eye Protection:CHEM SPLASH GOGGLES

Other Protective Equipment:NORMAL WORK CLOTHING COVERING ARMS & LEGS.

Supplemental Safety and Health

KEY1:Q01

Chemical Properties

HCC:C2
Boiling Pt:B.P. Text:212F/100C
Vapor Pres:18
Vapor Density:Spec Gravity:1.13
Evaporation Rate & Reference:Solubility in Water:COMPLETE
Appearance and Odor:CLEAR,TAN SOLUTION,ODORLESS
Percent Volatiles by Volume:90

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS.
Stability Condition to Avoid:EXCESSIVE HEAT
Hazardous Decomposition Products:OXIDES OF SULFUR & CARBON

Disposal

Waste Disposal Methods:KEEP IN COVERED DRUMS,PENDING DISPOSAL. HANDLE &
DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE
INTERNATIONAL,FEDERAL,STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.