

KODAK HYPO CLEARING AGENT; #123 9060

MSDS Number

BBFLZ

National Stock Number

6750-00D001817

Product Name

KODAK HYPO CLEARING AGENT; #123 9060

Manufacturer

EASTMAN KODAK COMPANY

Product Identification

Product ID: KODAK HYPO CLEARING AGENT; #123 9060 MSDS Date:06/27/1989 FSC:6750 NIIN:00D001817 MSDS Number: BBFLZ

Responsible Party

EASTMAN KODAK COMPANY

343 STATE STREET

ROCHESTER, NY 14650

US

Emergency Phone: 716-722-5151

Info Phone: 716-722-5151

Cage: 19139 **Contractor**

EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

ROCHESTER, NY 14650-1115

US

716-722-5151/(800) 242-2424

Cage: 19139

Ingredients SODIUM SULFITE

CAS: 7757-83-7 RTECS: WE2150000

Fraction By Weight: 75-80%

SODIUM METABISULFITE

CAS: 7681-57-4 RTECS: UX8225000

Fraction By Weight: 15-20%

OSHA PEL5 MG/M3

ACGIH TLV: 5 MG/M3; 9192



CAS: 64-02-8

RTECS: AH5075000

Fraction By Weight: 1-5%

SODIUM CITRATE

CAS: 68-04-2

RTECS: GE8300000

Fraction By Weight: 1-5%

Hazards

LD50 LC50 Mixture:LD50 (ORAL RAT) IS >1600 MG/KG Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION: LOW HAZARD FOR RECOMMENDED HANDLING. EYES: NO SPECIFIC HAZARD KNOWN. MAY CAUSE TRANSIENT IRRITATION. SKIN: LOW HAZARD FOR RECOMMENDED HANDLING. INGESTION:

EXPECTED TO BE A LOW HAZARD.

Explanation of Carcinogenicity: NONE OF THE COMPOUNDS IN THIS PRODUCT IS

LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN.

Effects of Overexposure: MAY CAUSE TRANSIENT IRRITATION OF THE EYES. Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid

First Aid:INHALATION: REMOVE TO FRESH AIR. EYES:IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES HOLDING EYELIDS OPEN. SKIN: WASH WITH SOAP AND WATER. INGESTION: DRINK 1-2 GLASSES OF WATER. SEEK MEDICAL AT TENTION.

Fire Fighting

Flash Point: NONCOMBUSTIBLE

Extinguishing Media: USE APPROPRIATE AGENT FOR SURROUNDING FIRE. Fire Fighting Procedures: FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. Unusual Fire/Explosion Hazard: FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

Accidental Release

Spill Release Procedures: FLUSH TO AN ACID-FREE SEWER WITH LARGE AMOUNTS OF WATER.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions: KEEP CONTAINER TIGHTLY CLOSED AND AWAY FROM ACIDS OR BASES.

Other Precautions: WASH THOROUGHLY AFTER HANDLING.

Exposure Controls

Respiratory Protection:IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL(TLV), USE NIOSH/MSHA APPROVED ORGANIC VAPOR CARTRIDGE AND DUST/MIST PRE-FILTER RESPIRATORS AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/ WARNINGS AND NIOSH-RESPIRATOR SELECTION.

 $\label{lem:cood_general_ventilation} \textbf{Ventilation:} \textbf{GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT.}$

Protective Gloves: NONE

Eye Protection: SAFETY GOGGLES WITH OPTIONAL FACE SHIELD

Other Protective Equipment: NONE

Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

FUUTWEAK.

Supplemental Safety and Health

NONE



Chemical Properties

HCC:N1

Vapor Pres:NEG Spec Gravity:>1

Evaporation Rate & Reference: NEG (BUTYL ACETATE=1)

Solubility in Water: APPRECIABLE

Appearance and Odor: POWDER, ODORLESS

Percent Volatiles by Volume: NEG

Stability

Stability Indicator/Materials to Avoid:YES STRONG ACIDS AND STRONG BASES.
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY PRODUCE OXIDES OF SULFUR.

Disposal

Waste Disposal Methods: DISCHARGE, TREATMENT, OR DISPOSAL SHOULD BE MADE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.