

10-630, JIFF ACTION CONTACT CLEANER

MSDS Number

BBFMF

National Stock Number

6850-00D001821

Product Name

10-630, JIFF ACTION CONTACT CLEANER

Manufacturer

GC ELECTRONICS CO

Product Identification

Product ID:10-630, JIFF ACTION CONTACT CLEANER

MSDS Date:07/08/1986

FSC:6850

NIIN:00D001821

MSDS Number: BBFMF

Responsible Party

GC ELECTRONICS CO.

1801 MORGAN STREET

ROCKFORD , IL 61105-1209

US

Emergency Phone: 815-968-9661

Cage: EO032

Contractor

GC THORSEN

ROCKFORD, IL 61105

US

815-968-9661

Cage: 72653

Ingredients

TRICHLOROFLUOROMETHANE (CFC-11) (SARA III)

CAS: 75-69-4

RTECS: PB6125000

Fraction By Weight: 50%

OSHA PEL1000 PPM

ACGIH TLV: C, 1000 PPM; 9293

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

ISOPROPYL ALCOHOL (SARA III)

CAS: 67-63-0

RTECS: NT8050000

Fraction By Weight: 25%

OSHA PEL400 PPM/500 STEL

ACGIH TLV: 400 PPM/500STEL;9192

METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)

CAS: 71-55-6

RTECS: KJ2975000

Fraction By Weight: 15%

OSHA PEL350 PPM/450 STEL

ACGIH TLV: 350 PPM/450STEL;9192

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

LIGHT OIL

Fraction By Weight: 10%

Hazards

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Effects of

Overexposure:HEADACHE,DIZZINESS,NAUSEA,LIGHTHEADEDNESS,SHORTNESS OF BREATH,CONFUSION,MENTAL DEPRESSION,NARCOSIS,DROWSINESS,ANESTHESIA,UNCONSCIOUSNESS.

First Aid

First Aid:EYE:FLUSH WITH WATER FOR 15 MIN; SKIN:WASH WITH SOAP & WATER; INH:REMOVE TO FRESH AIR.USE ARTIFICIAL RESPIRATION IF NECESSARY; ING:GASTRIC LAVAGE-DO NOT INDUCE VOMITING.

Fire Fighting

Flash Point:=-15.6C, 60.F

Extinguishing Media:CO*2,FOAM

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:VENTILATE AREA WELL-TOXIC GASES EMITTED UPON DECOMPOSITION.

Accidental Release

Spill Release Procedures:USE ABSORBENT MATERIAL TO COLLECT-STORE IN SEALED METAL DRUMS.

Handling

Handling and Storage Precautions:KEEP AWAY FROM HEAT OR FLAME.

Exposure Controls

Respiratory Protection:USE SELF-CONTAINED BREATHING APPARATUS IF EXCEEDS TLV.

Ventilation:GENERAL MECHANICAL

Protective Gloves:SOLVENT RESISTANT

Eye Protection:CHEMICAL GOGGLES

Supplemental Safety and Health

Chemical Properties

HCC:F2

Spec Gravity:1.0

Evaporation Rate & Reference:SAME AS BUTYL ACETATE

Solubility in Water:SLIGHT

Appearance and Odor:CLEAR LIQUID,ALCOHOL ODOR

Percent Volatiles by Volume:90

Stability

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:HEAT,OPEN FLAMES
Hazardous Decomposition Products:HYDROCHLORIC ACID,HYDROFLUORIC
ACID,CARBONYL HALIDES,FLUORINE,CHLORINE.

Disposal

Waste Disposal Methods:AUTHORIZED DISPOSAL FACILITY (INCINERATOR).

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.