

169 0486,PAGI-SET RC PAPER & REPLENISHER

MSDS Number

BBFMM

National Stock Number

6750-00D001850

Product Name

169 0486,PAGI-SET RC PAPER & REPLENISHER

Manufacturer

EASTMAN KODAK COMPANY

Product Identification

Product ID:169 0486,PAGI-SET RC PAPER & REPLENISHER

MSDS Date:06/16/1986

FSC:6750

NIIN:00D001850

MSDS Number: BBFMM

Responsible Party

EASTMAN KODAK COMPANY

343 STATE ST

ROCHESTER , NY 14650

US

Emergency Phone: 716-722-5151

Info Phone: NEAREST KODAK MARKET & DISTRIB CTR

Cage: 19139

Contractor

EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

ROCHESTER, NY 14650-1115

US

716-722-5151/(800) 242-2424

Cage: 19139

Ingredients

POTASSIUM SULFITE

CAS: 10117-38-1

RTECS: WT3530000

Fraction By Weight: 20-25%

POTASSIUM CARBONATE

CAS: 584-08-7

RTECS: TS7750000

Fraction By Weight: 5-10%

HYDROQUINONE (SARA III)

CAS: 123-31-9

RTECS: MX3500000

Fraction By Weight: 1-5%
OSHA PEL2 MG/M3
ACGIH TLV: 2 MG/M3; 9192
EPA Report Quantity: 1 LB
DOT Report Quantity: 1 LB

DIETHYLENE GLYCOL
CAS: 111-46-6
RTECS: ID5950000
Fraction By Weight: 1-5%

WATER
CAS: 7732-18-5
RTECS: ZC0110000
Fraction By Weight: 60-65%

Hazards

Effects of Overexposure:INHAL-LOW HAZ. EYES & SKIN-IRRITATION. MAY CAUSE ALLERGIC SKIN REACTION.

First Aid

First Aid:EYES-IMMED FLUSH W/WATER 15 MIN & GET MED ATTN. SKIN-FLUSH W/WATER & WASH W/NON-ALKALINE TYPE SKIN CLEANSER;IF REACTION DEVELOPS,GET MED ATTN.

Fire Fighting

Flash Point:NONE
Extinguishing Media:USE AGENT SUITABLE FOR SURROUNDING FIRE.
Fire Fighting Procedures:WEAR SLF-CONTND BREATH APPARATUS & PROTECT CLOTH TO PREVENT SKIN/EYE CONTACT.
Unusual Fire/Explosion Hazard:FIRE/EXCESS HEAT MAY PRODUCE HAZ DECOMP PRODUCTS.

Accidental Release

Spill Release Procedures:NEUTRALIZE W/SODIUM BISULFATE. FLUSH MATERIAL TO ACID-FREE SEWER W/LGE AMTS WATER.
Neutralizing Agent:SODIUM BISULFATE

Handling

Handling and Storage Precautions:KEEP CONTNR TIGHTLY CLOSED & AWAY FM ACIDS.

Exposure Controls

Ventilation:GOOD GENERAL VENT SHOULD BE SUFFICIENT
Protective Gloves:IMPERVIOUS
Eye Protection:SAFETY GLASSES W/SIDE SHIELDS;GOGGLES
Supplemental Safety and Health

Chemical Properties

HCC:N1
Boiling Pt:B.P. Text:>212F/100C
Vapor Pres:18
Vapor Density:0.6
Spec Gravity:1.31
pH:10.6
Solubility in Water:COMPLETE
Appearance and Odor:PALE AMBER SOLN,SLIGHT ODOR

Percent Volatiles by Volume:60

Stability

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS

Stability Condition to Avoid:EXCESS HEAT

Hazardous Decomposition Products:OXIDES OF SULFUR MAY BE PRESENT.

Disposal

Waste Disposal Methods:DISCHARGE,TREATMENT OR DISPOSAL MAY BE SUBJECT TO FED,STATE OR LOCAL LAWS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.