



---

## **HULTSCRETE EPOXY CLEAN-UP SOLVENT**

### **MSDS Number**

BBFMW

### **National Stock Number**

8040-00D001894

### **Product Name**

HULTSCRETE EPOXY CLEAN-UP SOLVENT

### **Manufacturer**

THE HULTSCRETE CO

### **Product Identification**

Product ID:HULTSCRETE EPOXY CLEAN-UP SOLVENT

MSDS Date:01/01/1987

FSC:8040

NIIN:00D001894

MSDS Number: BBFMW

### **Responsible Party**

THE HULTSCRETE CO.

112 FAIRWOOD AVENUE

CHARLOTTE , NC 28203

US

Emergency Phone: 704-376-8484

Info Phone: 704-552-1632

Cage: EO120

### **Contractor**

THE HULTSCRETE CO.

CHARLOTTE, NC 28203

US

704-552-1632

Cage: EO120

### **Ingredients**

TOLUENE (SARA III)

CAS: 108-88-3

RTECS: XS5250000

Fraction By Weight: 60.0%

OSHA PEL200 PPM/150 STEL

ACGIH TLV: 50 PPM; 9293

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

METHYL ISOBUTYL KETONE (SARA III)

CAS: 108-10-1

RTECS: SA9275000

Fraction By Weight: 13.6%



OSHA PEL100 PPM/75 STEL  
ACGIH TLV: 50 PPM/75 STEL; 9293  
EPA Report Quantity: 5000 LBS  
DOT Report Quantity: 5000 LBS

METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS: 78-93-3  
RTECS: EL6475000  
Fraction By Weight: 26.4%  
OSHA PEL200 PPM/300 STEL  
ACGIH TLV: 200 PPM/300STEL 9192  
EPA Report Quantity: 5000 LBS  
DOT Report Quantity: 5000 LBS

## Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Health Hazards Acute and Chronic:ACUTE:SEVERE IRRITATION TO EYES,SKIN,REDNESS;BLURRED VISION;MODERATE SKIN IRRITATION,DIZZINESS,FATIGUE,NAUSEA,UNCONSCIOUSNESS. CHRONIC:NO DATA GIVEN.  
Effects of Overexposure:SEE HEALTH DATA  
Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE WORSEN.

## First Aid

First Aid:EYES:FLUSH WITH LARGE AMOUNT OF WATER;GET MEDICAL ATTENTION.  
SKIN:WASH WITH SOAP AND WATER;REMOVE CONTAMINATED SOAP.  
INHALATION:REMOVE TO FRESH AIR,CALL A PHYSICIAN.

## Fire Fighting

Flash Point Method:CC  
Flash Point:40F/4.4C  
Lower Limits:1.2  
Upper Limits:8.0  
Extinguishing Media:FOAM,CO\*2, DRY CHEMICAL  
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED AREA.  
Unusual Fire/Explosion Hazard:VAPORS ARE HEAVIER THAN AIR AND MAY MOVE OR BE MOVED TO LOCATION WHERE IGNITION MIGHT TAKE PLACE.

## Accidental Release

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;ELIMINATE ALL IGNITION SOURCES;USE SUITABLE ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL.

## Handling

Handling and Storage Precautions:STORE IN COOL, DRY AND WELL VENTILATED AREA.KEEP AWAY FROM HEAT,OPEN FLAMES.KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE.

## Exposure Controls

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPORS IF ABOVE PEL/TLV.  
Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV BELOW THE LIMITS  
Protective Gloves:IMPERVIOUS  
Eye Protection:GOGGLES,SAFETY GLASSES  
Other Protective Equipment:WEAR IMPERVIOUS CLOTHING AND BOOTS  
Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN;DO NOT BREATHE VAPORS.



Supplemental Safety and Health  
MSDS RECEIVED BY DGSC-SLM:MARCH 11,1988

## Chemical Properties

HCC:F3  
Boiling Pt:B.P. Text:227F/108C  
Vapor Pres:41  
Vapor Density:4.2  
Spec Gravity:0.851  
Evaporation Rate & Reference:4.5 (ETHER=1)  
Solubility in Water:SLIGHT  
Appearance and Odor:CLEAR LIQUID,AROMATIC ODOR  
Percent Volatiles by Volume:100

## Stability

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS  
Stability Condition to Avoid:EXTREME HEAT,OPEN FLAMES  
Hazardous Decomposition Products:CO\*2 AND PROBABLY CO.

## Disposal

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH  
LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.