
ENAMEL;GLOSS,AIR DRY,COLOR 11105,TT-E-489

MSDS Number

BBFNB

National Stock Number

8010-00D001929

Product Name

ENAMEL;GLOSS,AIR DRY,COLOR 11105,TT-E-489

Manufacturer

RANDOLPH PRODUCTS CO

Product Identification

Product ID:ENAMEL;GLOSS,AIR DRY,COLOR 11105,TT-E-489

MSDS Date:03/18/1986

FSC:8010

NIIN:00D001929

MSDS Number: BBFNB

Responsible Party

RANDOLPH PRODUCTS CO.

92 N 12TH STREET

CARLSTADT , NJ 07072

Emergency Phone: 201-438-3700

Info Phone: 201-438-3700

Cage: 77672

Contractor

RANDOLPH PRODUCTS CO

830

CARLSTADT, NJ 07072-0830

US

201-438-3700

Cage: 77672

Ingredients

VM&P NAPHTHA (LIGROINE)

CAS: 8032-32-4

RTECS: OI6180000

Fraction By Weight: 30-40%

OSHA PEL300 PPM/400 STEL

ACGIH TLV: 300 PPM; 9192

XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS: 1330-20-7

RTECS: ZE2100000

Fraction By Weight: 0-5%

OSHA PEL100 PPM/150 STEL

ACGIH TLV: 100 PPM/150STEL;9192

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

LEAD MOLYBDATE PIGMENT

CAS: 12656-85-8

RTECS: QA4660000

Fraction By Weight: 10-15%

OSHA PEL5 MG/CUM

ACGIH TLV: 5 MG/CUM

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES

Explanation of Carcinogenicity:CONTAINS LEAD COMPOUND IN PIGMENTS MAY BE A POTENTIAL CARCINOGEN.

Effects of Overexposure:SOLVENT VAPORS MAY CAUSE

DROWSINESS,HEADACHE,DIZZINESS & IRRITATION OF EYES,NOSE AND THROAT.

First Aid

First Aid:REMOVE TO FRESH AIR,FLUSH EYES WITH LOTS OF WATER,CONSULT PHYSICIAN.

Fire Fighting

Flash Point Method:TCC

Flash Point:45F/7.2C

Lower Limits:1.2

Extinguishing Media:SAND,FOAM,CO*2,CHEMICAL TYPES.

Fire Fighting Procedures:USE AIR SUPPLIED RESCUE EQUIPMENT FOR ENCLOSED AREAS. COOL EXPOSED CONTAINERS WITH WATER TO PREVENT EXPLOSION.

Accidental Release

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION,WEAR APPROVED RESPIRATOR,CONTAIN SPILL WITH INERT SUBSTANCES(SAND,DIRT),PUT MIXTURE IN CONTAINERS FOR DISPOSAL.KEEP SPILL OUT OF SEWERS & OPEN BODIES OF WATER.

Handling

Handling and Storage Precautions:KEEP AWAY FROM HEAT,FLAME. KEEP AWAY FROM CHILDREN.

Other Precautions:GROUND CONTAINERS & EQUIPMENT. EMPTY CONTAINERS ARE HAZARDOUS,DO NOT CUT OR WELD.

Exposure Controls

Respiratory Protection:WEAR MESA/NIOSH APPROVED RESPIRATOR WHERE VAPOR CONCENTRATIONS ARE ENCOUNTERED.

Ventilation:EXPLOSION PROOF EXHAUST VENTILATION AT POINT OF CONTAMINANT RELEASE.

Protective Gloves:NEOPRENE

Eye Protection:CHEMICAL SPLASH GOGGLES

Other Protective Equipment:COVERALLS & BOOTS.

Supplemental Safety and Health

THE COLOR CODE 11105 IS QUINACRIDONE RED.

Chemical Properties

HCC:F3

Boiling Pt:B.P. Text:239F-284F

Vapor Density:>1

Spec Gravity:1.17

Evaporation Rate & Reference:< ETHER

Percent Volatiles by Volume:50

Stability

Stability Indicator/Materials to Avoid: YES

NONE STATED

Stability Condition to Avoid: AVOID OPEN FLAME, SPARKS & HEAT.

Hazardous Decomposition Products: NONE STATED.

Disposal

Waste Disposal Methods: FOLLOW LOCAL, STATE & FEDERAL REGS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.