

EA 9309.3 PART A

MSDS Number

BBFZR

National Stock Number

8040-00F000165

Product Name

EA 9309.3 PART A

Manufacturer

DEXTER CORP HYSOL DIV

Product Identification

Product ID:EA 9309.3 PART A

MSDS Date:01/01/1985

FSC:8040

NIIN:00F000165

MSDS Number: BBFZR

Responsible Party

DEXTER CORPORATION, HYSOL DIVISION

Emergency Phone: 415/467-4201

Cage: 79436

Contractor

DEXTER CORPORATION ADHESIVE & COATING SYSTEMS

312

BAY POINT, CA 94565-3299

US

202-483-7616

Cage: 33564

Ingredients

EPOXY RESIN SYSTEM

MICA - SILICATES (< 1% CRYSTALLINE SILICA)

CAS: 12001-26-2

RTECS: VV8760000

Fraction By Weight:

OSHA PEL20 MPPCF

ACGIH TLV: 3 MG/M3 RDUST; 9293

ASBESTOS (AMIANTHUS, OBSOLETE AMOSITE), (FOR OSHA PEL, SEE

CAS: 1332-21-4

RTECS: CI6475000

Fraction By Weight: 2%

OSHA PEL0.2 FIBERS/CC

ACGIH TLV: 0.5 FIBERS/CC; A1;89

EPA Report Quantity: 1 LB

DOT Report Quantity: 1 LB

Hazards

Effects of Overexposure: CAUTION. MAY CAUSE SKIN AND EYE IRRITATION

First Aid

First Aid: IF CONTACT OCCURS, WASH SKIN WITH SOAP AND WATER. FLUSH EYES IMMEDIATELY WITH PLENTY OF WATER.

Fire Fighting

Flash Point: >200F TCC

Extinguishing Media: WATER SPRAY, CHEMICAL FOAM, DRY CHEMICALS

Fire Fighting Procedures: NONE

Unusual Fire/Explosion Hazard: NONE

Accidental Release

Spill Release Procedures: SCRAPE OFF EXCESS THEN CLEAN WITH SOLVENTS.

Handling

Handling and Storage Precautions: FOLLOW RECOMMENDED STORAGE CONDITIONS.

Exposure Controls

Respiratory Protection: APPROVED NIOSH RESPIRATOR AND MASK FOR ASBESTOS*

Ventilation: LOCAL EXHAUST HIGHLY RECOMMENDED

Protective Gloves: RUBBER

Eye Protection: SAFETY GLASSES

Other Protective Equipment: *THIS IS NOT NECES. UNLESS CURED ADHESIVE IS DRY SANDED, ETC.

Supplemental Safety and Health

2850 WILLOW PASS ROAD P.O. BOX 312, PITTSBURG, CALIFORNIA 94565.

Chemical Properties

Boiling Pt: B.P. Text: DECOMPOSES

Vapor Pres: 0.3

Vapor Density: 5

Spec Gravity: 1.1

Evaporation Rate & Reference: Solubility in Water: NEGLIGIBLE

Appearance and Odor: VISCOUS BEIGE PASTE

Percent Volatiles by Volume:

Stability

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS

Hazardous Decomposition Products: CO, ALDEHYDES, ACIDS, ETC.

Conditions to Avoid Polymerization: EXOTHERMS WHEN USED WITH CURING AGENT.

Disposal

Waste Disposal Methods: LANDFILL OR CONTROLLED BURNING AS REGULATED BY ALL GOVERNMENTAL AGENCIES.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.