

ZAR PAINT AND VARNISH REMOVER

MSDS Number

BBGBL

National Stock Number

6810-00F000179

Product Name

ZAR PAINT AND VARNISH REMOVER

Manufacturer

UNITED GILSONITE LABORATORIES

Product Identification

Product ID:ZAR PAINT AND VARNISH REMOVER

MSDS Date:01/01/1985

FSC:6810

NIIN:00F000179

MSDS Number: BBGBL

Responsible Party

UNITED GILSONITE LABORATORIES

Emergency Phone: 717/344-1202

Cage: 12985

Contractor

UNITED GILSONITE LABORATORIES

SCRANTON, PA 18509

US

717-344-1202

Cage: 12985

Ingredients

METHYLENE CHLORIDE (SARA III)

CAS: 75-09-2

RTECS: PA8050000

Fraction By Weight: 89.8%

OSHA PEL500 PPM/C,1000; Z2

ACGIH TLV: 50 PPM, A2; 9192

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

METHYL ALCOHOL (METHANOL) (SARA III)

CAS: 67-56-1

RTECS: PC1400000

Fraction By Weight: 3.8%

OSHA PELS,200PPM/250STEL

ACGIH TLV: S,200PPM/250STEL; 93

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

TOLUENE (SARA III)

CAS: 108-88-3

RTECS: XS5250000

Fraction By Weight: 2.0%

OSHA PEL200 PPM/150 STEL

ACGIH TLV: 50 PPM; 9293

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

Hazards

Effects of Overexposure: TEMPORARY DIZZINESS, HEADACHE, POSSIBLE NAUSEA.
DAMAGE TO CENTRAL NERVOUS SYSTEM, RESP. IRRITATION

First Aid

First Aid: EYES: WASH WITH WATER FOR 15 MINUTES. INHALATION: REMOVE FROM EXPOSURE TO FRESH AIR. INGESTION: DO NOT INDUCE VOMITING. CALL A PHYSICIAN IMMEDIATELY.

Fire Fighting

Flash Point: NO FLASH TO BOIL

Fire Fighting Procedures: SELF CONTAINED BREATHING APPARATUS

Unusual Fire/Explosion Hazard: TOXIC GASES RELEASED ON CONTACT WITH FLAME OR HOT SURFACES.

Accidental Release

Spill Release Procedures: AVOID BREATHING VAPORS, PROVIDE ADEQUATE VENTILATION, ABSORB SPILL AND STORE IN CLOS CONTAINER.

Handling

Handling and Storage Precautions: STORE AWAY FROM HIGH TEMPERATURE, OPEN FLAME.

Exposure Controls

Respiratory Protection: ORGANIC VAPOR RESPIRATOR AS NECESSARY

Ventilation: ADEQUATE VOLUME & PATTERN TO AVOID CONCENT. OVER TLV.

Protective Gloves: NEOPRENE RUBBER

Eye Protection: SPLASH GOGGLES

Other Protective Equipment: NEOPRENE APRON AS NEEDED

Supplemental Safety and Health

JEFFERSON AVE. & N.Y. ST. SCRANTON, PA 18501

Chemical Properties

Boiling Pt: B.P. Text: 104- 111OF

Vapor Density: >AIR

Evaporation Rate & Reference: Percent Volatiles by Volume: 98

Stability

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid: HEAT, SPARKS, OPEN FLAME

Hazardous Decomposition Products: TOXIC GASES SUCH AS PHOSGENE

Disposal

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.