

PEN-CHROME INTERIOR WOOD STAIN

MSDS Number

BBGFS

National Stock Number

8010-00F000248

Product Name

PEN-CHROME INTERIOR WOOD STAIN

Manufacturer

O'BRIEN CORP FULLER O'BRIEN PAINTS

Product Identification

Product ID: PEN-CHROME INTERIOR WOOD STAIN

MSDS Date: 08/08/1985

FSC: 8010

NIIN: 00F000248

MSDS Number: BBGFS

Responsible Party

O'BRIEN CORPORATION/FULLER O'BRIEN PAINTS

450 EAST GRAND AVENUE

SOUTH SAN FRANCISCO , CA 94080

Emergency Phone: (415) 761-2300

Info Phone: (415) 761-2300

Cage: 85207

Contractor

O'BRIEN CORPORATION, FULLER O'BRIEN PAINTS

SOUTH SAN FRANCISCO, CA 94080-6207

US

Cage: 85207

Ingredients

VM&P NAPHTHA (LIGROINE)

CAS: 8032-32-4

RTECS: OI6180000

Fraction By Weight: 75%

OSHA PEL300 PPM/400 STEL

ACGIH TLV: 300 PPM; 9192

Hazards

Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES

Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO

Health Hazards Acute and Chronic: INHALATION: ANESTHETIC. IRRITATION OF THE RESPIRATORY TRACT, NERVOUS SYSTEM DEPRESSION, HEADACHE, DIZZINESS, STAGGERING GAIT, CONFUSION, UNCONSCIOUSNESS, OR COMA. SKIN/EYE: IRRITATION.

Explanation of Carcinogenicity: NONE

Effects of Overexposure: DURING EMERGENCY CONDITIONS, OVEREXPOSURE TO DECOMPOSITION PRODUCTS MAY CAUSE HEALTH HAZARD. INHALATION: ANESTHETIC. IRRITATION OF THE RESPIRATORY TRACT, NERVOUS SYSTEM DEPRESSION, HEADACHE, DIZZINESS, STAGGERING GAIT, CONFUSION, UNCONSCIOUSNESS, OR COMA. SKIN/EYE: IRRITATION.

First Aid

First Aid:INGESTION: OBTAIN MED ATTN. INHALATION: REMOVE FROM AREA TO FRESH AIR. RESTORE BREATHING. CONSULT PHYSICIAN. EYE: FLUSH W/PLENTY OF WATER FOR 15 MINS. OBTAIN MED ATTN. SKIN: WIPE OFF W/RAG & WASH THOROUGHLY W/SOAP & WATER. INGESTION: DRINK 1 OR 2 GLASSES OF WATER TO DILUTE. DON'T INDUCE VOMITING. CONSULT PHYSICIAN.

Fire Fighting

Flash Point:114F
Lower Limits:0.9%
Extinguishing Media:CO₂, FOAM, DRY CHEMICAL OR WATER FOG
Fire Fighting Procedures:USE FULL PROTECTIVE EQUIPMENT/SCBA. WATER STREAM MAY BE INEFFECTIVE. IF WATER IS USED, FOG NOZZLES ARE PREFERABLE. KEEP CONTAINER CLOSED.
Unusual Fire/Explosion Hazard:WATER MAY BE USED TO COOL CLOSED CONTAINERS TO PREVENT PRESSURE BUILD-UP & POSSIBLE AUTO-IGNITION OR EXPLOSION WHEN EXPOSED TO EXTREME HEAT.

Accidental Release

Spill Release Procedures:REMOVE SOURCES OF IGNITION. PROVIDE ADEQUATE VENTILATION. SOAK UP & REMOVE W/ABSORBENT & INERT MATERIAL WITH NON-SPARKING TOOLS.

Handling

Handling and Storage Precautions:STORE UPRIGHT IN SEALED CONTAINERS & USE AWAY FROM HIGH TEMPERATURE, SPARKS & FLAME. AVOID BREATHING VAPOR OR SPRAY MIST, & CONTACT W/SKIN.
Other Precautions:KEEP CONTAINER TIGHTLY SEALED WHEN NOT IN USE. KEEP OUT OF REACH OF CHILDREN.

Exposure Controls

Respiratory Protection:USE APPROVED MECHANICAL RESPIRATOR OR MASK TO AVOID BREATHING VAPOR OR SPRAY MIST. USE APPROVED AIR SUPPLIED RESPIRATOR FOR WORK IN CONFINED AREAS.
Ventilation:PROVIDE SUFFICIENT LOCAL EXHAUST VENTILATION TO KEEP
Protective Gloves:SYNTHETIC RUBBER
Eye Protection:GOGGLES, SAFETY GLASSES W/SIDESHIELDS
Other Protective Equipment:COVERALLS
Work Hygienic Practices:REMOVE/WASH CONTAMINATED CLOTHING. DISCARD CONTAMINATED SHOES. EXERCISE DUE CARE.
Supplemental Safety and Health
WT PER GAL: 7 LBS.

Chemical Properties

Boiling Pt:B.P. Text:148-419F
Vapor Density:>AIR
Evaporation Rate & Reference:SLOWER THAN ETHER
Percent Volatiles by Volume:85%

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS, ACIDS, BASES
Stability Condition to Avoid:HEAT, SPARKS, FLAME, ELECTRICAL EQUIPMENT, & HIGH TEMPERATURE.
Hazardous Decomposition Products:FUMES MAY CONTAIN CO.

Disposal

Waste Disposal Methods:DISPOSE IN SEALED METAL CONTAINER AWAY FROM HEAT & FLAME IN ACCORDANCE WITH LOCAL, STATE & FEDERAL REGULATIONS.
COMBUSTIBLE LIQUID CLASS II.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.