

TRIMSOL

MSDS Number

BBGMC

National Stock Number

9150-00F000373

Product Name

TRIMSOL

Manufacturer

MASTER CHEMICAL CORP

Product Identification

Product ID:TRIMSOL
MSDS Date:09/01/1989
FSC:9150
NIIN:00F000373
MSDS Number: BBGMC

Responsible Party

MASTER CHEMICAL CORPORATION

501 WEST BOUNDARY

PERRYSBURG , OH 43551-1263

Emergency Phone: (419) 871-7902

Info Phone: (510) 600-1600

Cage: 56626

Contractor

MASTER CHEMICAL CORP

PERRYSBURG, OH 43551-1263

US

419-874-7902

Cage: 56626

Ingredients

SULFONIC ACIDS, PETROLEUM

CAS: 61789-85-3

Fraction By Weight: 20-30%

CHLORINATED POLYOLEFINS

CAS: 68410-99-1

Fraction By Weight: 20-30%

ALCOHOLS, C7-21, ETHOXYLATED

CAS: 68991-48-0

Fraction By Weight: 1-10%

ALCOHOLS, C6-12

CAS: 68603-15-6

RTECS: AZ0878000

Fraction By Weight: 1-10%

ETHYLENE GLYCOL (SARA III)

CAS: 107-21-1

RTECS: KW2975000

Fraction By Weight: 1-10%

OSHA PELC 50 PPM

ACGIH TLV: C 50 PPM,VAPOR; 9192

EPA Report Quantity: 1 LB

DOT Report Quantity: 1 LB

SUBSTITUTED INDOLE

Fraction By Weight:

HYDROCARBONS, C>3

CAS: 68476-44-8

Fraction By Weight:

DIMETHYL SILOXANE),

CAS: 63148-62-9

RTECS: JT6484500

Fraction By Weight:

WATER, H2O

CAS: 7732-18-5

RTECS: ZC0110000

Fraction By Weight: BALANCE

PETROLEUM DISTILLATE, PETROLEUM OIL, BASE OIL

CAS: 8002-05-9

RTECS: SE7175000

Fraction By Weight: 30-40%

Hazards

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES: TRANSIENT IRRITATION. SKIN: DEFATTING, NONIRRITANT, & NONSENSITIZER.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:EYES: TRANSIENT IRRITATION. SKIN: DEFATTING, NONIRRITANT, & NONSENSITIZER.

First Aid

First Aid:EYE CONTACT: FLUSH IMMEDIATELY WITH WATER FOR 15 MINUTES.

INGESTION: PUMP STOMACH, DO NOT INDUCE VOMITING DUE TO PETROLEUM CONTENT. REFER TO CONTAINER LABELS AND DATA & INFORMATION SHEET FOR FURTHER INFORMATION.

Fire Fighting

Flash Point Method:COC

Flash Point:305F
Extinguishing Media:WATER, DRY CHEMICAL, CO2, ALCOHOL FOAM
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

Accidental Release

Spill Release Procedures:MOP UP SPILLS OR USE DRY ABSORBENT.

Handling

Handling and Storage Precautions:REFER TO CONTAINER LABELS AND/OR DATA & INFORMATION SHEET.
Other Precautions:NONE

Exposure Controls

Respiratory Protection:NONE
Ventilation:MECHANICAL: SUFFICIENT
Protective Gloves:NONE
Eye Protection:SAFETY GLASSES
Other Protective Equipment:NONE
Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:217F
Vapor Pres:Spec Gravity:0.99
pH:9.4
Solubility in Water:COMPLETE
Appearance and Odor:DARK GREEN VISCOUS LIQUID W/MILD, PLEASANT ODOR
Percent Volatiles by Volume:18.48%

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS, ACIDS & ALKALIES
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:CO, CO2, HYDROGEN CHLORIDE, SULFUR DIOXIDE

Disposal

Waste Disposal Methods:ACID-ALUM SPLIT. REFER TO DATA & INFORMATION SHEET FOR SUGGESTED PROCEDURE. CHEMICAL TREATMENT.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.