

AUTO DP2

MSDS Number

BBGRK

National Stock Number

6750-00F000462

Product Name

AUTO DP2

Manufacturer

ALTA PHOTOGRAPHIC INC

Product Identification

Product ID:AUTO DP2
MSDS Date:01/01/1985
FSC:6750
NIIN:00F000462
MSDS Number: BBGRK

Responsible Party

ALTA PHOTOGRAPHIC INC
1421 INTERNATIONAL DR
BARTLESVILLE , OK 74005-5000
US

Emergency Phone: 918-335-2582

Info Phone: 918-335-2580

Cage: ALTAP

Contractor

ALTA PHOTOGRAPHIC, INC
BARTLESVILLE, OK 74006
US

918-335-2582

Cage: ALTAP

Ingredients

2-METHYLAMINOETHANOL, METHYLETHANOLAMINE

CAS: 109-83-1

RTECS: KL6650000

Fraction By Weight:

SODIUM BROMIDE

CAS: 7647-15-6

RTECS: VZ3150000

Fraction By Weight:

SODIUM SULFITE

CAS: 7757-83-7

RTECS: WE2150000

Fraction By Weight:

1-PHENYL-3-PYROZOLIDINONE, PHENIDONE

CAS: 92-43-3

RTECS: UQ8750000

Fraction By Weight:

HYDROQUINONE; 1,4-DIHYDROXYBENZENE; 1,4-BENZENEDIOL

CAS: 123-31-9

RTECS: MX3500000

Fraction By Weight:

OSHA PEL2 MG/CUM

ACGIH TLV: 2 MG/CUM

EPA Report Quantity: 1 LB

DOT Report Quantity: 1 LB

SODIUM HYDROXIDE, CAUSTIC SODA, LYE *97-2*

CAS: 1310-73-2

RTECS: WB4900000

Fraction By Weight:

OSHA PEL2 MG/CUM

ACGIH TLV: 2 MG/CUM CEILING

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

Hazards

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN: MAY CAUSE IRRITATION. EYES: MAY CAUSE BURNS.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:IRRITATION, BURNS.

First Aid

First Aid:SKIN/EYES: FLUSH W/WATER. INGESTION: PRESCRIBE EMETICS TO INDUCE VOMITING. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Fire Fighting

Flash Point:NONE

Extinguishing Media:NONE

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:NONE

Accidental Release

Spill Release Procedures:WASH W/COPIOUS QUANTITIES OF WATER.

Handling

Handling and Storage Precautions:NORMAL CLEANLINESS. DON'T SWALLOW.

Exposure Controls

Respiratory Protection:NONE

Ventilation:NORMAL AIR CIRCULATION.

Protective Gloves:NOT REQUIRED

Eye Protection:NOT REQUIRED

Other Protective Equipment:NONE

Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:212F

Vapor Pres:18
Vapor Density:1
Spec Gravity:1.12
pH:11.2
Evaporation Rate & Reference:(WATER =1): 1
Solubility in Water:COMPLETE
Appearance and Odor:CLEAR, TAN SOLUTION W/SLIGHT AMINE ODOR.
Percent Volatiles by Volume:85

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS.
Hazardous Decomposition Products:FUMES OF OXIDES OF SULFUR (UNDER
DISASTER CONDITIONS).

Disposal

Waste Disposal Methods:DISPOSE OF TO NORMAL SANITARY SEWER IAW/FEDERAL,
STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.