

## **CG 1372 (FORMERLY TDT 179-7)**

### **MSDS Number**

BBGRY

### **National Stock Number**

8040-00F000474

### **Product Name**

CG 1372 (FORMERLY TDT 179-7)

### **Manufacturer**

REN PLASTICS A CIBA GEIGY COMPANY

### **Product Identification**

Product ID:CG 1372 (FORMERLY TDT 179-7)

MSDS Date:01/01/1985

FSC:8040

NIIN:00F000474

MSDS Number: BBGRY

### **Responsible Party**

REN PLASTICS, A CIBA/GEIGY COMPANY

Emergency Phone: 914/ 478-3131

Cage: EO437

### **Contractor**

REN PLASTICS, A CIBA/GEIGY COMPANY

EAST LANSING, MI 48823-5691

US

517-351-5900

Cage: EO437

### **Ingredients**

NO HAZARDOUS INGREDIENTS

### **Hazards**

Effects of Overexposure:NONE OTHER THAN MINOR SKIN IRRITATIONS.

### **First Aid**

First Aid:INHALATION: REMOVE TO FRESH AIR. ASSIST BREATHING IF NECESSARY. INGESTION: IF CONSCIOUS, GIVE WATER TO DRINK. INDUCE VOMITING. CALL PHYSICIAN. SKIN: WASH WITH SOAP & WATER. EYES: IMMEDIATELY FLUSH WITH WATER FOR AT LEAST 15 MIN. CALL PHYSICIAN.

### **Fire Fighting**

Extinguishing Media:DRY CHEMICAL, CARBON DIOXIDE, WATER

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:DURING FIRE, NO2 AND SO2 FUMES MAY BE PRODUCED.

### **Accidental Release**

Spill Release Procedures:NONE.

### **Handling**

Handling and Storage Precautions:AVOID EXTREME HEAT, OPEN FLAME. DURING MACHINING OF CURED PARTS, AVOID CONTACT OF DUSTS OF GRAITE/EPOXY LAMINATES.

### **Exposure Controls**

Respiratory Protection:DUST MASK WHEN MACHINING.  
Ventilation:GENERAL MECHANICAL OR LOCAL IN ACCORDANCE WITH ACGIH.  
Protective Gloves:IMPERMEABLE  
Eye Protection:DURING MACHINING OPERATIO  
Supplemental Safety and Health  
4917 DAWN AVENUE/ EAST LANSING, MICHIGAN 48823.

## **Chemical Properties**

Boiling Pt:B.P. Text:165C-DECOMP  
Spec Gravity:1  
Solubility in Water:NONE  
Appearance and Odor:BLACK GRAPHITE  
Percent Volatiles by Volume:1%

## **Stability**

Stability Indicator/Materials to Avoid:YES  
Stability Condition to Avoid:NO HEAT.  
Hazardous Decomposition Products:NO2 AND SO2.  
Conditions to Avoid Polymerization:TEMPERATURES ABOVE 300F.

## **Disposal**

Waste Disposal Methods:CONSULT QUALIFIED LOCAL OR CORPORATE PERSONNEL  
FOR METHOD THAT WILL COMPLY WITH LOCAL, STATE AND FEDERAL HEALTH  
AND ENVIRONMENTAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.