BEARING GARD LT-O

MSDS Number

BBGWD

National Stock Number

9150-00F000538

Product Name

BEARING GARD LT-O

Manufacturer

STANDARD OIL COMPANY OF OHIO

Product Identification

Product ID:BEARING GARD LT-O
MSDS Date:01/01/1985
FSC:9150
NIIN:00F000538
MSDS Number: BBGWD

Responsible Party

STANDARD OIL COMPANY OF OHIO

Emergency Phone: 800-424-9300

Cage: EO499

Contractor

STANDARD OIL COMPANY OF OHIO

CLEVELAND, OH 44114-2375

US

216-586-8023

Cage: EO499

Ingredients

LITHIUM STEARATE THICKENER. _

CAS: 4485-12-5

RTECS: WI4370000

Fraction By Weight: 6%

EP ADDITIVES

ORANGE DYE

Fraction By Weight: _

REFINED PETROLEUM BASED OILS

Fraction By Weight: _

Hazards

Effects of Overexposure:EXCESSIVE PROLONGED CONTACT MAY DRY SKIN, IRRITATION, DERMATITIS, INGESTION-NO LASTING EFFECTS.

First Aid

First Aid:SKIN: WASH THOROUGHLY WITH SOAP AND WATER; CHANGE ALL

CONTAMINATED CLOTHING. EYES: WASH WITH WATER FOR 15 MINUTES. INGESTION: DO NOT INDUCE VOMITING BECAUSE OF DANGER OF ASPIRATING INTO LUNGS; MONITOR FOR BREATHING DIFFICULTY, SEE PHYSICIAN.

Fire Fighting

Flash Point: 500F
Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL, SAND OR EARTH, FOG
Fire Fighting Procedures:WEAR ADEQUATE RESPIRATORY PROTECTION.
Unusual Fire/Explosion Hazard:NONE

Accidental Release

Spill Release Procedures:ELIMINATE ALL SOURCES OF IGNITION. CONTAIN SPILL. RECOVER GREASE BY SCOOP, OR ABSORBT. TAKE CARE IN USE OF SOLVENTS TO WASH AREA. AVOID UNNECESSARY CONTACT USE OF OIL-IMPERVIOUS GLOVES, BOOTS, OR OTH ER PROTECTIVE CLOTHING IF NESSARY.

Handling

Handling and Storage Precautions:AVOID EXTREMES OF TEMPERATURE IN STORAGE. STORE AWAY FROM SOURCES OF IGNITION. AVOID CONTAMINAON. DO NOT STORE IN UNLABELED CONTAINERS.
Other Precautions:PRACTICE GOOD HOUSEKEEPING. CLEAN UP SPILLS PROMPTLY TO AVOID SLIPPERY FOOTING. HAVE PROTECTIVE EQUIPMENT AND FIRE EXTINGUISR AVAILABLE. CHECK OPERATIONS FOR POSSIBLE IGNITION SOURCES.

Exposure Controls

Respiratory Protection:NOT NEEDED IN NORMAL USE. CARTRIDGE RESPIRATOR IF MISTING IS PROBLEM
Ventilation:LOCAL OR MECHANICAL SUFFICIENT TO CONTROL MIST < TLV.
Protective Gloves:OIL-IMPERVIOUS
Eye Protection:EYE SHIELD
Other Protective Equipment:BARRIER CREAMS, LONG SLEEVES
Supplemental Safety and Health
MIDLAND BUILDING, CLEVELAND, OHIO 44115.

Chemical Properties

Boiling Pt:B.P. Text:>700F
Vapor Pres:Vapor Density:>AIR
Spec Gravity: 0.96
Evaporation Rate & Reference:VERY SLOW
Solubility in Water:NEGLIGIBLE
Appearance and Odor:LIGHT ORANGE COLORED GREASE, 'HYDROCARBON' ODOR
Percent Volatiles by Volume:0

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS
Stability Condition to Avoid:EXTREME HEAT, SOURCES OF IGNITION
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE

Disposal

Waste Disposal Methods:DEPOSIT RECOVERED GREASE IN WASTE OIL SYSTEM, INCINERATE UNDER APPROVED CONDITIONS, OR TRANSFER TO APPROVED RE-REFINER. CONTAMINATED ABSORBENT AND DIKING SOLIDS MAY BE PUT IN APPROVED LANDFILL. DEPOS IT OF LIQUID IN LANDFILL IS STRICTLY REGULATED.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.

msdsreport
your source for safety

https://msdsreport.com/msds/BBGWD