

GOOD-RITE K-752 POLYACRYLIC ACID

MSDS Number

BBGXY

National Stock Number

6850-00F000578

Product Name

GOOD-RITE K-752 POLYACRYLIC ACID

Manufacturer

BF GOODRICH COMPANY

Product Identification

Product ID:GOOD-RITE K-752 POLYACRYLIC ACID

MSDS Date:02/01/1987

FSC:6850

NIIN:00F000578

MSDS Number: BBGXY

Responsible Party

BF GOODRICH COMPANY

6100 OAK TREE BLVD.

CLEVELAND , OH 44131

Emergency Phone: (216) 447-6000

Info Phone: (216) 447-6000

Cage: EO506

Contractor

BF GOODRICH COMPANY

CLEVELAND, OH 44131

US

(216) 447-6000

Cage: EO506

Ingredients

ACRYLATE POLYMER, ACRYLIC POLYMER, CARBOMER 941,

CAS: 9003-01-4

RTECS: AT4680000

Fraction By Weight: 0.1%

SODIUM SALT

Fraction By Weight:

OSHA PELS, 10 PPM

ACGIH TLV: S, 10 PPM; 8990

WATER, H2O

CAS: 7732-18-5

RTECS: ZC0110000

Hazards

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:SKIN/EYES: IRRITATION.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:SKIN/EYES: IRRITATION.

First Aid

First Aid:EYES: FLUSH W/PLENTY OF CLEAN WATER FOR AT LEAST 5 MINUTES WHILE HOLDING EYELIDS OPEN. IF IRRITATION DEVELOPS, SEE PHYSICIAN.
SKIN: REMOVE CONTAMINATED CLOTHING. WASH AREA W/PLENTY OF SOAP & WATER. IF IRRITATION DEVELOPS, SEE PHYSICIAN.

Fire Fighting

Extinguishing Media:WATER SPRAY, ABC DRY CHEMICAL & PROTEIN TYPE AIR FOAMS ARE EFFECTIVE, CO2
Fire Fighting Procedures:WEAR POSITIVE PRESSURE SELF-CONTAINED BREATHING APPARATUS.

Accidental Release

Spill Release Procedures:CONTAIN SPILL. MOP UP OR SQUEEGEE INTO CONTAINER OR ABSORB W/AN INERT MATERIAL. PLACE INTO CLOSED CONTAINER & STORE IN A SAFE LOCATION TO AWAIT DISPOSAL. WASH THE SPILL AREA W/SALT WATER OR DETERGENT SOLUTION. DON'T FLUSH CHEMICAL INTO PUBLICSEWER.

Handling

Handling and Storage Precautions:AVOID SKIN/EYE CONTACT. WASH THOROUGHLY AFTER HANDLING. KEEP CONTAINER CLOSED. USE UNDER WELL-VENTILATED CONDITIONS.
Other Precautions:ALWAYS WASH UP BEFORE EATING, SMOKING OR USING TOILET FACILITIES. KEEP CONTAINER CLOSED WHEN NOT IN USE. STORE PRODUCT WHERE TEMPERATURES ARE 40-120 F.

Exposure Controls

Respiratory Protection:NOT NORMALLY REQUIRED.
Ventilation:PROVIDE MECHANICAL/LOCAL EXHAUST VENTILATION TO DRAW MISTS, FUMES, & VAPORS AWAY FROM WORKERS.
Protective Gloves:WATER RESISTANT
Eye Protection:MONOGOGGELS
Work Hygienic Practices:FOR PERSONAL HYGIENE PROTECTION, EMPLOYEES SHOULD WASH THOROUGHLY AFTER HANDLING PRODUCT.
Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:212F
Vapor Pres:17
Vapor Density:0.62
Spec Gravity:1.15-1.25
pH:5.5
Solubility in Water:DILUTABLE
Appearance and Odor:WHITE TO PINK OR AMBER, CLEAR TO SLIGHTLY HAZY LIQUID W/SLIGHT ACRYLIC ODOR.

Stability

Stability Indicator/Materials to Avoid:YES
ACIDS, BASES, STRONG BASIC MATERIALS, AMMONIA, SODIUM HYDROXIDE, POTASSIUM HYDROXIDE, & STRONGLY BASIC AMINES.
Stability Condition to Avoid:HEAT
Hazardous Decomposition Products:CO, CO2, & SMALL AMOUNTS OF AROMATIC & ALIPHATIC HYDROCARBONS.

Disposal

Waste Disposal Methods:DISPOSE OF WASTE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS. FOR WASTE DISPOSAL PURPOSES THIS PRODUCT IS NOT DEFINED OR DESIGNATED AS HAZARDOUS BY CURRENT

PROVISIONS OF THE FEDERAL RESOURCE CONSERVATION AND RECOVERY ACT
(RCRA).

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.