

# **BOWLING LANE CLEANER & POLISH 7583**

## **MSDS Number**

**BBHYT** 

### **National Stock Number**

6850-00F001185

## **Product Name**

**BOWLING LANE CLEANER & POLISH 7583** 

## Manufacturer

DBA PRODUCTS CO INC

# **Product Identification**

Product ID:BOWLING LANE CLEANER & POLISH 7583

MSDS Date:10/23/1987 FSC:6850

NIIN:00F001185 MSDS Number: BBHYT

# **Responsible Party**

DBA PRODUCTS CO, INC.

22 SKOKIE HIGHWAY

LAKE BLUFF, IL 60044

Emergency Phone: (312) 234-8100

Info Phone: (312) 234-8100

Cage: EO516

# Contractor

DBA PRODUCTS CO,INC.

LAKE BLUFF, IL 60044-1711

US

312-234-8100

Cage: EO516

## **Ingredients**

ISOPROPYL ALCOHOL (SARA III)

CAS: 67-63-0

RTECS: NT8050000

OSHA PEL400 PPM/500 STEL

ACGIH TLV: 400 PPM/500STEL;9192

2-BUTOXYETHANOL

CAS: 111-76-2

RTECS: KJ8575000 OSHA PELS, 50 PPM

ACGIH TLV: S, 25 PPM; 9293

SODIUM LAURYL SULFATE, SODIUM DODECYL SULPHATE

CAS: 151-21-3



RTECS: WT1050000

TRITON-N101

#### **Hazards**

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INGESTION: GASTROINTENTINAL

IRRITATION, NAUSEA, VOMITING. INHALATION: NOSE/THROAT IRRITATION, HIGH CONCENTRATIONS MAY CAUSE NERVOUS SYSTEM DEPRESSION, HEADACHE, DIZZINESS, NAUSEA/CONFUSION. EYES: TRAN SIENT CORNEAL DAMAGE. SKIN: HARMFUL, DEFATTING, & IRRITATION.

Explanation of Carcinogenicity:NONE

Effects of Overexposure: INGESTION: ASPIRATION OF MATERIAL INTO LUNG MAY

CAUSE PULMONARY PNEUMONITITS & FATAL. INHALATION:

PROLONGED/REPEATED OVEREXPOSURE TO SOLVENTS CAUSES PERMANENT BRAIN

& NERVOUS SYSTEM DAMAGE. INTENTIONA L MISUSE BY DELIBERATELY CONCENTRATING & INHALING THE CONTENTS MAY BE HARMFUL/FATAL.

## First Aid

First Aid:INHALATION: REMOVE TO FRESH AIR. IF BREATHING HAS STOPPED, GIVE ARTIFICIAL RESPIRATION, KEEP WARM/QUIET. EYES: FLUSH W/LARGE AMOUNT OF WATER FOR 15 MINS. SKIN: WASH AFFECTED AREA W/SOAP & WATER. OBTAI N MEDICAL ATTENTION IN ALL CASES.

## Fire Fighting

Extinguishing Media: NOT NEEDED

Fire Fighting Procedures: FIREFIGHTERS SHOULD WEAR SELF-CONTAINED

BREATHING APPARATUS.

#### **Accidental Release**

Spill Release Procedures: CONFINE IN SMALL AREAS; USE ABSORBENT TO CLEAN UP. PLACE IN CONTAINERS FOR DISPOSAL.

## Handling

Handling and Storage Precautions: DON'T TAKE INTERNALLY. CLOSE CONTAINER AFTER EACH USE. KEEP AWAY FROM CHILDREN.

## **Exposure Controls**

Respiratory Protection: NOT NEEDED

Ventilation: NATURAL VENTILATION SHOULD BE ADEQUATE UNDER NORMAL

CONDITIONS.

Protective Gloves: SOLVENT IMPERMEABLE Eye Protection: SAFETY SPECTACLES

Other Protective Equipment: EYEWASH FACILITY, SAFETY SHOWER.

Work Hygienic Practices: REMOVE CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

WT/GAL: 8.3 LBS.

## **Chemical Properties**

Boiling Pt:B.P. Text:177-343F

Vapor Density:>AIR

Evaporation Rate & Reference: SLOWER THAN ETHER

Percent Volatiles by Volume: 100%

#### Stability

Stability Indicator/Materials to Avoid:YES Hazardous Decomposition Products:CO, CO2

## **Disposal**

Waste Disposal Methods: DISPOSE IN ACCORDANCE W/FEDERAL, STATE & LOCAL REGULATIONS. AS PRODUCED, THIS PRODUCT ISN'T A WASTE. IF DISCARDED AS IS, IT'S NOT CLASSIFIED A HAZARDOUS WASTE UNDER RCRA.



Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.