

KODAK EKTAPRINT R-1000 BLEACH FIX, PART B

MSDS Number

BBJMD

National Stock Number

6740-00F001522

Product Name

KODAK EKTAPRINT R-1000 BLEACH FIX, PART B

Manufacturer

EASTMAN KODAK CO

Product Identification

Product ID:KODAK EKTAPRINT R-1000 BLEACH FIX, PART B MSDS Date:01/01/1985 FSC:6740 NIIN:00F001522 Kit Part:Y

MSDS Number: BBJMD **Responsible Party**

EASTMAN KODAK CO

343 STATE ST

ROCHESTER, NY 14650-1115

US

Emergency Phone: 716-722-5151/716-724-4501

Info Phone: 716-724-6481/716-722-5151

Cage: 19139

Contractor

EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

ROCHESTER, NY 14650-1115

US

716-722-5151/(800) 242-2424

Cage: 19139

Ingredients

WATER

CAS: 7732-18-5 RTECS: ZC0110000

Fraction By Weight: 40-45%

AMMONIUM FERRIC ETHYLENEDIAMINETETRAACETIC ACID *97-2*

CAS: 21265-50-9

Fraction By Weight: 40-45%

AMMONIUM HYDROXIDE, AQUA AMMONIA *97-2*

CAS: 1336-21-6 RTECS: BQ9625000



Fraction By Weight: 5-10%

ACGIH TLV: 25 PPM

EPA Report Quantity: 1000 LBS DOT Report Quantity: 1000 LBS

Hazards

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Health Hazards Acute and Chronic:LOW HAZARD.

Explanation of Carcinogenicity:NONE Effects of Overexposure:LOW HAZARD

First Aid

 $\label{lem:first_aid:IN_CASE_OF_CONTACT, FLUSH AREAS WITH PLENTY OF WATER.\ OBTAIN\\$

MEDICAL ATTENTION IN ALL CASES.

Fire Fighting

Flash Point:NONE Lower Limits:NONE Upper Limits:NONE

Fire Fighting Procedures: NONE Unusual Fire/Explosion Hazard: NONE

Accidental Release

Spill Release Procedures: FLUSH MATERIAL TO SEWER WITH LARGE AMOUNTS OF WATER.

Handling

Handling and Storage Precautions: AVOID CONTACT WITH METALS.

Exposure Controls

Respiratory Protection: NONE SHOULD BE NEEDED. Ventilation: MECHANICAL (GENERAL): RECOMMENDED

Protective Gloves: NONE NEEDED

Eye Protection: NONE SHOULD BE NEEDED

Work Hygienic Practices: GOOD INDUSTRIAL HYGIENE PRACTICE SHOULD BE

FOLLOWED.

Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:>212F

Vapor Pres:17 Vapor Density:0.6 Spec Gravity:1.29

pH:7

Solubility in Water: COMPLETE

Appearance and Odor:OPAQUE, REDDISH BROWN SOLUTION W/SLIGHT AMMONIACAL

ODOR

Percent Volatiles by Volume:55/WT

Stability

Stability Indicator/Materials to Avoid:YES NONE

Hazardous Decomposition Products: NONE

Disposal

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and



https://msdsreport.com/msds/BBJMD

assume responsibility for the suitability of this information to their particular situation.