
MA-162 NEOPRENE RUBBER/PHENOLIC RESIN ADHESIVE

MSDS Number

BBJMN

National Stock Number

8040-00-058-2399

Product Name

MA-162 NEOPRENE RUBBER/PHENOLIC RESIN ADHESIVE

Manufacturer

TACC INTERNATIONAL CORP

Product Identification

Product ID:MA-162 NEOPRENE RUBBER/PHENOLIC RESIN ADHESIVE

MSDS Date:04/01/1986

FSC:8040

NIIN:00-058-2399

MSDS Number: BBJMN

Responsible Party

TACC INTERNATIONAL CORP.

AIR STATION INDUSTRIAL PARK

ROCKLAND , MA 02370

Emergency Phone: (617) 878-7015

Info Phone: (617) 878-7015

Cage: OHZV1

Contractor

TRANSWORLD ADHESIVE AND CHEMICAL CORP

ROCKLAND, MA 02370-1137

US

617-878-7015

Cage: 59888

Ingredients

HEXANE (N-HEXANE)

CAS: 110-54-3

RTECS: MN9275000

OSHA PEL500 PPM

ACGIH TLV: 50 PPM; 9293

EPA Report Quantity: 1 LB

DOT Report Quantity: 1 LB

TOLUENE (SARA III)

CAS: 108-88-3

RTECS: XS5250000

OSHA PEL200 PPM/150 STEL

ACGIH TLV: 50 PPM; 9293

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

ACETONE (SARA III)

CAS: 67-64-1

RTECS: AL3150000

OSHA PEL1000PPM

ACGIH TLV: 750PPM/1000STEL;9293

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALATION: HEADACHE, DIZZINESS,
NAUSEA, UPPER RESPIRATORY DRYNESS/IRRITATION, DROWSINESS, MENTAL
DEPRESSION, NARCOSIS, & DIFFICULTY IN BREATHING. EYES: IRRITATION.
SKIN: IRRITATION, DERMATITIS, & SENSITIZATION. INGESTION: HARMFUL
& FATAL.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:INHALATION: HEADACHE, DIZZINESS, NAUSEA, UPPER
RESPIRATORY DRYNESS/IRRITATION, DROWSINESS, MENTAL DEPRESSION,
NARCOSIS, & DIFFICULTY IN BREATHING, MAY LEAD TO PERMANENT EFFECTS
TO THE NERVOUS SYSTEM, BODY ORGANS, OR THE BRAIN. EYES:
IRRITATION. SKIN: IRRITATION, DERMATITIS, & SENSITIZATION.
INGESTION: FATAL/HARMFUL.

First Aid

First Aid:INHALATION: REMOVE TO FRESH AIR, APPLY ARTIFICIAL
RESPIRATION, IF NECESSARY, CALL PHYSICIAN. SKIN: WASH W/MILD SOAP &
WATER, APPLY A MILD SKIN CREAM, IN SEVERE CASES CONTACT A PHYS.
EYE: FLUSH W/WATER, CALL PHYSICIAN. INGESTION: CALL PHYSICIAN.

Fire Fighting

Flash Point Method:CC

Flash Point:Lower Limits:1.1%

Upper Limits:12.8%

Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER SPRAY, FOG

Fire Fighting Procedures:USE AIR SUPPLIED RESCUE EQUIPMENT FOR ENCLOSED
AREA. WATER TENDS TO SPREAD BURNING LIQUID IF LARGE AMOUNTS ARE
USED.

Unusual Fire/Explosion Hazard:EXTREMELY FLAMMABLE. VAPORS MAY IGNITE
EXPLOSIVELY & CAUSE FLASH FIRES. ELIMINATE SOURCES OF IGNITION. NO
SMOKING.

Accidental Release

Spill Release Procedures:SMALL QUANTITIES MAY BE ABSORBED INTO AN
APPROPRIATE ABSORBENT.

Handling

Handling and Storage Precautions:KEEP CONTAINER CLOSED. AVOID EXCESSIVE
HEAT, OPEN FLAMES, SPARKS AND STATIC ELECTRICITY. STORE @ 60-95F.
Other Precautions:GROUND ALL EQUIPMENT WHEN HANDLING FLAMMABLE SOLVENT
MATERIAL. NO SMOKING. ELECTRICALLY GROUND ALL CONTAINERS DURING
TRANSFER.

Exposure Controls

Respiratory Protection:IF VAPORS EXCEED TLV, USE CONTAINED ORGANIC MASK
NIOSH APPROVED.

Ventilation:PROVIDE LOCAL EXHAUST VENTILATION TO KEEP Protective Gloves:CHEMICAL RESISTANT

Eye Protection:SAFETY GLASSES, FACE SHIELD

Other Protective Equipment:BARRIER CREAM

Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:133F
Vapor Pres:136
Vapor Density:>1
Spec Gravity:0.78
Evaporation Rate & Reference:(BU AC = 1): Solubility in Water:NIL
Appearance and Odor:CLEAR, KETONE ODOR
Percent Volatiles by Volume:80%

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS, STRONG ACIDS, & BASES
Stability Condition to Avoid:FIRE, SPARKS, STATIC ELECTRICITY, SOURCES
OF IGNITION
Hazardous Decomposition Products:CO, CO2

Disposal

Waste Disposal Methods:LIQUID MATERIAL IS DESIGNATED AS HAZARDOUS WASTE
UNTIL ALL SOLVENTS AND VAPORS HAVE EVAPORATED. DISPOSE OF AN
ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. DRIED
ADHESIVE MAY BE DISPOSED OF AS ORDINARY WASTE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.