BLACK ELECTROSTATIC

MSDS Number

BBJQB

National Stock Number

3610-00F001644

Product Name

BLACK ELECTROSTATIC

Manufacturer

VAN SON HOLLAND INK CORP

Product Identification

Product ID:BLACK ELECTROSTATIC
MSDS Date:12/01/1988
FSC:3610
NIIN:00F001644
MSDS Number: BBJQB

Responsible Party

VAN SON HOLLAND INK CORP

92 UNION ST

MINEOLA , NY 11501-3428

US

Emergency Phone: 516-294-8811

Info Phone: 516-294-8811

Preparer: LINDQUIST

Cage: 55269

Contractor

VAN SON HOLLAND INK CORP

MINEOLA, NY 11501-3428

US

516-294-8811

Cage: 55269

Ingredients

HYDROTREATED MIDDLE PETROLEUM DISTILLATE, PETROLEUM SOLVENT

CAS: 64742-46-7

RTECS: JN9379645

Fraction By Weight: 10-30%

OSHA PEL5 MG/CUM

COLUMBIA CARBON, CARBON BLACK, LAMPBLACK, BLACK PEARLS

CAS: 1333-86-4

RTECS: FF5800000

Fraction By Weight: 15-25%

OSHA PEL3.5 MG/CUM

ACGIH TLV: 3.5 MG/CUM

SYNTHETIC RESIN

Fraction By Weight: 20-40%

VEGETABLE OIL

Fraction By Weight: 15-30%

OSHA PEL5 MG/CUM

POLYMERIC WAX BLEND

Fraction By Weight: 5-10%

OSHA PEL15 MG/CUM

ACGIH TLV: 15 MG/CUM

Hazards

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES/SKIN: IRRITATION.
Explanation of Carcinogenicity:NONE
Medical Cond Aggravated by Exposure:DERMATITIS

First Aid

First Aid:EYES: FLUSH W/WATER. INGESTION: DON'T INDUCE VOMITING. SKIN: WASH W/SOAP & WATER. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Fire Fighting

Flash Point Method:CC
Flash Point:250F
Extinguishing Media:CO2, DRY CHEMICAL

Accidental Release

Spill Release Procedures:WIPE UP. DISPOSE OF WIPES IN APPROVED WASTE CONTAINERS. IF PETROLEUM HYDROCARBON IS USED, PROVIDE SUFFICIENT VENTILATION.

Handling

Handling and Storage Precautions:AVOID STORAGE IN HOT AREAS. KEEP CONTAINERS CLOSED WHEN NOT IN USE.

Exposure Controls

Ventilation:GENERAL VENTILATION IS SUFFICIENT
Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:500-590F
Vapor Density:>1
Evaporation Rate & Reference:SLOWER THAN BU AC
Appearance and Odor:BLACK PASTE W/OILY ODOR.
Percent Volatiles by Volume:10-30

Stability

Stability Indicator/Materials to Avoid:YES

Disposal

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department

msdsreport
your source for safety

https://msdsreport.com/msds/BBJQB

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.