

2404 INTERIOR LATEX SG DEEP BASE

MSDS Number

BBKFC

National Stock Number

8010-00F001932

Product Name

2404 INTERIOR LATEX SG DEEP BASE

Manufacturer

VALSPAR CORP

Product Identification

Product ID:2404 INTERIOR LATEX SG DEEP BASE

MSDS Date:08/19/1988

FSC:8010

NIIN:00F001932

MSDS Number: BBKFC

Responsible Party

VALSPAR CORP

1101 THIRD STREET SOUTH

MINNEAPOLIS , MN 55415

Emergency Phone: (800) 228-5635

Info Phone: (512) 332-7371

Cage: 13374

Contractor

VALSPAR CORPORATION

MINNEAPOLIS, MN 55415

US

612-332-7371/888-345-5732

Cage: 23526

Ingredients

AMMONIUM HYDROXIDE, AQUA AMMONIA

CAS: 1336-21-6

RTECS: BQ9625000

Fraction By Weight:

OSHA PEL50 PPM

ACGIH TLV: 25 PPM

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

TITANIUM DIOXIDE, TITANIUM(IV) OXIDE, TIO2

CAS: 13463-67-7

RTECS: XR2275000

Fraction By Weight: 5%

OSHA PEL15 MG/M3 TDUST

ACGIH TLV: 10 MG/M3 TDUST; 9293

1,2-PROPANEDIOL (PROPYLENE GLYCOL)

CAS: 57-55-6

RTECS: TY2000000

Fraction By Weight: 5%

PROPANOIC ACID, 2-METHYL, MONOESTER

CAS: 25265-77-4

RTECS: UF6000000

Fraction By Weight: 1%

WATER, H2O

CAS: 7732-18-5

RTECS: ZC0110000

Fraction By Weight: 50%

1), CALCIUM CARBONATE,

CAS: 471-34-1

RTECS: FF9335000

Fraction By Weight: 10%

VINYL ACRYLIC RESIN

CAS: 25067-01-0

Fraction By Weight: 25%

Hazards

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALATION: HARMFUL, BRAIN, NERVOUS
SYSTEM OR RESPIRATORY SYSTEM EFFECTS, DIZZINESS, HEADACHE, NAUSEA,
& RESPIRATORY IRRITATION.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:INHALATION: HARMFUL, BRAIN, NERVOUS SYSTEM OR
RESPIRATORY SYSTEM EFFECTS, DIZZINESS, HEADACHE, NAUSEA, &
RESPIRATORY IRRITATION.
Medical Cond Aggravated by Exposure:ANY RESPIRATORY SYSTEM OR SKIN
CONDITION

First Aid

First Aid:INHALATION: REMOVE TO FRESH AIR. IF BREATHING STOPS, GIVE
MOUTH-TO-MOUTH RESUSCITATION. EYES: FLUSH W/WATER FOR AT LEAST 15
MINS. SKIN: WASH W/SOAP & WATER. OBTAIN MEDICAL ATTENTION IN ALL
CASES.

Fire Fighting

Flash Point Method:TCC
Flash Point:141F
Lower Limits:1%
Upper Limits:13%
Extinguishing Media:CO2, DRY CHEMICAL FOAM, OR WATER FOG

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS OR AIR MASKS. COOL FIRE EXPOSED CONTAINERS W/WATER SPRAY.

Accidental Release

Spill Release Procedures:VENTILATE AREA. REMOVE SPILL W/INERT ABSORBENT.

Handling

Handling and Storage Precautions:DON'T STORE >120F. EMPTY CONTAINERS MAY CONTAIN PRODUCT RESIDUE. DON'T CUT, PUNCTURE, OR WELD CONTAINERS. KEEP FROM FREEZING.

Other Precautions:ALL LABEL WARNINGS MUST BE OBSERVED UNTIL CONTAINER HAS BEEN CLEANED.

Exposure Controls

Respiratory Protection:USE PROPERLY FITTED RESPIRATOR APPROVED BY NIOSH/MSHA DURING & AFTER APPLICATION & WHEN >TLV.

Ventilation:REQUIRED WHEN SPRAYING OR APPLYING IN CONFINED AREAS.

Protective Gloves:AS REQUIRED

Eye Protection:AS REQUIRED

Other Protective Equipment:CLOTHING

Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:212F

Vapor Pres:24

Vapor Density:7.4

Spec Gravity:1.17

Evaporation Rate & Reference:(BU AC = 1): 0.4

Solubility in Water:COMPLETE

Percent Volatiles by Volume:58.39%

Stability

Stability Indicator/Materials to Avoid:YES

WATER REACTIVE MATERIALS

Stability Condition to Avoid:FREEZING, & TEMPERATURES >120F

Hazardous Decomposition Products:CO₂, CO₂, & METAL OXIDES

Disposal

Waste Disposal Methods:DISPOSE IN CHEMICAL DISPOSAL AREA IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS. DON'T INCINERATE CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.