

01841 ATF DEXRON II

MSDS Number

BBKGN

National Stock Number

6150-00F001965

Product Name

01841 ATF DEXRON II

Manufacturer

TEXACO INC

Product Identification

Product ID:01841 ATF DEXRON II

MSDS Date:08/11/1992

FSC:6150

NIIN:00F001965

MSDS Number: BBKGN

Responsible Party

TEXACO INC.

BEACON , NY 12508-0509

US

Emergency Phone: 914-831-3400 EXT 204

Info Phone: 914-831-3400

Cage: 38431

Contractor

TEXACO INC

509

BEACON, NY 12508-0509

US

914-831-3400

Cage: 7B131

Ingredients

POLYISOBUTENYL SUCCINIC ANHYDRIDE

Fraction By Weight:

ZINC SALT OF DIALKYL DITHIOPHOSPHORIC ACID

Fraction By Weight:

METHACRYLATE COPOLYMER

Fraction By Weight:

MINERAL OIL PRODUCTS (TYPE NOT SPECIFIED)

Fraction By Weight:

OIL PETROLEUM DISTILLATES, SOLVENT-DEWAXED HEAVY PARAFFINIC

CAS: 64742-65-0

RTECS: PY8038500

Fraction By Weight: 50-65%

LIGHT NAPHTHALIC DISTILLATE, HYDROTREATED LIGHT NAPHTHENIC

CAS: 64742-53-6

RTECS: PY8036000

Fraction By Weight: 20-35%

XYLENE, DIMETHYLBENZENE, XYLOL

CAS: 1330-20-7

RTECS: ZE2100000

Fraction By Weight: 70% PPM

OSHA PEL100 PPM

ACGIH TLV: 100 PPM, SKIN

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

ETHYL BENZENE

CAS: 100-41-4

RTECS: DA0700000

Fraction By Weight: 13% PPM

OSHA PEL435 MG/CUM

ACGIH TLV: 434 MG/CUM

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

ZINC COMPOUND

Fraction By Weight: 1%

Hazards

LD50 LC50 Mixture:ORAL LD50 (RAT): >5 G/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN/EYES: IRRITATION. INHALATION: IRRITATION OF NOSE & THROAT.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:DISCOMFORT, DEFATTING, REDNESS, HEADACHE, NAUSEA, DROWSINESS, ABDOMINAL DISCOMFORT, DIARRHEA.

Medical Cond Aggravated by Exposure:DERMATITIS

First Aid

First Aid:EYES: FLUSH W/PLENTY OF WATER. SKIN: WASH W/PLENTY OF SOAP & WATER. INGESTION: GIVE TWO GLASSES OF WATER. INHALATION: REMOVE TO FRESH AIR. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Fire Fighting

Flash Point Method:COC

Flash Point:340F

Extinguishing Media:WATER SPRAY, DRY CHEMICAL, FOAM, CO2.

Fire Fighting Procedures:WATER/FOAM MAY CAUSE FROTHING. USE WATER TO COOL FIRE EXPOSED CONTAINERS. USE WATER SPRAY TO DISPERSE VAPORS & PROVIDE PROTECTION FOR PERSONS STOPPING LEAK.

Unusual Fire/Explosion Hazard:NONE.

Accidental Release

Spill Release Procedures: VENTILATE AREA. AVOID BREATHING VAPORS. USE SCBA/SUPPLIED AIR FOR CONFINED AREAS. CONTAIN/WIPE UP/ABSORB ON SUITABLE MATERIAL & SHOVEL UP. PREVENT ENTRY TO WATERWAYS. AVOID CONTACT W/SKIN, EYES, CLOTH ING.

Handling

Handling and Storage Precautions: MINIMUM FEASIBLE HANDLING TEMPS SHOULD BE MAINTAINED. PERIODS OF EXPOSURE TO HIGH TEMPS SHOULD BE MINIMIZED. WATER CONTAMINATED SHOULD BE AVOIDED.

Other Precautions: MISUSE OF EMPTY CONTAINERS CAN BE HAZARDOUS. EMPTY CONTAINERS CAN BE HAZARDOUS IF USED TO STORE TOXIC, FLAMMABLE, REACTIVE MATERIALS. CUTTING/WELDING EMPTY CONTAINERS MIGHT CAUSE FIRE. DON'T PRESSURIZ E/EXPOSE TO OPEN FLAME/HEAT.

Exposure Controls

Respiratory Protection: APPROVED MSHA/NIOSH RESPIRATOR IF VAPOR, MIST/DUST IS GENERATED.

Ventilation: ADEQUATE

Eye Protection: CHEMICAL-TYPE GOGGLES/FACE SHIELD

Work Hygienic Practices: REMOVE/DRY-CLEAN CONTAMINATED CLOTHING BEFORE REUSE. WASH THOROUGHLY AFTER USE.

Supplemental Safety and Health

KEEP CONTAINER CLOSED & DRUM BUNGS IN PLACE.

Chemical Properties

Spec Gravity: 0.8794

Appearance and Odor: CLEAR RED LIQUID W/PETROLEUM ODOR

Stability

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZERS

Hazardous Decomposition Products: CO, CO₂, ALDEHYDES, KETONES, ZINC, PHOSPHORUS, NITROGEN

Disposal

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE W/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.