

KENFAST ADHESIVE 2 (8424)

MSDS Number

BBKNJ

National Stock Number

8040-00F002233

Product Name

KENFAST ADHESIVE 2 (8424)

Manufacturer

KENTILE FLOORS INC

Product Identification

Product ID: KENFAST ADHESIVE 2 (8424)

MSDS Date: 01/01/1987

FSC: 8040

NIIN: 00F002233

MSDS Number: BBKNJ

Responsible Party

KENTILE FLOORS, INC.

58 SECOND AVENUE

BROOKLYN , NY 11215

Emergency Phone: (212) 768-9500

Info Phone: (212) 768-9500

Cage: EO653

Contractor

KENTILE FLOORS, INC.

BROOKLYN, NY 11215

US

(212) 768-9500

Cage: EO653

Ingredients

METHYL ALCOHOL (METHANOL) (SARA III)

CAS: 67-56-1

RTECS: PC1400000

Fraction By Weight:

OSHA PELs, 200PPM/250STEL

ACGIH TLV: S, 200PPM/250STEL; 93

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

ISOPARAFFINIC HYDROCARBONS (NAPHTHA PETROLEUM),

CAS: 64742-48-9

Fraction By Weight:

ISOPROPYL ALCOHOL (SARA III)

CAS: 67-63-0

RTECS: NT8050000

Fraction By Weight: 10%

OSHA PEL400 PPM/500 STEL

ACGIH TLV: 400 PPM/500STEL;9192

ROSIN ACID

CAS: 8050-09-7

Fraction By Weight: 35-40%

PETROLEUM OIL, HYDROTREATED HEAVY NAPHTHENIC

CAS: 64742-52-5

RTECS: PY8035000

Fraction By Weight: 3-8%

KAOLIN

CAS: 1332-58-7

RTECS: GF1670500

Fraction By Weight: 43-48%

OSHA PEL15 MG/M3 TDUST

ACGIH TLV: 2 MG/M3 TDUST; 9293

WATER, H2O

CAS: 7732-18-5

RTECS: ZC0110000

Fraction By Weight: 1-4%

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION: DIZZINESS, HEADACHE, UNCONSCIOUSNESS, & IRRITATION OF THE NOSE/THROAT, & RESPIRATORY TRACT. SKIN/EYES: IRRITATION.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:INHALATION: HEADACHE, DIZZINESS, UNCONSCIOUSNESS, IRRITATION OF THE NOSE/THROAT & RESPIRATORY TRACT. SKIN/EYES: IRRITATION.

First Aid

First Aid:EYES: FLUSH W/PLENTY OF WATER FOR AT LEAST 15 MINS. SKIN: WASH THOROUGHLY W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. GIVE CPR OR OXYGEN IF NEEDED. INGESTION: OBTAIN MEDICAL ATTENTION IN ALL CASE S IF REQUIRED.

Fire Fighting

Flash Point Method:TOC

Flash Point:102.2F

Lower Limits:2.0%

Upper Limits:12.0%

Extinguishing Media:CO2, DRY CHEMICAL, FOAM

Fire Fighting Procedures:WATER SPRAY MAY BE INEFFECTIVE. WATER MAY BE USED TO COOL CLOSED CONTAINERS. FOG NOZZLES ARE PREFERRED.

Unusual Fire/Explosion Hazard:CLOSED CONTAINER MAY EXPLODE NEAR HEAT.
PREVENT PRESSURE BUILDUP, AUTO-IGNITION, & EXPLOSION. VAPORS MAY
IGNITE EXPLOSIVELY

Accidental Release

Spill Release Procedures:VENTILATE AREA. SCRAPE INTO CONTAINERS FOR
DISPOSAL.

Handling

Handling and Storage Precautions:PREVENT BUILDUP OF VAPORS. KEEP AWAY
FROM HEAT, SPARKS, & OPEN FLAME. AVOID BREATHING OF VAPORS &
CONTACT W/SKIN.

Other Precautions:DON'T STORE >120F. KEEP OUT OF THE REACH OF CHILDREN.

Exposure Controls

Respiratory Protection:NONE REQUIRED WITH ADEQUATE VENTILATION.

Ventilation:PROVIDE SUFFICIENT VENTILATION TO KEEP Protective Gloves:NONE USUALLY REQUIRED

Eye Protection:NORMAL PRECAUTION

Other Protective Equipment:NONE

Work Hygienic Practices:USE GOOD HOUSEKEEPING & CLEANLINESS STANDARDS.

Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:180F

Vapor Pres:33

Vapor Density:>AIR

Spec Gravity:1.35-1.39

Evaporation Rate & Reference:(BU AC = 1): >1

Solubility in Water:INSOLUBLE

Appearance and Odor:DARK BROWN, MEDIUM PASTE W/MILD ALCOHOL ODOR

Percent Volatiles by Volume:20%

Stability

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:HEAT, OPEN FLAME, SPARKS, IGNITION SOURCES

Hazardous Decomposition Products:CO, CO₂, ORGANIC COMPOUNDS

Disposal

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH LOCAL, STATE AND
FEDERAL REGULATIONS. CAN BE INCINERATED IN APPROVED FACILITY IF NOT
IN CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.