## **KODAK DACOMATIC DR-5 BLEACH & REPLENISHER**

## **MSDS Number**

**BBKQZ** 

## **National Stock Number**

6740-00F002301

## **Product Name**

KODAK DACOMATIC DR-5 BLEACH & REPLENISHER

#### Manufacturer

EASTMAN KODAK CO

## **Product Identification**

Product ID: KODAK DACOMATIC DR-5 BLEACH & REPLENISHER MSDS Date: 08/06/1986 FSC:6740

NIIN:00F002301 MSDS Number: BBKQZ

# **Responsible Party**

EASTMAN KODAK CO

343 STATE ST

ROCHESTER, NY 14650-1115

US

Emergency Phone: 716-722-5151/716-724-4501

Info Phone: 716-724-6481/716-722-5151

Cage: 19139 Contractor

# EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

ROCHESTER, NY 14650-1115

US

716-722-5151/(800) 242-2424

Cage: 19139

## **Ingredients**

POTASSIUM BICHROMATE, POTASSIUM DICHROMATE (SUSPECTED

CAS: 7778-50-9 RTECS: MX7680000

Fraction By Weight: 5-10% OSHA PEL0.1 MG(CR03)/CUM ACGIH TLV: 0.05 MG(CR)/CUM EPA Report Quantity: 10 LBS DOT Report Quantity: 10 LBS

WATER

CAS: 7732-18-5 RTECS: ZC0110000

Fraction By Weight: 75-80%



SULFAMIC ACID

CAS: 5329-14-6

RTECS: WO5950000

Fraction By Weight: 15-20%

#### **Hazards**

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO

Health Hazards Acute and Chronic: EYES: CAUSES BURNS. SKIN: CAUSES BURNS, REPEATED CONTACT MAY RESULT IN ALLERGIC REACTION.

Explanation of Carcinogenicity: SEE INGREDIENTS.

Effects of Overexposure: BURNS

#### First Aid

First Aid: EYES/SKIN: IMMEDIATELY FLUSH W/PLENTY OF WATER FOR 15 MINS. OBTAIN MEDICAL ATTENTION IN ALL CASES.

## **Fire Fighting**

Flash Point:NONE

Fire Fighting Procedures: NONE Unusual Fire/Explosion Hazard: NONE

## **Accidental Release**

Spill Release Procedures: WEAR SUITABLE PROTECTIVE EQUIPMENT. NEUTRALIZE. SMALL: FLUSH MATERIAL TO SEWER W/LARGE AMOUNTS OF WATER. LARGE: ABSORB MATERIAL IN VERMICULITE/OTHER ABSORBENT & PLACE IN IMPERVIOUS CONTAINER.

Neutralizing Agent:SODIUM CARBONATE

## Handling

Handling and Storage Precautions: AVOID CONTACT WITH ALKALI.

## **Exposure Controls**

Respiratory Protection: NONE SHOULD BE NEEDED. Ventilation: MECHANICAL (GENERAL): RECOMMENDED

Protective Gloves: PROTECTIVE

Eye Protection: SAFETY GLASSES W/SIDE SHIELDS/GOGGLES

Work Hygienic Practices: REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE

REUSE. REMOVE CONTAMINATED SHOES.

Supplemental Safety and Health

## **Chemical Properties**

Boiling Pt:B.P. Text:>212F

Vapor Pres:18 Vapor Density:0.6 Spec Gravity:1.14

pH:Solubility in Water:COMPLETE

Appearance and Odor: REDDISH BROWN SOLUTION; ODORLESS.

Percent Volatiles by Volume:80/WT

## **Stability**

Stability Indicator/Materials to Avoid:YES

ALKALI

Hazardous Decomposition Products: AMMMONIA

#### **Disposal**

Waste Disposal Methods: DISCHARGE, TREATMENT/DISPOSAL IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,



expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.