

AQUA-GRO ASBESTO-WET

MSDS Number

BBKRG

National Stock Number

6850-00F002306

Product Name

AQUA-GRO ASBESTO-WET

Manufacturer

AQUATROLS CORP OF AMERICA

Product Identification

Product ID:AQUA-GRO ASBESTO-WET

MSDS Date:11/04/1985

FSC:6850

NIIN:00F002306

MSDS Number: BBKRG

Responsible Party

AQUATROLS CORPORATION OF AMERICA

1432 UNION AVENUE

PENNWAUKEN , NJ 08110

Emergency Phone: (800) 257-7797

Info Phone: (800) 257-7797

Preparer: A. R. TEMPLETON

Cage: 00021

Contractor

AQUATROLS CORPORATION OF AMERICA

PENNWAUKEN

609-665-1130

Cage: 00021

Ingredients

POLYOXYETHYLENE ESTERS OF CYCLIC ACIDS

Fraction By Weight: 47%

POLYOXYETHYLENE ETHER OF ALKYLATED PHENOLS

Fraction By Weight: 47%

SILCIONE ANTIFOAM EMULSION

Fraction By Weight: 6%

Hazards

LD50 LC50 Mixture:ORAL LD50 RATS = 4000 MG/KG

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN/EYES: MAY CAUSE MILD IRRITATION.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:SKIN/EYES: MAY CAUSE MILD IRRITATION.

First Aid

First Aid:INGESTION: IF VICTIM IS CONSCIOUS, DRINK WATER OR MILK. NEVER GIVE ANYTHING BY MOUTH IF VICTIM IS UNCONSCIOUS OR HAVING CONVULSIONS. CALL PHYS. SKIN: FLUSH W/PLENTY OF WATER WHILE REMOVING/WASH CONTAMINATED CLOTHING BEFORE REUSE. EYES: FLUSH W/PLENTY OF COOL WATER FOR AT LEAST 15 MINS. GET MED ATTN. INHALATION: REMOVE TO FRESH AIR. IF VICTIM HAS STOPPED BREATHING, GIVE ARTIFICIAL RESP. GET MED ATT

Fire Fighting

Flash Point Method:COC
Flash Point:558F
Extinguishing Media:USE WATER SPRAY, DRY CHEMICAL, FOAM OR CO2
Fire Fighting Procedures:USE WATER TO KEEP FIRE-EXPOSED CONTAINERS COOL. WATER SPRAY MAY BE USED TO FLUSH SPILLS AWAY FROM FIRE/DILUTE SPILLS TO NONFLAMMABLE MIXTURE.
Unusual Fire/Explosion Hazard:IF A SPILL OR LEAK, USE WATER SPRAY TO DISPERSE THE VAPORS. FIREFIGHTERS SHOULD WEAR SCBA IN THE POSITIVE-PRESSURE MODE W/FULL FACEPIECE.

Accidental Release

Spill Release Procedures:WHERE SPILLS ARE POSSIBLE A COMPREHENSIVE SPILL RESPONSE PLAN SHOULD BE DEVELOPED/IMPLEMENTED. CONTAIN SPILL MATERIAL. TRANSFER TO SECURE CONTAINERS. WHERE NECESSARY, COLLECT BY USING ABSORBENT MEDIA.

Handling

Handling and Storage Precautions:CONTAINER HAZARDOUS WHEN EMPTIED. SINCE EMPTIED CONTAINERS RETAIN PRODUCT RESIDUES, ALL HAZARD PRECAUTIONS DESCRIBED ON THIS MSDS MUST BE OBSERVED.
Other Precautions:TAKE PRECAUTIONS TO AVOID CONTAINER DAMAGE WHILE HANDLING & STORING.

Exposure Controls

Respiratory Protection:USE NIOSH/OSHA APPROVED RESPIRATORY EQUIPMENT. RESPIRATORS SHOULD BE SELECTED BASED ON THE FORM/CONCENTRATION OF CONTAMINANT IN AIR.
Ventilation:PROVIDE ADEQUATE LOCAL EXHAUST VENTILATION TO KEEP
Protective Gloves:IMPERVIOUS
Eye Protection:SAFETY GLASSES, GOGGLES
Work Hygienic Practices:REMOVE/WASH CONTAMINATED CLOTHING BEFORE REUSE.
Supplemental Safety and Health

Chemical Properties

Vapor Density:>AIR
Spec Gravity:1.056
Solubility in Water:SOLUBLE
Appearance and Odor:HAZY HONEY COLORED LIQUID.

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENT
Stability Condition to Avoid:KEEP AWAY FROM HEAT & FLAMES.
Hazardous Decomposition Products:SMOKE, FUMES, OXIDES OF CARBON

Disposal

Waste Disposal Methods:ALL RECOVERED MATERIAL SHOULD BE PACKAGED, LABELED, TRANSPORTED, & DISPOSED OR RECLAIMED IN CONFORMANCE W/GOOD ENGINEERING PRACTICES.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.