

PLASTIC WOOD CELLULOSE FIBER FILLER/NATURAL

MSDS Number

BBKWH

National Stock Number

8030-00F002392

Product Name

PLASTIC WOOD CELLULOSE FIBER FILLER/NATURAL

Manufacturer

BOYLE MIDWAY DIV AMERICAN HOME PRODUCTS CORP

Product Identification

Product ID:PLASTIC WOOD CELLULOSE FIBER FILLER/NATURAL

MSDS Date:05/05/1986

FSC:8030

NIIN:00F002392

MSDS Number: BBKWH

Responsible Party

BOYLE-MIDWAY DIV. AMERICAN HOME PRODUCTS CORP.

SOUTH AVENUE & HALE STREET

CRANFORD, NJ 07016

Emergency Phone: (201) 276-3900

Info Phone: (201) 276-3900

Cage: DO084

Contractor

BOYLE-MIDWAY INC

CRANFORD, NJ 07016

US

908-276-3900

Cage: 90994

Ingredients

N-BUTYL ACETATE (SARA III)

CAS: 123-86-4

RTECS: AF7350000

Fraction By Weight:

OSHA PEL150 PPM/200 STEL

ACGIH TLV: 150 PPM/200STEL;9192

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS: 1317-65-3

RTECS: EV9580000

Fraction By Weight:

OSHA PEL15 MG/M3 TDUST



ACGIH TLV: 10 MG/M3 TDUST; 9192

N-DIOCTYLPHTHALATE (SARA III)

CAS: 117-84-0 RTECS: TI1925000 Fraction By Weight:

EPA Report Quantity: 5000 LBS DOT Report Quantity: 5000 LBS

WOOD FLOUR

Fraction By Weight:

ACETONE (SARA III)

CAS: 67-64-1

RTECS: AL3150000 Fraction By Weight: OSHA PEL1000PPM

ACGIH TLV: 750PPM/1000STEL;9293

EPA Report Quantity: 5000 LBS DOT Report Quantity: 5000 LBS

Hazards

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES: IRRITATION.

Explanation of Carcinogenicity: NONE Effects of Overexposure: EYES: IRRITATION.

First Aid

First Aid:INGESTION: NO SPECIFIC PROCEDURE REQUIRED. SKIN: NO SPECIFIC

PROCEDURE REQUIRED. EYES: FLUSH W/WATER. CALL PHYSICIAN.

INHALATION; NO SPECIFIC PROCEDURE REQUIRED.

Fire Fighting

Flash Point Method: PMCC Flash Point: 21-25F

Extinguishing Media: WATER, CO2, FOAM, OR DRY CHEMICAL

Fire Fighting Procedures: NONE REQUIRED

Unusual Fire/Explosion Hazard: EXTREMELY FLAMMABLE. CONTAINS ACETONE.

Accidental Release

Spill Release Procedures: IMMEDIATELY PICK UP AND PLACE IN CLOSED FIREPROOF CONTAINER.

Handling

Handling and Storage Precautions: DO NOT USE OR STORE NEAR FIRE OR FLAME. DO NOT SMOKE WHILE USING.

Other Precautions: KEEP TIGHTLY CLOSED WHEN NOT IN USE. KEEP OUT OF

REACH OF CHILDREN.

Exposure Controls

Respiratory Protection: USE WITH ADEQUATE VENTILATION. AVOID BREATHING VAPORS.

Ventilation:MECHANICAL: RECOMMENDED Protective Gloves:NONE REQUIRED Eye Protection:NONE REQUIRED





Supplemental Safety and Health

Chemical Properties

Spec Gravity:1.4

Solubility in Water: INSOLUBLE

Appearance and Odor:OFF-WHITE PASTE W/STRONG ORGANIC SOLVENT

Percent Volatiles by Volume:40%

Stability

Stability Indicator/Materials to Avoid:YES Hazardous Decomposition Products: CO2, COMBUSTION PRODUCTS OF WOOD.

Disposal

Waste Disposal Methods: IN FLUID, DISPOSE OF IN SECURE LANDFILL, INCINERATOR OR OTHER PERMITTED FACILITY IN ACCORD WITH FEDERAL LAW. IF SOLID, DISCARD WITH TRASH COLLECTION.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.