

A-PROCESS CHARGE

MSDS Number

BBKYG

National Stock Number

6850-00F002433

Product Name

A-PROCESS CHARGE

Manufacturer

SOUTHERN CALIFORNIA CHEMICAL CO INC

Product Identification

Product ID:A-PROCESS CHARGE

MSDS Date:01/01/1987

FSC:6850

NIIN:00F002433

MSDS Number: BBKYG

Responsible Party

SOUTHERN CALIFORNIA CHEMICAL CO INC

8851 DICE RD

SANTA FE SPRINGS , CA 90670-5000

Emergency Phone: 213-698-8036

Info Phone: 213-698-8036

Cage: SCALI

Contractor

SOUTHERN CALIFORNIA ORGANIC FERTILIZER CO INC

4907

EL MONTE, CA 91714-0907

US

213-245-6849

Cage: SCALI

Ingredients

COPPER (DUST & MIST), BRONZE POWDER *97-2*

CAS: 7440-50-8

RTECS: GL5325000

Fraction By Weight: 12%

OSHA PEL0.1 MG(CU)/M3 (FUME)

ACGIH TLV: 0.2 MG/M3 (FUME)

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

AMMONIA VAPORS

CAS: 7664-41-7

Fraction By Weight: 10%

EPA Report Quantity: 100 LBS

DOT Report Quantity: 100 LBS

Hazards

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES: IRRITATION & CONJUNCTIVITIS.
INHALATION: IRRITATION OF THE NOSE & THROAT.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:IRRITATION, SWELLING, COUGHING, SHORTNESS,
VOMITING.

First Aid

First Aid:INHALATION: REMOVE TO FRESH AIR. EYES: THOROUGHLY WASH FOR 15
MINS. SKIN: DON'T APPLY OINTMENTS/SALVES. INGESTION: DON'T INDUCE
VOMITING. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Fire Fighting

Flash Point:NONE
Lower Limits:16
Upper Limits:25
Extinguishing Media:WATER SPRAY, CARBON DIOXIDE/DRY CHEMICAL.
Unusual Fire/Explosion Hazard:AMMONIA FUMES PRESENT MODERATE FIRE AND
EXPLOSION HAZARDS WHEN NEAR A FLAME.

Accidental Release

Spill Release Procedures:USE WATER SPRAY TO KNOCK DOWN VAPORS. FLUSH
W/WATER. KEEP AWWAY FROM METALS & METAL CONTAINERS. DIKE/ABSORB
W/DIRT, VERMICULITE, SAND, FLY ASH/OTHER INERT ABSORBENT.
Neutralizing Agent:VINEGAR

Handling

Handling and Storage Precautions:DON'T STORE & OUT OF SUNLIGHT.
Other Precautions:LOOSEN DRUM CAPS W/CAUTION & REMEMBER ODOR IS
PUNGENT.

Exposure Controls

Respiratory Protection:2-5 TIMES TLV: NO RESPIRATOR; 5-10 TIMES TLV:
CANISTER GAS MASK.
Ventilation:MECHANICAL: BLOWER DRAFT USUALLY REQUIRED. KEEP SOLUTION
ENCLOSED.
Protective Gloves:NEOPRENE
Eye Protection:SEALED GOGGLESS
Other Protective Equipment:NEOPRENE APRON AND BOOTS.
Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:212-214F
Vapor Pres:71.8
Vapor Density:0.6
Spec Gravity:1.21
Evaporation Rate & Reference:(BU AC = 1): Solubility in Water:COMPLETE
Appearance and Odor:CLEAR DARK BLUE W/A STRONG AMMONIACAL ODOR.
Percent Volatiles by Volume:17%

Stability

Stability Indicator/Materials to Avoid:YES
ACIDS
Stability Condition to Avoid:HEAT, SUNLIGHT.
Hazardous Decomposition Products:AMMONIA GAS.

Disposal

Waste Disposal Methods:NEUTRALIZE WITH DILUTE VINEGAR/DISPOSE OF
IAW/FEDERAL, STATE & LOCAL REGULATIONS. CORROSIVE MATERIAL UN 1719.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.