

## **SUPER GLOSS**

### **MSDS Number**

BBKYN

### **National Stock Number**

8010-00F002439

### **Product Name**

SUPER GLOSS

### **Manufacturer**

AEROSOL SYSTEMS INC

### **Product Identification**

Product ID: SUPER GLOSS

MSDS Date: 03/28/1978

FSC: 8010

NIIN: 00F002439

MSDS Number: BBKYN

### **Responsible Party**

AEROSOL SYSTEMS INC

9150 VALLEY VIEW RD

MACEDONIA , OH 44056-2013

US

Emergency Phone: 216-467-4195

Info Phone: 216-467-4195

Cage: 2F853

### **Contractor**

AEROSOL SYSTEMS INC

MACEDONIA, OH 44056-2013

US

330-467-4195 / 330-467-6641

Cage: 2F853

### **Ingredients**

ACRYLIC (NOT SPECIFIED)

CAS: 75-09-2

Fraction By Weight: 15%

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

TOLUENE (IARC CARC- GROUP 3) \*97-2\*

CAS: 108-88-3

RTECS: XS5250000

Fraction By Weight: 48.7%

OSHA PEL100 PPM

ACGIH TLV: 100 PPM

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

DICHLOROMETHANE (METHYLENE CHLORIDE) (SUSP HUMAN CARC BY

CAS: 75-09-2

RTECS: PA8050000

Fraction By Weight: 11.3%

OSHA PEL500 PPM

ACGIH TLV: 174 MG/CUM (A2)

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

PROPANE (DIMETHYLMETHANE) \*97-2\*

CAS: 74-98-6

RTECS: TX2275000

Fraction By Weight: 25%

OSHA PEL1000 PPM

ACGIH TLV: SIMPLE ASPHYXIA

## Hazards

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO  
Explanation of Carcinogenicity:SEE INGREDIENTS.  
Effects of Overexposure:DIZINESS, NARCOSIS.

## First Aid

First Aid:INHALATION: IF UNCONSCIOUS, REMOVE TO FRESH AIR. EYES:  
IMMEDIATELY FLUSH W/LARGE QUANTITIES OF WATER. OBTAIN MEDICAL  
ATTENTION IN ALL CASES.

## Fire Fighting

Flash Point Method:TOC  
Flash Point:Extinguishing Media:WATER FOG, FOAM, CO2, DRY CHEMICAL.  
Fire Fighting Procedures:KEEP CONTAINERS COOL. USE EQUIPMENT/SHIELDING  
REQUIRED TO PROTECT PERSONNEL AGAINST BURSTING/VENTING CONTAINERS.  
Unusual Fire/Explosion Hazard:CONTAINERS MAY VENT, RUPTURE/BURST AT  
TEMPS =>130F.

## Accidental Release

Spill Release Procedures:FLUSH W/LARGE QUANTITIES OF WATER. VENTILATE  
AREA.

## Handling

Handling and Storage Precautions:DON'T STORE >120F. READ & FOLLOW  
CAUTIONS ON PRODUCT LABEL.  
Other Precautions:AVOID BREATHING CONCENTRATED VAPORS/PARTICLES FROM  
ALL PRODUCTS NOT SPECIFICALLY DESIGNED TO BE INHALED.

## Exposure Controls

Ventilation:NORMAL FOR NORMAL USE.  
Supplemental Safety and Health

## Chemical Properties

Vapor Pres:Vapor Density:>1  
Solubility in Water:Appearance and Odor:CLEAR - SOLVENT  
Percent Volatiles by Volume:85

---

## Stability

Stability Indicator/Materials to Avoid: YES

Stability Condition to Avoid: TEMPS => 130F.

Hazardous Decomposition Products: BY BURNING: CO, CO2 & WATER.

## Disposal

Waste Disposal Methods: DON'T PUNCTURE/INCINERATE CONTAINERS. GIVE TO A DISPOSAL SERVICE EQUIPPED TO SAFELY HANDLE & DISPOSE OF PRESSURIZED CONTAINERS IAW/FEDERAL, STATE & LOCAL REGULATIONS.

=====

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.