

SUNNEN MAN 845 HONING OIL

MSDS Number

BBLCY

National Stock Number

9160-00F002522

Product Name

SUNNEN MAN 845 HONING OIL

Manufacturer

SUNNEN PRODUCTS CO

Product Identification

Product ID: SUNNEN MAN 845 HONING OIL

MSDS Date: 01/01/1987

FSC: 9160

NIIN: 00F002522

MSDS Number: BBLCY

Responsible Party

SUNNEN PRODUCTS CO

7910 MANCHESTER AVE

ST LOUIS , MO 63143-2712

US

Emergency Phone: 314-781-2100/800-678-6636

Info Phone: 314-781-2100/800-678-6636

Cage: 58436

Contractor

SUNNEN PRODUCTS CO

SAINT LOUIS, MO 63143-2712

US

314-781-2100

Cage: 58436

Ingredients

PETROLEUM DISTILLATE, PETROLEUM OIL, BASE OIL

CAS: 8002-05-9

RTECS: SE7449000

Fraction By Weight: 90%

OSHA PEL5 MG/CUM MIST

ACGIH TLV: 5 MG/CUM MIST

PARAFFIN WAXES & HYDROCARBON WAXES, CHLORINATED PARAFFIN

CAS: 63449-39-8

RTECS: RV0450000

Fraction By Weight: 10%

SULFURIZED FAT

Hazards

LD50 LC50 Mixture:ORAL LD50(RAT): 5 G/KG
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:SKIN: IRRITATION.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:DEFATTING, IRRITATION.

First Aid

First Aid:EYES:FLUSH W/WATER. SKIN: WASH W/SOAP & WATER. INHALATION:
REMOVE TO FRESH AIR. GIVE CPR IF NEEDED. OBTAIN MEDICAL ATTENTION
IN ALL CASES.

Fire Fighting

Flash Point Method:COC
Flash Point:270F
Extinguishing Media:CO2, FOAM, DRY CHEMICAL _
Fire Fighting Procedures:USE SCBA IN CONFINED SPACES.
Unusual Fire/Explosion Hazard:NONE

Accidental Release

Spill Release Procedures:IF MATERIAL IS RELEASED, ABSORB ON FIRE
RETARDANT TREATED SAWDUST, DIATOMACEOUS EARTH/OTHER SUITABLE
ABSORBENT. GATHER & DISPOSE OF IAW/APPLICABLE REGULATIONS.

Handling

Handling and Storage Precautions:NONE
Other Precautions:NONE

Exposure Controls

Respiratory Protection:IF USE CONDITIONS GIVE RISE TO LEVELS OF OIL
MIST OF 5 MG/CUM/GREATER, USE ADEQUATE MECHANICAL/RESPIRATORY
PROTECTION.
Ventilation:MECHANICAL EXHAUST.
Protective Gloves:BARRIER CREAMS
Eye Protection:GOGGLES
Other Protective Equipment:NONE
Work Hygienic Practices:PRACTICE GOOD PERSONAL HYGIENE.
Supplemental Safety and Health
EVAPORATION RATE: (CARBON TETRACHLORIDE = 1): 0.

Chemical Properties

Boiling Pt:B.P. Text:600F
Vapor Pres:Spec Gravity:0.864
Evaporation Rate & Reference:(SEE SUPP)
Solubility in Water:NEGLIGIBLE
Appearance and Odor:LIQUID

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS
Hazardous Decomposition Products:CO, CO2, OXIDES OF SULFUR.

Disposal

Waste Disposal Methods:DISPOSE OF IAW/FEDERAL, STATE & LOCAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.

