

---

## **URAFILM GLOSS BLACK 17038 L.S.**

### **MSDS Number**

BBLFC

### **National Stock Number**

8010-00F002547

### **Product Name**

URAFILM GLOSS BLACK 17038 L.S.

### **Manufacturer**

ADVANCED PRODUCTS DBA ADVANCED COATINGS AND CHEMICAL

### **Product Identification**

Product ID:URAFILM GLOSS BLACK 17038 L.S.

MSDS Date:11/01/1979

FSC:8010

NIIN:00F002547

MSDS Number: BBLFC

### **Responsible Party**

ADVANCED PRODUCTS DBA ADVANCED COATINGS & CHEMICAL

4343 TEMPLE CITY BLVD

TEMPLE CITY , CA 91780-4229

US

Emergency Phone: 213-579-6270

Info Phone: 213-579-6270

Preparer: EDWARD S KUBIK

Cage: 51686

### **Contractor**

ADVANCED PRODUCTS DBA ADVANCED COATINGS & CHEMICAL

TEMPLE CITY, CA 91780-4229

US

818-579-6270

Cage: 51686

### **Ingredients**

PIGMENT

CAS: 111-15-9

Fraction By Weight: 1.94%

VEHICLE

CAS: 123-86-4

Fraction By Weight: 32.96%

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

ADDITIVES

CAS: 78-93-3

Fraction By Weight: 0.47%

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

CELLOSOLVE ACETATE (ETHYLENE GLYCOL ETHYL ETHER ACETATE),

CAS: 111-15-9

RTECS: KK8225000

Fraction By Weight:

OSHA PEL100 PPM

ACGIH TLV: 5 PPM SKIN

BUTYL ACETATE (N-BUTYL ACETATE) \*97-2\*

CAS: 123-86-4

RTECS: AF7350000

Fraction By Weight:

OSHA PEL710 MG/CUM

ACGIH TLV: 713 MG/CUM

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

METHYL ETHYL KETONE, 2-BUTANONE \*97-2\*

CAS: 78-93-3

RTECS: EL6475000

Fraction By Weight:

OSHA PEL200 PPM

ACGIH TLV: 590 MG/CUM

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

XYLENE, DIMETHYLBENZENE, XYLOL (IARC - GROUP 3) \*97-2\*

CAS: 1330-20-7

RTECS: ZE2100000

Fraction By Weight:

OSHA PEL100 PPM

ACGIH TLV: 100 PPM, SKIN

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

TOLUENE (IARC CARC- GROUP 3) \*97-2\*

CAS: 108-88-3

RTECS: XS5250000

Fraction By Weight:

OSHA PEL100 PPM

ACGIH TLV: 100 PPM

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

## Hazards

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Explanation of Carcinogenicity:NONE

## First Aid

First Aid:OBTAIN MEDICAL ATTENTION IN ALL CASES.

## Fire Fighting

Flash Point Method:TCC  
Flash Point:20F  
Extinguishing Media:CO2, DRY CHEMICAL, FOAM.  
Fire Fighting Procedures:USE SPRAY NOZZLE DISCHARGE TO ASSIST IN  
CONTROLLING FIRE.  
Unusual Fire/Explosion Hazard:CONCENTRATED VAPORS MAY BE EXPLOSIVE.

## Accidental Release

Spill Release Procedures:FLUSH W/SHOP SOLVENTS.

## Handling

Handling and Storage Precautions:STORE AVOID PROLONGED SKIN CONTACT.

## Exposure Controls

Protective Gloves:RECOMMENDED  
Eye Protection:RECOMMENDED  
Supplemental Safety and Health

## Chemical Properties

Spec Gravity:0.98  
Solubility in Water:INSOLUBLE  
Appearance and Odor:BLACK DISPERSION W/DISTRICTIVE SOLVENT ODOR.  
Percent Volatiles by Volume:64.63

## Stability

Stability Indicator/Materials to Avoid:YES

## Disposal

Waste Disposal Methods:DISPOSE OF IAW/FEDERAL, STATE & LOCAL  
REGULATIONS.

=====  
Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.