



CYANOGAS CALCIUM CYANIDE

MSDS Number

BBLFW

National Stock Number

6810-00F002562

Product Name

CYANOGAS CALCIUM CYANIDE

Manufacturer

AMERICAN CYANAMID CO CYTEC INDUSTRIES DIV

Product Identification

Product ID: CYANOGAS CALCIUM CYANIDE

MSDS Date: 12/13/1984

FSC: 6810

NIIN: 00F002562

MSDS Number: BBLFW

Responsible Party

AMERICAN CYANAMID CO CYTEC INDUSTRIES DIV

5 GARRET MOUNTAIN PLZ

WEST PATERSON , NJ 07424-5000

US

Emergency Phone: 201-357-3100/201-652-6013

Info Phone: 201-357-3100/201-652-6013

Cage: 83289

Contractor

AMERICAN CYANAMID CO CYTEC INDUSTRIES DIV CHEMICAL LIGHT

LITTLE FALLS, NJ 07424

US

201-831-2000/201-357-3100

Cage: 83289

Ingredients

CALCIUM CYANIDE

CAS: 592-01-8

RTECS: EW0700000

Fraction By Weight: 42%

ACGIH TLV: 5 MG/CUM

CALCIUM OXIDE; LIME

CAS: 1305-78-8

RTECS: EW3100000

Fraction By Weight: 12%

OSHA PEL5 MG/CUM

ACGIH TLV: 2 MG/CUM



CALCIUM FLUORIDE, FLUORSPAR, CALCIUM DIFLUORIDE, IRTRAN 3,

CAS: 7789-75-5

RTECS: EW1760000

Fraction By Weight: 0.5%

OSHA PEL2.5 MG/CUM (AS F)

ACGIH TLV: 2.5 MG/CUM (AS F)

Hazards

LD50 LC50 Mixture:ORAL LD50(RATS): 39 MG/KG
Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EXTREMELY TOXIC. INGESTION: MAY CAUSE
RAPID RESPIRATORY ARREST & DEATH. SKIN/EYES: MAY CAUSE IRRITATION.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:IRRITATION.

First Aid

First Aid:EYES/SKIN: IMMEDIATELY FLUSH W/PLENTY OF WATER FOR 15 MINS.
BREAK AN AMYL NITRITE PEARL IN CLOTH & HOLD LIGHTLY UNDER NOSE FOR
15 SECS. REPEAT 5 TIMES AT 15 SEC INTERVALS. ALTERNATE AMYL NITRITE
INHALATIONS W/GIVING OXYGEN BY MASK. OBTAIN MEDICAL ATTENTION IN
ALL CASES. NOTE TO PHYS: INJECT INTRAVENOUSLY 10 ML OF 3% SOLUTION
OF SODIUM NITRITE AT RATE

Fire Fighting

Extinguishing Media:FOAM, CO2, DRY CHEMICAL.
Fire Fighting Procedures:WEAR A POSITIVE PRESSURE SCBA & FULL
PROTECTIVE CLOTHING. CONDUCT FIRE FIGHTING & RESCUE OPERATIONS FROM
UPWIND OF FIRE AREA. (SEE SUPP)
Unusual Fire/Explosion Hazard:VAPORS FROM FIRE ARE HAZARDOUS. MATERIAL
ITSELF DOESN'T BURN/BURNS W/DIFFICULTY. CONTACT W/ACIDS RELEASE
FLAMMABLE & TOXIC HYDROGEN CYANIDE GAS.

Accidental Release

Spill Release Procedures:WEAR AN APPROVED POSITIVE PRESSURE SCBA.
CAREFULLY SWEEP UP IMMEDIATELY & PLACE IN A CLOSED CONTAINER.

Handling

Handling and Storage Precautions:STORE IN DRY, WELL VENTILATED AREA.
REMOVE IGNITION SOURCES FROM VICINITY OF FEEDING EQUIPMENT & AT
POINT OF ENTRY OF DRY MATERIAL INTO SOLUTIONS.
Other Precautions:DON'T HANDLE W/BARE HANDS. ALWAYS HAVE ON HAND A
CYANIDE FIRST-AID KIT. REDRUM DAMAGED/PUNCTURED DRUMS. OPEN DRUMS
W/NON-SPARKING TOOLS. WEAR ALL-PURPOSE, FULL FACE MASK & IMPERVIOUS
CLOTHING, GLOVES & FOOTWEAR WHILE EMPTYING/TRANSFERRING.

Exposure Controls

Respiratory Protection:WEAR A FULL FACEPIECE CHEMICAL CARTRIDGE
RESPIRATOR W/A CANISTER SPECIFIC FOR HYDROGEN CYANIDE.
Ventilation:LOCAL EXHAUST WHERE POSSIBLE.
Protective Gloves:RUBBER
Other Protective Equipment:RUBBER BOOTS, FULL LENGTH CLOTHING
Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING & SHOES
BEFORE REUSE. MAINTAIN GOOD HOUSEKEEPING TO CONTROL DUST.
Supplemental Safety and Health
SPECIAL FIRE: EVACUATE & ISOLATE AREA. DON'T HANDLE BROKEN PACKAGE W/O
PROTECTIVE EQUIPMENT. WASH AWAY ANY MATERIAL THAT CONTACTED BODY
W/COPIOUS AMOUNTS OF WATER/SOAP & WATER. CONTROL RUNOFF WATER. F
IRST AID: FOLLOW DIRECTLY W/50 ML OF 25% SOLUTION OF SODIUM
THIOSULFATE AT SAME RATE BY SAME ROUTE.

Chemical Properties

Melt/Freeze Pt:M.P/F.P Text:1184F



Solubility in Water: COMPLETE
Appearance and Odor: BLACK TO GRAY FLAKES W/FAINT ODOR/BITTER ALMONDS.
Percent Volatiles by Volume: NONE

Stability

Stability Indicator/Materials to Avoid: YES
WATER, ACIDS, STRONG OXIDIZING AGENTS.
Stability Condition to Avoid: MOIST AIR & IGNITION SOURCES.
Hazardous Decomposition Products: BY THERMAL DECOMPOSITION: HYDROGEN
CYANIDE.

Disposal

Waste Disposal Methods: DISPOSE OF IAW/FEDERAL, STATE & LOCAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.