

UCON HEAT TRANSFER FLUID 500

MSDS Number

BBLFX

National Stock Number

6850-00F002563

Product Name

UCON HEAT TRANSFER FLUID 500

Manufacturer

UNION CARBIDE CHEM AND PLASTICS CO INC

Product Identification

Product ID:UCON HEAT TRANSFER FLUID 500

MSDS Date:11/12/1992

FSC:6850

NIIN:00F002563

MSDS Number: BBLFX

Responsible Party

UNION CARBIDE CHEM. & PLASTICS CO INC

39 OLD RIDGEBURY RD

DANBURY , CT 06817-0001

US

Emergency Phone: 203-794-6753/304-744-3487

Info Phone: 800-822-4357/304-744-3487

Cage: 0TAZ2

Contractor

UNION CARBIDE CORPORATION

DANBURY, CT 06817-0001

US

1-800-568-4000 / 732-563-5522

Cage: 0TAZ2

Ingredients

POLYALKYLENE GLYCOL

Fraction By Weight: >95%

N-PHENYL-1-NAPTHYLAMINE

CAS: 90-30-2

RTECS: QM4500000

Fraction By Weight:

Hazards

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN: PROLONGED CONTACT MAY CAUSE REDDENING, ITCHINESS, BURNING SENSATION, DRYING/FLAKING. EYES: MAY CAUSE IRRITATION, STINGING, EXCESS BLINKING/TEARING. EXCESS REDNESS OF CONJUNCTIVA MAY OCCUR. CHRON IC: EXPOSURE TO THIS MATERIAL MAY DECREASE OXYGEN CARRYING CAPACITY OF THE BLOOD. (SEE SUPP)

Explanation of Carcinogenicity:NONE
Effects of Overexposure:IRRITATION, REDDENING, ITCHINESS, BURNING,
DRYING, FLAKING, STINGING, EXCESS BLINKING/TEARING, DIZZINESS,
NAUSEA.
Medical Cond Aggravated by Exposure:PRE-EXISTING DERMATITIS,
CARDIOVASCULAR DISEASE, IMPAIRMENT OF RESPIRATORY FUNCTION.

First Aid

First Aid:INGESTION: IF FULLY CONSCIOUS GIVE 2 GLASSES OF WATER. DON'T
INDUCE VOMITING. ASPIRATION HAZARD. SKIN: WASH W/SOAP & WATER.
INHALATION: REMOVE TO FRESH AIR. EYES: IMMEDIATELY FLUSH W/WATER &
CONTINUE WASHING FOR SEVERAL MINS. NOTES TO PHYSICIAN: LOW
TOXICITY BY INGESTION. ANY MATERIAL ASPIRATED DURING VOMITING MAY
CAUSE LUNG INJURY. EMESIS SHOULDN'T BE INDUCED
MECHANICALLY/PHARMACOLOGICALLY.(SUPP)

Fire Fighting

Flash Point Method:PMCC
Flash Point:425F
Extinguishing Media:LARGE: ALCOHOL FOAM, FOAM. SMALL: CO2, DRY
CHEMICAL.
Fire Fighting Procedures:WEAR SCBA & PROTECTIVE CLOTHING. DON'T DIRECT
SOLID STREAM OF WATER/FOAM INTO HOT/BURNING POOLS. MAY CAUSE
FROTHING/INCREASE FIRE INTENSITY.

Accidental Release

Spill Release Procedures:WEAR SUITABLE PROTECTIVE EQUIPMENT, ESPECIALLY
EYE PROTECTION. SMALL: FLUSH W/LARGE AMOUNTS OF WATER. LARGER:
COLLECT FOR DISPOSAL.

Handling

Handling and Storage Precautions:KEEP CONTAINER CLOSED. USE W/ADEQUATE
VENTILATION. FOR INDUSTRIAL USE ONLY.
Other Precautions:DON'T ADD NITRITES/OTHER NITROSATING AGENTS BECAUSE
NITROSAMINES, WHICH MAY CAUSE CANCER, MAY BE FORMED. AVOID CONTACT
W/EYES/SKIN/CLOTHING. AVOID BREATHING VAPOR. DON'T SWALLOW.

Exposure Controls

Respiratory Protection:NOT REQUIRED FOR USE AT LOW TEMPERATURES.
Ventilation:GENERAL ROOM SATISFACTORY FOR NORMAL USE. SPECIAL/LOCAL
EXHAUST WHERE EXPOSURES TO ELEVATED TEMPERATURES OCCUR.
Protective Gloves:POLYVINYL CHLORIDE-COATED
Eye Protection:MONOGOGGLES
Other Protective Equipment:EYE BATH & SAFETY SHOWER
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.
Supplemental Safety and Health
HEALTH HAZARDS CONT'D: ASPIRATION CAUSES LUNG INJURY. OVEREXPOSURE TO
VAPOR GENERATED AT HIGH TEMPS CAUSES EYE/RESPIRATORY TRACT
IRRITATION/DIZZINESS/NAUSEA/INHALTION OF HARMFUL AMOUNTS OF
MATERIAL. NOTE TO PHYSICIAN CONT'D: IF NECESSARY TO EVACUATE
STOMACH CONTENTS, GASTRIC LAVAGE AFTER ENDOTRACHEAL INTUBATION.

Chemical Properties

Boiling Pt:B.P. Text:NONE
Melt/Freeze Pt:M.P/F.P Text:-55F
Decomp Temp:Decomp Text:550F
Vapor Pres:Vapor Density:>1
Spec Gravity:1.038
Evaporation Rate & Reference:(BU AC=1): Solubility in Water:100/WT
Appearance and Odor:TRANSPARENT AMBER LIQUID W/MILD SWEET ODOR

Stability

Stability Indicator/Materials to Avoid:YES
NITRATES/NITROSATING AGENTS/STRONG BASES/STRONG ACIDS/STRONG OXIDIZING
AGENTS/MATERIALS REACTIVE W/HYDROXYL COMPOUNDS.
Stability Condition to Avoid:TEMPS >550F
Hazardous Decomposition Products:CO/CO2/OXIDES OF CARBON &

NITROGEN/WATER VAPOR/ORGANIC ACIDS/FORMIC ACID/ACETIC ACID/ALDEHYDES/ESTERS/KETONES.

Disposal

Waste Disposal Methods:INCINERATE IN A FURNACE/DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.