

8300 PARTINGKOTE RELEASE,AEROSOL SPRAY

MSDS Number

BBLRV

National Stock Number

6850-00F002776

Product Name

8300 PARTINGKOTE RELEASE,AEROSOL SPRAY

Manufacturer

HEXCEL CORP RESINS GROUP

Product Identification

Product ID:8300 PARTINGKOTE RELEASE,AEROSOL SPRAY

MSDS Date:09/15/1992

FSC:6850

NIIN:00F002776

MSDS Number: BBLRV

Responsible Party

HEXCEL CORP - RESINS GROUP

20701 NORDHOFF ST

CHATSWORTH , CA 91311

US

Emergency Phone: 1-800-433-5072

Info Phone: 818-882-3022

Preparer: DEIRDRE S CRUTCHFIELD

Cage: EO693

Contractor

HEXCEL CORPORATION;CHEMICAL PRODUCTS DIVISION

2197

CHATSWORTH, CA 91311-5924

US

818-882-3022

Cage: 01490

Ingredients

VINYL ACETATE-VINYL CHLORIDE COPOLYMER

CAS: 9003-22-9

RTECS: AK0950000

Fraction By Weight: 1-5%

TOLUENE

CAS: 108-88-3

RTECS: XS5250000

Fraction By Weight: 3-15%

OSHA PEL200 PPM/150 STEL

ACGIH TLV: 50 PPM; 9293

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

HEXONE, METHYL ISOBUTYL KETONE (MIBK), 4-METHYL-2-PENTANONE

CAS: 108-10-1

RTECS: SA9275000

Fraction By Weight:

OSHA PEL100 PPM/75 STEL

ACGIH TLV: 50 PPM/75 STEL; 9293

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

2-BUTANONE (METHYL ETHYL KETONE) (MEK)

CAS: 78-93-3

RTECS: EL6475000

Fraction By Weight:

OSHA PEL200 PPM

ACGIH TLV: 590 MG/CUM

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

BUTYL ACETATE (N-BUTYL ACETATE)

CAS: 123-86-4

RTECS: AF7350000

Fraction By Weight:

OSHA PEL700 MG/CUM

ACGIH TLV: 713 MG/CUM

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

ETHYL ACETATE

CAS: 141-78-6

RTECS: AH5425000

Fraction By Weight:

OSHA PEL1400 MG/CUM

ACGIH TLV: 1400 MG/CUM

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

NIGROSINE BASE, SOLVENT BLACK 7 *93-1*

CAS: 8005-02-5

Fraction By Weight: TRACE

DICHLORODIFLUOROMETHANE, FREON 12

CAS: 75-71-8

RTECS: PA8200000

Fraction By Weight: 35-50%

OSHA PEL4950 MG/CUM

ACGIH TLV: 4950 MG/CUM

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

717.3 GRAMS/LITER

RTECS: 9999999VO

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION: SUFFOCATION BY REDUCING OXYGEN, LIGHT-HEADEDNESS, GIDDINESS, SHORTNESS OF BREATH, POSSIBLE NARCOSIS, POSSIBLE CARDIAC IRREGULARITIES, UNCONSCIOUSNESS & DEATH. SKIN/EYES: FROSTBITE. INGESTI ON: HARMFUL.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:SKIN: IRRITATION & DERMATITIS.

First Aid

First Aid:EYES: FLUSH W/PLENTY OF WATER FOR AT LEAST 15 MINS. SKIN: WASH W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION, PREFERABLY MOUTH-TO-MOUTH. IF BREATHING I S DIFFICULT, ADMINISTER OXYGEN. INGESTION: INDUCE VOMITING. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Fire Fighting

Flash Point Method:TCC

Flash Point:25-30F

Extinguishing Media:DRY CHEMICAL OR CO2 FOR SMALL FIRES & WATER & FOAM FOR LARGE ONES.

Fire Fighting Procedures:USE A SELF CONTAINED BREATHING APPARATUS.

Accidental Release

Spill Release Procedures:ABSORB EXCESS MATERIAL IN SAWDUST OR AN ABSORBENT MATERIAL. WASH AWAY RESIDUE W/SOAP & WATER.

Handling

Handling and Storage Precautions:STORE IN A COOL DRY AREA IN GROUNDED CONTAINERS. AVOID LOCALIZED SOLVENT VAPOR BUILDUP. DON'T PUNCTURE, DROP OR INCINERATE PRESSURIZED CONTAINERS.

Other Precautions:KEEP CANS OF AEROSOL AWAY FROM HEAT, SPARKS OR FLAME TO AVOID EXPLOSIVE RUPTURES.

Exposure Controls

Ventilation:IF HANDLED INDOORS, USE MECHANICAL EXHAUST VENTILATION.

Protective Gloves:RECOMMENDED

Eye Protection:SAFETY GLASSES

Other Protective Equipment:SYNTHETIC APRON

Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. DESTROY CONTAMINATED SHOES.

Supplemental Safety and Health

Chemical Properties

Appearance and Odor:BLACKISH SPRAY W/AN ACETATE LIKE ODOR.

Stability

Stability Indicator/Materials to Avoid: YES

Stability Condition to Avoid: SPARKS, OPEN FLAMES & HIGH TEMPERATURES.

Hazardous Decomposition Products: CO, CO₂ & OTHER CARBONACEOUS PRODUCTS.

Disposal

Waste Disposal Methods: CONTROLLED INCINERATION OR BURIED LANDFILL
DISPOSAL SHOULD BE IN ACCORDANCE W/ALL FEDERAL, STATE & LOCAL
REGULATIONS. FLAMMABLE GAS. UN 1954.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.