

## **EC-44/6 OZ CANS**

### **MSDS Number**

BBLRX

### **National Stock Number**

6850-00F002778

### **Product Name**

EC-44/6 OZ CANS

### **Manufacturer**

ELECTRONIC CHEMICAL CORP

### **Product Identification**

Product ID:EC-44/6 OZ CANS

MSDS Date:01/01/1988

FSC:6850

NIIN:00F002778

MSDS Number: BBLRX

### **Responsible Party**

ELECTRONIC CHEMICAL CORPORATION

813 COMMUNIPAW AVENUE

JERSY CITY , NJ 07304

Emergency Phone: (201) 332-2877

Info Phone: (201) 332-2877

Cage: 53488

### **Contractor**

ELECTRONIC CHEMICAL CORPORATION

JERSY CITY, NJ 07304

(201) 332-2877

Cage: 53488

### **Ingredients**

DICHLORODIFLUOROMETHANE, FREON 12

CAS: 75-71-8

RTECS: PA8275000

OSHA PEL4950 MG/CUM

ACGIH TLV: 4950 MG/CUM

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113) (SARA

CAS: 76-13-1

RTECS: KJ4000000

OSHA PEL1000PPM/1250STEL

ACGIH TLV: 1000PPM/1250STEL9192

SILICONE OIL

TRICHLOROFLUOROMETHANE (CFC-11) (SARA III)

CAS: 75-69-4

RTECS: PB6125000

OSHA PEL1000 PPM

ACGIH TLV: C, 1000 PPM; 9293

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

## Hazards

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:INHALATION: DIZZINESS IF EXPOSED TO  
LARGE AMOUNTS OF SOLVENT IN A COMPLETELY CLOSED AREA.  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:INHALATION: DIZZINESS IF EXPOSED TO LARGE  
AMOUNTS OF SOLVENTS IN COMPLETELY CLOSED AREA.

## First Aid

First Aid:INHALATION: REMOVE TO FRESH AIR.

## Fire Fighting

Flash Point Method:OC  
Flash Point:NONE  
Extinguishing Media:NON-FLAMMABLE  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:AEROSOL CANS WILL BURST IN TEMP.>120F. DO  
NOT PUNCTURE OR INCINERATE CANS.

## Accidental Release

Spill Release Procedures:SOLVENT EVAPORATES, LEAVING A FILM OF SILICONE  
OIL OR CLEAR OIL FILM. WIPE UP OIL BASE.

## Handling

Handling and Storage Precautions:DON'T STORE AEROSOL CAN IN TEMPERATURE  
IN EXCESS OF 120F. DON'T PUNCTURE OR INCINERATE CAN.  
Other Precautions:AVOID EXPOSURE TO HIGH TEMPERATURES & OPEN FLAME.

## Exposure Controls

Respiratory Protection:NONE NECESSARY WHEN USED IN VENTILATED AREA.  
Ventilation:LOCAL EXHAUST (OPEN WINDOW)  
Protective Gloves:NONE  
Eye Protection:NONE  
Other Protective Equipment:NONE  
Supplemental Safety and Health

## Chemical Properties

Boiling Pt:B.P. Text:117 F  
Vapor Pres:40  
Vapor Density:6.2  
Spec Gravity:1.57  
Solubility in Water:NONE  
Appearance and Odor:SOLVENT IS CLEAR, COLORLESS W/ATHEREAL ODOR &  
SLIGHT ANESTHETIC ACTION  
Percent Volatiles by Volume:99.99%

## Stability

Stability Indicator/Materials to Avoid:YES  
Stability Condition to Avoid:COMPLETELY CLOSED ENVIRONMENT, OPEN FLAME  
Hazardous Decomposition Products:HYDROFLUORIC ACID, CHLORINE, FLUORINE  
& PHOSGENE.

---

## Disposal

Waste Disposal Methods:DISPOSE OF AEROSOL CAN. DON'T PUNCTURE OR INCINERATE CAN.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.