

EZE 452

MSDS Number

BBLST

National Stock Number

6850-00F002799

Product Name

EZE 452

Manufacturer

EZE PRODUCTS INC

Product Identification

Product ID:EZE 452

MSDS Date:05/01/1986

FSC:6850

NIIN:00F002799

MSDS Number: BBLST

Responsible Party

EZE PRODUCTS, INC.

603 HIGH TECH CT

GREER , SC 29651

Emergency Phone: (803) 879-7100

Info Phone: (803) 879-7100

Cage: 8Z357

Contractor

EZE PRODUCTS, INC

5744

GREENVILLE, SC 29606

US

803-242-1002 OR 803-879-7100

Cage: 8Z357

Ingredients

BENZIN, NAPHTHA, MINERAL SPIRITS

CAS: 8030-30-6

RTECS: DE3030000

Fraction By Weight: 10-40%

OSHA PEL500 PPM

ACGIH TLV: 300 PPM

2-BUTOXYETHANOL

CAS: 111-76-2

RTECS: KJ8575000

Fraction By Weight: 1-7%

OSHA PELS, 50 PPM

ACGIH TLV: S, 25 PPM; 9293

HEXYLENE GLYCOL

CAS: 107-41-5

RTECS: SA0810000

Fraction By Weight: 1-7%

OSHA PELC 25 PPM

ACGIH TLV: C 25 PPM; 9192

Hazards

Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES

Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO

Health Hazards Acute and Chronic: EYES: IRRITATION, BURNING, & REDNESS.

SKIN: HARMFUL, IRRITATION, & BURNING. INHALATION: HEADACHE,

DIZZINESS, NAUSEA, IRRITATION OF THE RESPIRATORY TRACT. INGESTION:

NAUSEA, VOMITING, & DIARRHEA.

Explanation of Carcinogenicity: NONE

Effects of Overexposure: EYES: IRRITATION, BURNING, & REDNESS. SKIN:

HARMFUL, IRRITATION, & BURNING. INHALATION: HEADACHE, DIZZINESS,

NAUSEA, & IRRITATION OF THE UPPER RESPIRATORY TRACT. INGESTION:

NAUSEA, VOMITING, & DIARRHEA.

First Aid

First Aid: EYES: FLUSH W/PLENTY OF WATER FOR AT LEAST 15 MINS. SKIN:

WASH W/ SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. GIVE CPR OR

OXYGEN IF NEEDED. INGESTION: DON'T INDUCE VOMITING, GIVE WATER TO

CAUSE DILUTION IN STOMACH. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Fire Fighting

Flash Point Method: TCC

Flash Point: 210°F

Extinguishing Media: WATER FOG, CO2, DRY CHEMICAL

Fire Fighting Procedures: DON'T ENTER CONFINED FIRE SPACE WITHOUT A

SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard: COOL FIRE-EXPOSED CONTAINERS. ALTHOUGH

THIS MATERIAL IS NOT FLAMMABLE IN THE AQUEOUS STATE, IT WILL BURN

IN THE PRESENCE OF A STRONG IGNITION SOURCE.

Accidental Release

Spill Release Procedures: CONTAIN SPILL. ELIMINATE ANY IGNITION SOURCE.

ABSORB SMALL SPILLS W/ SAND, DIRT, & CLAY. LARGE SPILLS MAY BE

PUMPED INTO CONTAINERS FOR RECOVERY OR DISPOSAL.

Handling

Handling and Storage Precautions: STORE DRUMS IN A COOL PLACE, BUNG UP,
& CLOSED TIGHTLY.

Other Precautions: DO NOT TAKE INTERNALLY.

Exposure Controls

Respiratory Protection: USE NIOSH-APPROVED DUST MASK IF WORKING W/ MIST.

Ventilation: LOCAL EXHAUST: ADEQUATE

Protective Gloves: RUBBER, NEOPRENE

Eye Protection: CHEMICAL SPLASH GOGGLES

Other Protective Equipment: EYE WASH STATION, SAFETY SHOWER, WASHING

FACILITIES

Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING. REMOVE/LAUNDER

CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

Chemical Properties

Boiling Pt: B.P. Text: 212°F

Spec Gravity: 0.9450

Solubility in Water: SOLUBLE

Appearance and Odor:LIGHT GREEN LIQUID, W/MILD ODOR

Stability

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS, REDUCING AGENTS

Stability Condition to Avoid:IGNITION SOURCES, HIGH TEMPERATURES

Hazardous Decomposition Products:CO, CO2

Disposal

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS. CONTAMINATED ABSORBENT MAY BE DEPOSITED IN A LANDFILL OR WASTE MAY BE INCINERATED.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.