

## **3477 SPRED SATIN LATEX WALL PAINT-BISCAYNE BLUE**

### **MSDS Number**

BBLWY

### **National Stock Number**

8010-00F002868

### **Product Name**

3477 SPRED SATIN LATEX WALL PAINT-BISCAYNE BLUE

### **Manufacturer**

GLIDDEN COMPANY

### **Product Identification**

Product ID:3477 SPRED SATIN LATEX WALL PAINT-BISCAYNE BLUE

MSDS Date:05/21/1993

FSC:8010

NIIN:00F002868

MSDS Number: BBLWY

### **Responsible Party**

GLIDDEN COMPANY

925 EUCLID AVENUE

CLEVELAND , OH 44115

US

Emergency Phone: 800-545-2643

Info Phone: 216-344-8000

Cage: 01PD6

### **Contractor**

GLIDDEN PAINT, ICI PAINTS NORTH AMERICA

CLEVELAND, OH 44115

US

800-545-2643/216-344-8207

Cage: 01PD6

### **Ingredients**

CALCIUM CARBONATE, DOMOLITE, LIMESTONE, WHITING

CAS: 1317-65-3

RTECS: EV9580000

Fraction By Weight: 1-5%

OSHA PEL15 MG/CUM (DUST)

ACGIH TLV: 10 MG/CUM (DUST)

GROG; CALCIUM-BARIUM PHOSPHOSILICATE \*93-1\*

CAS: 66402-68-4

Fraction By Weight: 10-20%

OSHA PEL10 MG/CUM

ACGIH TLV: 5 MG/CUM

TALC (POWDER), (ASBESTOS FREE), TALCUM; HYDROUS MAGNESIUM

CAS: 14807-96-6

RTECS: WW2710000

Fraction By Weight: 10-20%

OSHA PEL20 MPPCF

ACGIH TLV: 2 MG/CUM (RESP DUST)

PROPANOIC ACID, 2-METHYL, MONOESTER

CAS: 25265-77-4

RTECS: UF6000000

Fraction By Weight: 1-5%

TITANIUM DIOXIDE, TIO2

CAS: 13463-67-7

RTECS: XR2275000

Fraction By Weight: 5-10%

OSHA PEL15 MG/M3 TDUST

ACGIH TLV: 10 MG/M3 TDUST; 9293

VINYL ACRYLIC RESIN \*93-1\*

CAS: 25067-01-0

Fraction By Weight: 5-10%

WATER

CAS: 7732-18-5

RTECS: ZC0110000

Fraction By Weight: 40-50%

11.35

RTECS: 9999999WG

## Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION: RESPIRATORY TRACT IRRITATION. RESPIRATORY PROBLEMS. SKIN/EYES: IRRITATION.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:SKIN: DEFATTING.

Medical Cond Aggravated by Exposure:EYE, SKIN, RESPIRATORY DISORDERS

## First Aid

First Aid:INHALATION: REMOVE TO FRESH AIR. RESTORE & SUPPORT CONTINUED BREATHING. HAVE TRAINED PERSON GIVE OXYGEN IF NECESSARY. SKIN: FLUSH W/WATER, THEN WASH W/SOAP & WATER. EYES: FLUSH W/PLENTY OF WATER FOR A T LEAST 15 MINS. INGESTION: OBTAIN MEDICAL ATTENTION IN ALL CASES.

## Fire Fighting

Flash Point Method:SCC  
Flash Point:NONE  
Upper Limits:4.2%  
Extinguishing Media:DRY CHEMICAL OR FOAM, WATER FOG, CO2  
Fire Fighting Procedures:USE WATER TO COOL & PROTECT EXPOSED CONTAINERS. USE FULL PROTECTIVE CLOTHING & SCBA.  
Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT OR FIRE. IN CLOSED TANKS, WATER OR FOAM MAY CAUSE FROTHING OR ERUPTION.

## Accidental Release

Spill Release Procedures:ELIMINATE IGNITION SOURCES. VENTILATE AREA. EVACUATE AREA. SMALL SPILLS: USE ABSORBENT TO PICK UP RESIDUE & DISPOSE OF PROPERLY.

## Handling

Handling and Storage Precautions:STORE HEAT/SPARKS/OPEN FLAME. KEEP FROM FREEZING. DON'T TAKE INTERNALLY. KEEP OUT OF REACH OF CHILDREN.  
Other Precautions:AVOID CONTACT W/SKIN/EYES & BREATHING OF VAPORS. KEEP CONTAINERS TIGHTLY CLOSED/UPRIGHT WHEN NOT IN USE. AVOID CONDITIONS WHICH RESULT IN FORMATION OF INHALABLE PARTICLES SUCH AS SPRAYING OR ABRADING (SANDING) PAINTED SURFACES.

## Exposure Controls

Respiratory Protection:WHERE RESPIRATORY PROTECTION IS REQUIRED, USE ONLY NIOSH/MSHA APPROVED RESPIRATORS.  
Ventilation:PROVIDE DILUTION VENTILATION OR LOCAL EXHAUST TO PREVENT BUILD UP OF VAPORS.  
Protective Gloves:IMPERVIOUS  
Eye Protection:SAFETY GLASSES OR GOGGLES  
Other Protective Equipment:EYE WASH, SAFETY SHOWER, IMPERVIOUS CLOTHING  
Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. WASH HANDS AFTER HANDLING & BEFORE EATING OR SMOKING.  
Supplemental Safety and Health

## Chemical Properties

Boiling Pt:B.P. Text:212-477F  
Spec Gravity:1.362  
Appearance and Odor:BLUE LIQUID  
Percent Volatiles by Volume:67.58%

## Stability

Stability Indicator/Materials to Avoid:YES  
OXIDIZERS, ACIDS  
Stability Condition to Avoid:ELEVATED TEMPERATURES, FREEZING, SPARKS, OPEN FLAME.  
Hazardous Decomposition Products:CO, CO2

## Disposal

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH ALL APPLICABLE REGULATIONS. AVOID DISCHARGE TO NATURAL WATERS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.