

## **UNLEADED GASOLINE**

### **MSDS Number**

BBLXB

### **National Stock Number**

9130-00F002870

### **Product Name**

UNLEADED GASOLINE

### **Manufacturer**

AGWAY PETROLEUM CORP

### **Product Identification**

Product ID:UNLEADED GASOLINE

MSDS Date:06/01/1987

FSC:9130

NIIN:00F002870

MSDS Number: BBLXB

### **Responsible Party**

AGWAY PETROLEUM CORP

5871 BUTTERNUT DR

SYRACUSE , NY 13221

US

Emergency Phone: 315-477-6163

Info Phone: 315-477-6163

Cage: 2R984

### **Contractor**

AGWAY PETROLEUM CORP

SYRACUSE, NY 13221

US

315-477-6163

Cage: 2R984

### **Ingredients**

GASOLINE UNLEADED

Fraction By Weight: >95%

BENZENE (HUMAN CARCINOGEN BY ACGIH, IARC, OSHA, NTP)

CAS: 71-43-2

RTECS: CY1400000

Fraction By Weight: 0-5%

OSHA PEL1 PPM (8 HR TWA)

ACGIH TLV: 0.3 MG/CUM (A2)

EPA Report Quantity: 10 LBS

DOT Report Quantity: 10 LBS

### **Hazards**

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES  
Health Hazards Acute and Chronic:INGESTION/INHALATION: HARMFUL OR FATAL. SKIN: IRRITATION, ALLERGIC REACTION, ABSORPTION MAY BE HARMFUL. EYES: IRRITATION.  
Explanation of Carcinogenicity:SEE INGREDIENTS  
Effects of Overexposure:INGESTION: PNEUMONITIS. GI DISTURBANCES, CNS EFFECTS. SKIN: DEFATTING, REDNESS, ITCHING, INFLAMMATION, CRACKING, SECONDARY INFECTION. INHALATION: RESPIRATORY TRACT IRRITATION. CNS EFFECTS, ANEMIA, IRR EGULAR HEART RHYTHM, BEHAVIORAL CHANGES, AFFECT HEMATOPOIETIC SYSTEM CAUSING BLOOD DISORDERS.  
Medical Cond Aggravated by Exposure:PULMONARY DISEASE

## First Aid

First Aid:INGESTION: DON'T INDUCE VOMITING DUE TO ASPIRATION HAZARD. IF SPONTANEOUS VOMITING OCCURS, MONITOR FOR BREATHING DIFFICULTY. SKIN: WASH W/SOAP & WATER. HIGH PRESSURE INJECTIONS REQUIRE MED EMERGENCY. EYES: FLUSH W/PLENTY OF WATER. INHALATION: REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE CPR. IF BREATHING IS DIFFICULT, GIVE OXYGEN. OBTAIN MEDICAL ATTENTION IN ALL CASES. NOTE TO PHYSICIAN: SEE SUPP.

## Fire Fighting

Flash Point Method:TCC  
Flash Point:-35F  
Lower Limits:1.4%  
Upper Limits:8%  
Extinguishing Media:DRY CHEMICAL, FOAM, CO2  
Fire Fighting Procedures:USE WATER SPRAY OR FOG TO COOL FIRE EXPOSED CONTAINERS, STRUCTURES & TO PROTECT PERSONNEL. USE WATER TO FLUSH AWAY FROM IGNITION SOURCES. USE SCBA.  
Unusual Fire/Explosion Hazard:VAPORS FORM FLAMMABLE/EXPLOSIVE MIXTURES W/AIR AT ROOM TEMP, MAY SPREAD TO IGNITION SOURCE & FLASHBACK. RUNOFF TO SEWER MAY CAUSE FIRE/EXPLOSION.

## Accidental Release

Spill Release Procedures:STOP SPILL & CONTAIN IT. STAY UPWIND & OUT OF LOW AREAS. REMOVE SOURCES OF IGNITION. KEEP SPILL OUT OF STREAMS & WATERWAYS.

## Handling

Handling and Storage Precautions:STORE IN CLOSED CONTAINERS IN VENTILATED AREA AWAY IGNITION SOURCE. KEEP HEAT, SPARKS & OPEN FLAMES WAY FROM CONTAINERS & VENTS OR VENT PIPE.  
Other Precautions:USE GROUNDING DEVICES DURING TRANSFER. NO SMOKING OR OPEN LIGHTS.

## Exposure Controls

Respiratory Protection:USE SELF CONTAINED AIR MASK OR HOSE MASK WHEN EXPOSURE LIMITS ARE EXCEEDED.  
Ventilation:LOCAL EXHAUST: FACE VELOCITY MORE THAN 60 FPM. MECHANICAL (GENERAL): EXPLOSION PROOF EQUIPMENT.  
Protective Gloves:RECOMMENDED  
Eye Protection:RECOMMENDED  
Other Protective Equipment:NONE FOR NORMAL HANDLING  
Work Hygienic Practices:TRAIN PERSONNEL ACCORDINGLY. REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.  
Supplemental Safety and Health  
CON'T: IF INGESTED, USE GASTRIC LAVAGE W/ACTIVATED CHARCOAL. USE AN INTRATRACHEAL TUBE, TO PREVENT ASPIRATION. AFTER INITIAL EPISODE, OBSERVE FOR CHANGES IN BLOOD VARIABLES & DELAYED APPEARANCE OF PUL MONARY EDEMA/CHEMICAL PNEUMONITIS. IN CASE OF INJECTION, PROMPT DEBRIDEMENT OF THE WOUND IS NECESSARY.

## Chemical Properties

Boiling Pt:B.P. Text:55F  
Vapor Pres:760  
Vapor Density:1.2

Spec Gravity:0.72-0.74  
Evaporation Rate & Reference:(BU AC = 1): >1  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:CLEAR LIQUID W/STRONG HYDROCARBON ODOR. MAY BE DYED  
DISTINCTIVE COLOR.

## Stability

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZERS  
Stability Condition to Avoid:HEAT, SPARKS, OPEN FLAME OR OTHER SOURCES  
OF IGNITION.  
Hazardous Decomposition Products:CO, CO2 & REACTIVE HYDROCARBONS

## Disposal

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, &  
FEDERAL REGULATIONS.

=====

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.