# **A-33**

### **MSDS Number**

**BBLXL** 

### **National Stock Number**

6520-00F002878

### **Product Name**

A-33

### Manufacturer

AUSTENAL INC

### **Product Identification**

Product ID:A-33 MSDS Date:01/01/1987 FSC:6520 NIIN:00F002878 MSDS Number: BBLXL

### **Responsible Party**

AUSTENAL INC 4101 W 51ST ST

CHICAGO, IL 60632

US

Emergency Phone: 312-735-0601

Info Phone: 312-735-3940

Cage: 67532 **Contractor** 

**AUSTENAL INC** 

UNKNOW

CHICAGO, IL 60632

US

800-621-0381 Cage: 67532

# **Ingredients**

**PLATINUM** 

CAS: 7440-06-4 RTECS: TP2160000 Fraction By Weight: OSHA PEL0.002 MG/M3

ACGIH TLV: 0.002 MG/M3; 9394

**INDIUM** 

CAS: 7440-74-6 RTECS: NL1050000 OSHA PELO.1 MG/CUM ACGIH TLV: 0.1 MG/CUM



TIN (AS SN)

CAS: 7440-31-5 RTECS: XP7320000 Fraction By Weight:

OSHA PEL2.0 MG/CUM ACGIH TLV: 2.0 MG/CUM

#### Hazards

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: INHALATION: MODERATELY TOXIC.

HEADACHE, VOMITING. SKIN: IRRITATION & BURNS. INGESTION: EXTREMELY

TOXIC.

Explanation of Carcinogenicity: NONE

Effects of Overexposure: INHALATION: PERMANENT DAMAGE TO THE NERVOUS

SYSTEM & DEATH.

#### First Aid

First Aid: EYES/SKIN: FLUSH W/WATER. INGESTION: DON'T INDUCE VOMITING. INHALATION: REMOVE TO FRESH AIR. OBTAIN MEDICAL ATTENTION IN ALL CASES.

## **Fire Fighting**

Flash Point Method:SCC

Extinguishing Media:DRY CHEMICAL, SAND OR OTHER APPROVED EXTINGUISHING

MATERIAL FOR METAL FIRES.

Fire Fighting Procedures: PROTECTIVE CLOTHING & POSITIVE PRESSURE, SCBA. Unusual Fire/Explosion Hazard: METAL POWDERS & METAL DUSTS MAY CAUSE CATALYTIC OXIDATION OF FLAMMABLE ORGANIC SOLVENT VAPORS.

### **Accidental Release**

Spill Release Procedures: SWEEP OR VACUUM UP SPILL. PLACE SPILLED MATERIAL IN METAL SAFETY CAN.

#### Handling

Handling and Storage Precautions: KEEP CONTAINERS TIGHTLY CLOSED & STORE IN COOL, DRY AREA.

### **Exposure Controls**

Respiratory Protection: USE AN APPROPRIATE NIOSH APPROVED RESPIRATOR IN POORLY VENTILATED AREAS.

Ventilation:LOCAL EXHAUST

Protective Gloves: CHEMICAL RESISTANT

Eye Protection: CHEMICAL SPLASHPROOF GOGGLES

Other Protective Equipment: APRON OR PROTECTIVE CLOTHING

Work Hygienic Practices: REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE

REUSE. WASH HANDS & FACE AFTER USE.

Supplemental Safety and Health

### **Chemical Properties**

Appearance and Odor: NO ODOR

### Stability

Stability Indicator/Materials to Avoid:YES HYDROGEN PEROXIDE, METHANOL & FLAMMABLE ORGANIC SOLVENT VAPORS. Hazardous Decomposition Products:METAL OXIDE FUMES

### **Disposal**

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS OR SEND TO A REFINERY FOR RECOVERY OF PRECIOUS METALS.



\_\_\_\_\_\_

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.