



MICRO-BOND N/P2 ALLOY

MSDS Number

BBLXQ

National Stock Number

6520-00F002883

Product Name

MICRO-BOND N/P2 ALLOY

Manufacturer

AUSTENAL DENTAL INC

Product Identification

Product ID: MICRO-BOND N/P2 ALLOY

MSDS Date: 04/02/1987

FSC: 6520

NIIN: 00F002883

MSDS Number: BBLXQ

Responsible Party

AUSTENAL DENTAL, INC

5101 SOUTH KEELER AVENUE

CHICAGO , IL 60632

Emergency Phone: (312) 735-0601

Info Phone: (800) 621-0176

Cage: EO702

Contractor

AUSTENAL DENTAL, INC

CHICAGO, IL 60632

(800) 621-0176

Cage: EO702

Ingredients

CHROMIUM, ION (CR 3+)

CAS: 16065-83-1

RTECS: GB6261000

ACGIH TLV: 500 UG/M3

MOLYBDENUM (INSOLUBLE)

CAS: 1439-98-7

OSHA PEL15 MG/CUM

ACGIH TLV: 10 MG/CUM

NICKEL (ANTIMONY, TITANIUM YELLOW PIGMENT)

CAS: 8007-18-9

ACGIH TLV: 0.5 MG/CUM

Hazards



Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:YES
Health Hazards Acute and Chronic:SKIN: DERMATITIS. INHALATION:
CONJUNCTIVITIS, CHOROIDITIS, RETINITIS, SIDEROSIS OF TISSUE, & METAL
FUME FEVER.
Explanation of Carcinogenicity:NICKEL CHROMIUM ALLOYS & OTHER ELEMENT
COMPONENTS OF ALLOY WHEN IN THE FORM OF DUST/POWDER/COMPOUNDS MAY
BE CARCINOGENIC.
Effects of Overexposure:INHALATION: CONJUNCTIVITIS, CHOROIDITIS,
RETINITIS,SIDEROSIS OF TISSUES & METAL FUME FEVER. SKIN:
DERMATITIS.
Medical Cond Aggravated by Exposure:DERMATITIS

First Aid

First Aid:INHALATION: REMOVE VICTIM TO FRESH AIR, BEGIN ARTIFICIAL
RESPIRATION IF VICTIM IS NOT BREATHING. SKIN: WASH W/SOAP & WATER.
INGESTION: SEEK MED ATTN. EYES: FLUSH W/WATER & SEEK MED ATTN.

Fire Fighting

Extinguishing Media:SAND, DOLOMITE, GRAPHITE POWDER, SODIUM CHLORIDE
Fire Fighting Procedures:SOLID METAL IS NON-IGNITABLE.
Unusual Fire/Explosion Hazard:DUST & POWDER IS A MODERATE FIRE &
EXPLOSION HAZARD WHEN EXPOSED TO HEAT, FLAME, ELECTRIC CURRENT OR
STATIC ELECTRICITY.

Accidental Release

Spill Release Procedures:SOLID FORMS: SWEEP UP & RETURN TO CONTAINER.
DUST: WEAR PROTECTIVE CLOTHING. MINIMIZE AIRBORNE DUST. USE VACUUM
OR WET SWEEPER TO ACCUMULATE.

Handling

Handling and Storage Precautions:SOLID FORMS: NO UNUSUAL HANDLING
PRECAUTIONS. DUST & POWDERS: EXTINGUISH SOURCES OF HEAT & FIRE WHEN
HANDLING DUST & POWDERS.
Other Precautions:USE OF DUST COLLECTORS WILL MINIMIZE ACCUMULATION OF
DUST. WEAR APPROPRIATE PROTECTIVE CLOTHING & EQUIPMENT WHEN
CLEANING DUST COLLECTORS. DON'T EAT, DRINK OR SMOKE IN AREAS WHERE
DUST OR FUMES ARE GENERATED. AVOID EYE CONTACT.

Exposure Controls

Respiratory Protection:NO RESPIRATORS ARE NECESSARY IF TLV IS
MAINTAINED.
Ventilation:PROVIDE LOCAL EXHAUST VENTILATION IN AREA WHERE DUST &
FUMES ARE PRODUCED TO KEEP Eye Protection:GOGGLES, SAFETY GLASSES
Other Protective Equipment:NONE
Supplemental Safety and Health
NICKEL, CHROMIUM (ELEMENTAL), CHROMIUM IS A SUSPECTED/INDEFINITE ANIMAL
CARCINOGEN.

Chemical Properties

Melt/Freeze Pt:M.P/F.P Text:1329
Spec Gravity:8.6
Solubility in Water:INSOLUBLE
Appearance and Odor:GREY IN COLOR WHEN SANDBLASTED & LUSTROUS
APPEARANCE WHEN POLISHED. NO ODOR.

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS, NITRIC & CHROMIC ACIDS.
Stability Condition to Avoid:HEAT, FLAME, ELECTRIC CURRENT, & STATIC
ELECTRICITY
Hazardous Decomposition Products:NONE

Disposal

Waste Disposal Methods:DUST: DON'T FLUSH INTO DRAINS OR WATERWAYS.
ACCUMULATE & STORE IN A SEALED METAL OR PLASTIC DRUM. DISPOSE OF IN
APPROVED LANDFILL SITE PER FEDERAL, STATE, & LOCAL EPA REGULATIONS.



=====
Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.