74, GLIDSTRIP P&V REMOVER

MSDS Number

BBLYW

National Stock Number

8010-00F002910

Product Name

74, GLIDSTRIP P&V REMOVER

Manufacturer

GLIDDEN COMPANY

Product Identification

Product ID:74, GLIDSTRIP P&V REMOVER
MSDS Date:11/01/1987
FSC:8010
NIIN:00F002910
Status Code:A
MSDS Number: BBLYW

Responsible Party

GLIDDEN COMPANY

925 EUCLID AVENUE

CLEVELAND , OH 44115

Emergency Phone: (216) 826-5566

Info Phone: (216) 826-5566

Cage: 01PD6

Contractor

GLIDDEN PAINT, ICI PAINTS NORTH AMERICA

CLEVELAND, OH 44115

US

800-545-2643/216-344-8207

Cage: 01PD6

Ingredients

METHYLENE CHLORIDE (SARA III)

CAS: 75-09-2

RTECS: PA8050000

OSHA PEL500 PPM/C,1000; Z2

ACGIH TLV: 50 PPM, A2; 9192

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

ALIPHATIC NAPHTHA, V.M. & P. NAPHTHA, LACOLENE

CAS: 64742-89-8

OSHA PEL500 PPM

ACGIH TLV: 100 PPM

METHYL ALCOHOL (METHANOL) (SARA III)

CAS: 67-56-1

RTECS: PC1400000

OSHA PELS,200PPM/250STEL

ACGIH TLV: S,200PPM/250STEL; 93

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

ISOPROPYL ALCOHOL (SARA III)

CAS: 67-63-0

RTECS: NT8050000

OSHA PEL400 PPM/500 STEL

ACGIH TLV: 400 PPM/500STEL;9192

ACETONE (SARA III)

CAS: 67-64-1

RTECS: AL3150000

OSHA PEL1000PPM

ACGIH TLV: 750PPM/1000STEL;9293

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:YES IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALATION: IRRITATION OF RESPIRATORY TRACT, APPETITE LOSS, FATIGUE, DROWSINESS, VOMITING, COUGHING, CNS/NERVOUS SYSTEM DEPRESSION, RESPIRATORY PROBLEMS, INTOXICATION, CONFUSION & NARCOSIS. SKIN: DERM ATITIS, DEFATTING, IRRITATION. EYE: IRRITATION, BLURRED VISION, & REDNESS. INGESTION: LUNG INFLAMMATION & DAMAGE.
Explanation of Carcinogenicity:METHYLENE CHLORIDE HAS BEEN SHOWN TO CAUSE CANCER IN CERTANI LABORATORY ANIMAL TESTS.
Effects of Overexposure:INHALATION: IRRITATION OF RESPIRATORY TRACT, APPETITE LOSS, FATIGUE, DROWSINESS, DIZZINESS, HEADACHE, NAUSEA, VOMITING, COUGHING, CNS/NERVOUS DEPRESSION, INTOXICATION, CONFUSION & NARCOSIS. SKIN: DERM ATITIS, DEFATTING & IRRITATION. EYE: IRRITATION, BLURRED VISION, TEARING & REDNESS. INGESTION: LUNG INFLAMMATION DAMAGE.

First Aid

First Aid:INHALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. GET MED ATTN. GIVE OXYGEN. SKIN: WASH OFF W/PLENTY OF WATER & SOAP. REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. EYE: FLUSH W/LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. INGESTION: OBTAIN MED ATTN.

Fire Fighting

Extinguishing Media:DRY CHEMICAL, FOAM
Fire Fighting Procedures:WATER MAY BE USED TO COOL & PROTECT EXPOSED CONTAINERS.
Unusual Fire/Explosion Hazard:IF STORAGE CONTAINERS ARE EXPOSED TO EXCESSIVE HEAT/OVER-PRESSURIZATION OF CONTAINERS CAN RESULT. THIS PRODUCT IS NONFLAMMABLE/NONEXPLOSIVE UNDER NORMAL USE.

Accidental Release

Spill Release Procedures:ELIMINATE ALL SOURCES OF IGNITION. VENTILATE AREA. SMALL SPILLS MAY BE COLLECTED W/AORBENT MATERIALS. EVACUATE ALL UNNECESSARY PERSONNEL. LARGE SPILLS-OBSER STEPS FOR SMALL SPILLS. SHUT OFF LEAK IF SA FE TO DO SO. DIKE/CONTAIN SPL.

Handling

Handling and Storage Precautions:STORE BELOW 100F. KEEP FROM FREEZING. DON'T STORE IN ALUMINUM CONTAINERS. USE ONLY W/ADEQUATE NTILATION. DON'T TAKE INTERNALLY.
Other Precautions:KEEP OUT OF REACH OF CHILDREN. AVOID CONTACT WITH SKIN/EYES/BREATHING OF VAPORS. WASH HANDS AFTER HANDLING, BEFORE EATING/SMING. KEEP CONTAINERS TIGHTLY CLOSED/UPRIGHT WHEN NOT IN USE.

Exposure Controls

Respiratory Protection:USE ONLY NIOSH/MSHA APPROVED RESPIRATORS TO KEEP
Ventilation:PROVIDE DILUTION VENTILATION/LOCAL EXHAUST TO PREVENT BUILD-UP OF VAPORS.
Protective Gloves:IMPERVIOUS
Eye Protection:SFAETY GLASSES, GOGGLES
Other Protective Equipment:EYE WASH & SAFETY SHOWER.
Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.
Supplemental Safety and Health
WEIGHT PER GALLON: 9.87. NTP REPORTS CLEAR EVIDENCE OF CARCINOGENICITY IN MICE & FEMALE RATS. THE COLLECTIVE EVIDENCE OF SEVERAL ANIMAL STUDIES & HUMAN EXPEIENCE SUGGEST THERE IS LITTLE CARCINOGENIC R ISK FOR MEN UNDER CONTROLLED CONDITIONSOF OCCURPATIONAL EXPOSURE.

Chemical Properties

Boiling Pt:B.P. Text:104-290F
Percent Volatiles by Volume:96.1%

Stability

Stability Indicator/Materials to Avoid:YES
OXIDIZERS, ACIDS, BASES, ALDEHYDES, ALKYL HALIDES, HALOGENS, AMINES, MAGNESIUM
Stability Condition to Avoid:ELEVATED TEMPERATURES, HEAT
Hazardous Decomposition Products:CO, CO2, PHOSGENE, HYDROGEN CHLORIDE

Disposal

Waste Disposal Methods:PUMP TO STORAGE/SALVAGE VESSELS. USE ABSORBENT TO PICK UP EXCESS RESIDUE. KEEP SALAVAGE MATERIAL/RINSE WATER OUT OF SEWERS OR WATER COURSES. COMPLY W/APPLICABLE REGULATIONS FOR HEALTH/POLLUTION CONTRO L. DISPOSE IN ACCORDANCE W/APPLICABLE REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.